INTERNATIONAL®

April 11, 2016

Prepared For:
City of Joplin, MO.
Dean Smith
602 S Main St.
Joplin, MO 64801-2316
(417)624 - 0820
Reference ID: JDS-4582-01

Presented By:
INT'L TRK & ENGINE CORP
Joe D Sontag
900 S HIGHWAY DR STE 103
FENTON MO 63026 -
(636)343-6800

Thank you for the opportunity to provide you with the following quotation on a new International truck. I am sure the following detailed specification will meet your operational requirements, and I look forward to serving your business needs.



Model Profile
2017 7500 SFA 6X4 (SF537)

APPLICATION:	Front Plow and Underbelly Scraper with Spreader
MISSION:	Requested GVWR: 58000. Calc. GVWR: 58000 Calc. Start / Grade Ability: 18.32% / 2.23% @ 55 MPH Calc. Geared Speed: 78.2 MPH
DIMENSION:	Wheelbase: 213.00, CA: 138.00, Axle to Frame: 65.00
ENGINE, DIESEL:	{Navistar N10} EPA 2010, SCR, 350 HP @ 2000 RPM, 1150 lb-ft Torque @ 1200 RPM, 2200 RPM Governed Speed, 350 Peak HP (Max)
TRANSMISSION, AUTOMATIC:	{Allison 3000_RDS_P} 5th Generation Controls; Close Ratio, 6-Speed, With Double Overdrive; On/Off Hwy; Includes Oil Level Sensor, With PTO Provision, Less Retarder, With 80,000-lb GVW & GCW Max.
CLUTCH:	Omit Item (Clutch & Control)
AXLE, FRONT NON-DRIVING:	{Meritor MFS-18-133A} Wide Track, I-Beam Type, 18,000-lb Capacity
AXLE, REAR, TANDEM:	{Meritor MT-40-14X-4DFR} Single Reduction, 0.433"(11mm) Wall Housing Thickness, 40,000-lb Capacity, R Wheel Ends Gear Ratio: 5.29
CAB:	Conventional
TIRE, FRONT:	(2) 315/80R22.5 HSU2 WT (CONTINENTAL) 481 rev/mile, load range L, 20 ply
TIRE, REAR:	(8) 11R22.5 HDR2 (CONTINENTAL) 491 rev/mile, load range G, 14 ply
SUSPENSION, REAR, TANDEM:	{Hendrickson HMX-400-54} Walking Beam Type 54" Axle Spacing; 40,000-lb Capacity, With Rubber End Bushings, Transverse Torque Rods, Less Shock Absorbers
PAINT:	Cab schematic 100GM Location 1: 4421, School Bus Yellow (Std) Chassis schematic N/A

Code	Description	List (US DOLLAR)
SF53700	Base Chassis, Model 7500 SFA 6X4 with 213.00 Wheelbase, 138.00 CA, and 65.00 Axle to Frame.	$106,964.00
1570	TOW HOOK, FRONT (2) Frame Mounted	$73.00
1572	TOW HOOK, REAR (2)	$75.00
1CAJ	FRAME RAILS Heat Treated Alloy Steel (120,000 PSI Yield); 10.866" x 3.622" x 0.433" (276.0mm x 92.0mm x 11.1mm); 456.0" (11582mm) Maximum OAL	$665.00
1LLK	BUMPER, FRONT Omit Item	($30.00)
1WDS	FRAME EXTENSION, FRONT Integral; 20" In Front of Grille	$590.00
1WGB	WHEELBASE RANGE 177" (450cm) Through and Including 226" (575cm)	$742.00
2ARZ	AXLE, FRONT NON-DRIVING {Meritor MFS-18-133A} Wide Track, I-Beam Type, 18,000-lb Capacity	$1,217.00
	Notes : The following features should be considered when calculating Front GAWR: Front Axles; Front Suspension; Brake System; Brakes, Front Air Cam; Wheels; Tires.	
3ACR	SUSPENSION, FRONT, SPRING Multileaf, Shackle Type; 18,000-lb Capacity; Less Shock Absorbers	$79.00
	Includes : SPRING PINS Rubber Bushings, Maintenance-Free	
	Notes : The following features should be considered when calculating Front GAWR: Front Axles; Front Suspension; Brake System; Brakes, Front Air Cam; Wheels; Tires.	
4091	BRAKE SYSTEM, AIR Dual System for Straight Truck Applications	$0.00
	Includes : BRAKE LINES Color and Size Coded Nylon : DRAIN VALVE Twist-Type : GAUGE, AIR PRESSURE (2) Air 1 and Air 2 Gauges; Located in Instrument Cluster : PARKING BRAKE CONTROL Yellow Knob, Located on Instrument Panel : PARKING BRAKE VALVE For Truck : QUICK RELEASE VALVE Bendix On Rear Axle for Spring Brake Release: 1 for 4x2, 2 for 6x4 : SLACK ADJUSTERS, FRONT Automatic : SLACK ADJUSTERS, REAR Automatic : SPRING BRAKE MODULATOR VALVE R-7 for 4x2, SR-7 with relay valve for 6x4	
	Notes : Rear Axle is Limited to 46,000-lb GAWR with Code 04091 BRAKE SYSTEM, AIR and Standard Rear Air Cam Brakes Regardless of Axle /Suspension Ordered.	
4193	BRAKES, FRONT, AIR CAM 16.5" x 6", Includes 24 SqIn Long Stroke Brake Chambers	$0.00
	Notes : The following features should be considered when calculating Front GAWR: Front Axles; Front Suspension; Brake System; Brakes, Front Air Cam; Wheels; Tires.	
4619	TRAILER CONNECTIONS Four-Wheel, With Hand Control Valve and Tractor Protection Valve, for Straight Truck	$317.00
4732	DRAIN VALVE {Berg} Manual; With Pull Chain, for Air Tank	$0.00
	Includes : DRAIN VALVE Mounted in Wet Tank	

Code	Description	List (US DOLLAR)
4AZA	AIR BRAKE ABS {Bendix AntiLock Brake System} Full Vehicle Wheel Control System (4-Channel)	$0.00
4EBT	AIR DRYER {Bendix AD-IP} With Heater	$526.00
	Includes : AIR DRYER LOCATION Inside Left Rail, Back of Cab	
4EXU	BRAKE CHAMBERS, REAR AXLE {Bendix EverSure} 30/30 Spring Brake	$0.00
4EXV	BRAKE CHAMBERS, FRONT AXLE {Bendix} 24 SqIn	$0.00
4LAA	SLACK ADJUSTERS, FRONT {Haldex} Automatic	$97.00
4LGA	SLACK ADJUSTERS, REAR {Haldex} Automatic	$125.00
4NDB	BRAKES, REAR, AIR CAM S-Cam; 16.5" x 7.0"; Includes 30/30 Sq.In. Long Stroke Brake Chamber and Spring Actuated Parking Brake	$0.00
	Notes : The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires.	
4SBC	AIR COMPRESSOR {Bendix Tu-Flo 550} 13.2 CFM Capacity	$0.00
4WBX	DUST SHIELDS, FRONT BRAKE for Air Brakes	$35.00
4WDM	DUST SHIELDS, REAR BRAKE for Air Brakes	$102.00
4WDW	BRAKE CHAMBERS, SPRING on Rear/Rear Axle Located Inside Rear Tire Envelope (Meets Asphalt Spreader/Paver Clearance Requirements)	$32.00
5708	STEERING COLUMN Tilting	$125.00
5CAL	STEERING WHEEL 2-Spoke, 18" Dia., Black	$0.00
5PTB	STEERING GEAR (2) {Sheppard M100/M80} Dual Power	$1,169.00
7BEP	EXHAUST SYSTEM Switchback Horizontal Aftertreatment Device, Frame Mounted Right Side Under Cab; Includes Single Vertical Tail Pipe, Frame Mounted Right Side Back of Cab	$2,051.00
7WBS	MUFFLER/TAIL PIPE GUARD (1) Bright Stainless Steel	$133.00
8000	ELECTRICAL SYSTEM 12-Volt, Standard Equipment	$0.00
	Includes : DATA LINK CONNECTOR For Vehicle Programming and Diagnostics In Cab : FUSES, ELECTRICAL SAE Blade-Type : HAZARD SWITCH Push On/Push Off, Located on Top of Steering Column Cover : HEADLIGHT DIMMER SWITCH Integral with Turn Signal Lever : HEADLIGHTS (2) Sealed Beam, Round, with Chrome Plated Bezels : JUMP START STUD Located on Positive Terminal of Outermost Battery : PARKING LIGHT Integral with Front Turn Signal and Rear Tail Light : RUNNING LIGHT (2) Daytime, Included With Headlights : STARTER SWITCH Electric, Key Operated : STOP, TURN, TAIL & B/U LIGHTS Dual, Rear, Combination with Reflector : TURN SIGNAL SWITCH Self-Cancelling for Trucks, Manual Cancelling for Tractors, with Lane Change Feature : WINDSHIELD WIPER SWITCH 2-Speed with Wash and Intermittent Feature (5 Pre-Set Delays), Integral with Turn Signal Lever : WINDSHIELD WIPERS Single Motor, Electric, Cowl Mounted : WIRING, CHASSIS Color Coded and Continuously Numbered	

Code	Description	List (US DOLLAR)
8518	CIGAR LIGHTER Includes Ash Cup	$18.00
8GXD	ALTERNATOR {Leece-Neville AVI160P2013} Brush Type; 12 Volt 160 Amp. Capacity, Pad Mount, With Remote Sense	$0.00
8HAH	ELECTRIC TRAILER BRAKE/LIGHTS Accommodation Package to Rear of Frame; for Combined Trailer Stop, Tail, Turn, Marker Light Circuits; Includes Electric Trailer Brake Accommodation Package With Cab Connections for Mounting Customer Installed Electric Brake Unit, Less Trailer Socket	$363.00
8MKL	BATTERY SYSTEM {International} Maintenance-Free, (3) 12-Volt 1950CCA Total	$47.00
8RGA	2-WAY RADIO Wiring Effects; Wiring With 20 Amp Fuse Protection, Includes Ignition Wire With 5 Amp Fuse, Wire Ends Heat Shrink and Routed to Center of Header Console in Cab	$68.00
8THB	BACK-UP ALARM Electric, 102 dBA	$120.00
8THJ	AUXILIARY HARNESS 3.0' for Auxiliary Front Head Lights and Turn Signals for Front Plow Applications	$158.00
8TKK	TRAILER AUXILIARY FEED CIRCUIT for Electric Trailer Brake Accommodation/Air Trailer ABS; With 30 Amp Fuse and Relay, Controlled by Ignition Switch	$79.00
8VAY	HORN, ELECTRIC Disc Style	$0.00
8VUL	BATTERY BOX Steel With Plastic Cover, 18" Wide, 2, 3, or 4 Battery Capacity, Mounted Left Side Back of Cab	$0.00
8VZK	TURN SIGNALS, FRONT {Sound Off} Dual Face, LED, Amber/Red, Mounted on Top of Fender, Used With Standard Flush Mounted Front Turn Signal, Side Marker Lamps, Parking Lights and Reflectors	$187.00
8WCL	HORN, AIR Black, Single Trumpet, Air Solenoid Operated	$94.00
8WGD	SOLENOID, AIR for Customer Use; Provides (4) Normally Closed Pilot Air Source, Approx. 4 CFM, Includes Latched Switch in Cab; Air Available Only With Key in "Ignition" or "Accessory" Position; Air Will Exhaust with Key in "Off" Position	$259.00
	Notes : To Be Used as a Pilot Air and NOT as an Air Supply.	
8WGL	WINDSHIELD WIPER SPD CONTROL Force Wipers to Slowest Intermittent Speed When Park Brake Set and Wipers Left on for a Predetermined Time	$26.00
8WMA	SWITCH, TOGGLE, FOR WORK LIGHT Lighted; on Instrument Panel and Wiring Effects for Customer Furnished Back of Cab Light	$42.00
8WPH	CLEARANCE/MARKER LIGHTS (5) {Truck Lite} Amber LED Lights, Flush Mounted on Cab or Sunshade	$0.00
8WPP	ENGINE SHUTDOWN Automatic; With 30 Second Delay, With International Engines	$147.00
8WPZ	TEST EXTERIOR LIGHTS Pre-Trip Inspection will Cycle all Exterior Lamps Except Back-up Lights	$42.00
8WRB	HEADLIGHTS ON W/WIPERS Headlights Will Automatically Turn on if Windshield Wipers are turned on	$22.00
8WTK	STARTING MOTOR {Delco Remy 38MT Type 300} 12 Volt; less Thermal Over-Crank Protection	$0.00
8WTP	COURTESY LIGHT (2) Mounted In Front Map Pocket Left and Right Side	$48.00
	Notes : Feature included with CAB INTERIOR TRIM, Premium	

Code	Description	List (US DOLLAR)
8WWJ	INDICATOR, LOW COOLANT LEVEL With Audible Alarm	$0.00
8WXD	ALARM, PARKING BRAKE Electric Horn Sounds in Repetitive Manner When Vehicle Park Brake is "NOT" Set, With Ignition "OFF" and any Door Opened	$42.00
8XAH	CIRCUIT BREAKERS Manual-Reset (Main Panel) SAE Type III With Trip Indicators, Replaces All Fuses Except For 5-Amp Fuses	$99.00
9HAN	INSULATION, UNDER HOOD for Sound Abatement	$167.00
9HBM	GRILLE Stationary, Chrome	$0.00
9HBN	INSULATION, SPLASH PANELS for Sound Abatement	$76.00
9WAC	BUG SCREEN Front End; Mounted Behind Grille	$131.00
9WBC	FRONT END Tilting, Fiberglass, With Three Piece Construction; for 2007 & 2010 Emissions	$0.00
10060	PAINT SCHEMATIC, PT-1 Single Color, Design 100 Includes : PAINT SCHEMATIC ID LETTERS "GM"	$0.00
10761	PAINT TYPE Base Coat/Clear Coat, 1-2 Tone	$0.00
10UAD	VEHICLE REGISTRATION IDENTITY ID for 49 States, Excluding California	$0.00
10WJH	PROMOTIONAL PACKAGE Government and Municipal Silver Package; Two Year Limited Subscription of On-Command Service Information (Formerly Fleet ISIS), and On-Command Parts Information (Formerly Fleet Parts Catalog), Requires Specific Feature Combinations	$0.00
11001	CLUTCH Omit Item (Clutch & Control)	$0.00
12703	ANTI-FREEZE Red, Extended Life Coolant; To -40 Degrees F/ -40 Degrees C, Freeze Protection	$0.00
12851	PTO EFFECTS, ENGINE FRONT Less PTO Unit, Includes Adapter Plate on Engine Front Mounted	$353.00
12959	BLOCK HEATER, ENGINE {Phillips} 120V/1250W Includes : BLOCK HEATER SOCKET Receptacle Type; Mounted below Drivers Door	$92.00
12NWJ	ENGINE, DIESEL {Navistar N10} EPA 2010, SCR, 350 HP @ 2000 RPM, 1150 lb-ft Torque @ 1200 RPM, 2200 RPM Governed Speed, 350 Peak HP (Max) Includes : AIR COMPRESSOR AIR SUPPLY LINE Naturally-Aspirated (Air Brake Chassis Only) : COLD STARTING EQUIPMENT Intake Manifold Electric Grid Heater with Engine ECM Control : CRUISE CONTROL Electronic; Controls Integral to Steering Wheel : ENGINE OIL DRAIN PLUG Magnetic : ENGINE SHUTDOWN Electric, Key Operated : FUEL FILTER Included with Fuel/Water Separator : FUEL/WATER SEPARATOR Fuel/Water Separator and Fuel Filter in a Single Assembly; With Water-in-Fuel Sensor; Engine Mounted : GOVERNOR Electronic : OIL FILTER, ENGINE Spin-On Type : WET TYPE CYLINDER SLEEVES	$1,477.00
12THZ	FAN DRIVE {Horton Drivemaster Polar Extreme} Direct Drive Type, Two Speed, With Residual Torque Device for Disengaged Fan Speed	$0.00

Code	Description	List (US DOLLAR)
	Includes : FAN Nylon	
12UCV	RADIATOR Aluminum, Cross Flow, Series System; 1228 SqIn Core and 648 SqIn Charge Air Cooler	$0.00
12UPA	FEDERAL EMISSIONS {Navistar N9 & N10} EPA, OBD and GHG Certified for Calendar Year 2016	$350.00
12VBB	AIR CLEANER Dual Element	$59.00
	Includes : GAUGE, AIR CLEANER RESTRICTION Air Cleaner Mounted	
12VXV	THROTTLE, HAND CONTROL Engine Speed Control for PTO; Electronic, Mobile, Variable Speed; (Range 2 to 20 MPH) Mounted on Steering Wheel	$0.00
12VYL	ACCESSORY WIRING, SPECIAL for Road Speed Wire Coiled Under Instrument Panel for Customer Use	$45.00
12VYP	ENGINE CONTROL, REMOTE MOUNTED - No Provision Furnished for Remote Mounted Engine Control	$0.00
12WZE	EMISSION COMPLIANCE Federal, Does Not Comply With California Clean Air Idle Regulations	$0.00
13AVR	TRANSMISSION, AUTOMATIC {Allison 3000_RDS_P} 5th Generation Controls; Close Ratio, 6-Speed, With Double Overdrive; On/Off Hwy; Includes Oil Level Sensor, With PTO Provision, Less Retarder, With 80,000-lb GVW & GCW Max.	$9,443.00
13WAW	OIL COOLER, AUTO TRANSMISSION {Modine} Water to Oil Type	$667.00
13WBL	TRANSMISSION SHIFT CONTROL {Allison} Push-Button Type; for Allison 3000 & 4000 Series Transmission	$0.00
13WLP	TRANSMISSION OIL Synthetic; 29 thru 42 Pints	$203.00
13WUA	AUTOMATIC NEUTRAL Allison WT Transmission Shifts to Neutral When Parking Brake is Engaged and Remains in Neutral When Parking Brake is Disengaged	$129.00
13WUS	ALLISON SPARE INPUT/OUTPUT for Rugged Duty Series (RDS); General Purpose Trucks Modified for Single Input Auto Neutral	$0.00
13WYH	TRANSMISSION TCM LOCATION Located Inside Cab	$141.00
13WYU	SHIFT CONTROL PARAMETERS Allison 3000 or 4000 Series Transmissions, 5th Generation Controls, Performance Programming	$0.00
14GVY	AXLE, REAR, TANDEM {Meritor MT-40-14X-4DFR} Single Reduction, 0.433"(11mm) Wall Housing Thickness, 40,000-lb Capacity, R Wheel Ends . Gear Ratio: 5.29	$0.00
	Includes : POWER DIVIDER LOCK Electric over Air Operated, Cab Control with Indicator Light : REAR AXLE DRAIN PLUG (2) Magnetic, For Tandem Rear Axle	
	Notes : The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires.	
14ULX	SUSPENSION, REAR, TANDEM {Hendrickson HMX-400-54} Walking Beam Type 54" Axle Spacing; 40,000-lb Capacity, With Rubber End Bushings, Transverse Torque Rods, Less Shock Absorbers	$71.00

Code	Description	List (US DOLLAR)
	Includes : CROSSMEMBER, SUSPENSION Stamped Steel Double Dogbone	
	Notes : The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires.	
14WAL	SUSPENSION/REAR-AXLE IDENTITY for Meritor Tandem Rear Axles With Bar-Pin Beam Attachment Type Suspensions	$191.00
14WBV	SHOCK ABSORBERS, REAR (4) for Hendrickson HMX Suspension Only, Mounted from Frame to Beam	$878.00
15DYP	DEF TANK 9.5 U.S. Gal. 36.0L Capacity, Frame Mounted Outside Left Rail, Under Cab	$52.00
15LKG	FUEL/WATER SEPARATOR with Thermostatic Fuel Temperature Controlled Electric Heater, and Filter Restriction/Change Indicator, Includes Standard Equipment Water-in-Fuel Sensor	$123.00
15SWE	FUEL TANK Top Draw; Non-Polished Aluminum, 26" Diam., 70 U.S. Gal., 265 L Capacity Mounted Left Side, Under Cab	$104.00
16030	CAB Conventional	$0.00
	Includes : ARM REST (2) Molded Plastic; One Each Door : COAT HOOK, CAB Located on Rear Wall, Centered Above Rear Window : CUP HOLDERS Two Cup Holders, Located in Lower Center of Instrument Panel : DOME LIGHT, CAB Rectangular, Door Activated and Push On-Off at Light Lens, Timed Theater Dimming, Integral to Console, Center Mounted : GLASS, ALL WINDOWS Tinted : GRAB HANDLE, CAB INTERIOR (1) "A" Pillar Mounted, Passenger Side : GRAB HANDLE, CAB INTERIOR (2) Front of "B" Pillar Mounted, One Each Side : INTERIOR SHEET METAL Upper Door (Above Window Ledge) Painted Exterior Color : STEP (4) Two Steps Per Door	
16HBA	GAUGE CLUSTER English With English Electronic Speedometer	$0.00
	Includes : GAUGE CLUSTER (6) Engine Oil Pressure (Electronic), Water Temperature (Electronic), Fuel (Electronic), Tachometer (Electronic), Voltmeter, Washer Fluid Level : ODOMETER DISPLAY, Miles, Trip Miles, Engine Hours, Trip Hours, Fault Code Readout : WARNING SYSTEM Low Fuel, Low Oil Pressure, High Engine Coolant Temp, and Low Battery Voltage (Visual and Audible)	
16HGH	GAUGE, OIL TEMP, AUTO TRANS , for Allison Transmission	$48.00
16HKT	IP CLUSTER DISPLAY On Board Diagnostics Display of Fault Codes in Gauge Cluster	$0.00
16HLJ	GAUGE, DEF FLUID LEVEL	$0.00
16JNT	SEAT, DRIVER {National 2000} Air Suspension, High Back With Integral Headrest, Vinyl, Isolator, 1 Chamber Lumbar, With 2 Position Front Cushion Adjust, -3 to +14 Degree Angle Back Adjust	$0.00
	Includes : SEAT BELT 3-Point, Lap and Shoulder Belt Type	
16RPV	SEAT, PASSENGER {National 2000} Air Suspension, High Back With Integral Headrest, Vinyl, Isolated, 1 Chamber Lumbar, 2 Position Front Cushion Adjustment, -3 to +14 Degree Back Adjust	$508.00

Code	Description	List (US DOLLAR)
	Includes : SEAT BELT 3-Point, Lap and Shoulder Belt Type	
16SND	MIRRORS (2) {Lang Mekra} Rectangular, Power Both Sides, Thermostatically Controlled Heated Heads, Black Heads, Brackets and Arms, Breakaway Type, 7.55" x 14.1" Integral Convex Both Sides, 102" Inside Spacing	$321.00
16VCC	SEAT BELT All Orange; 1 to 3	$26.00
16WBY	ARM REST, RIGHT, DRIVER SEAT	$39.00
16WBZ	ARM REST, LEFT, PASSENGER SEAT	$39.00
16WCT	AIR CONDITIONER {Blend-Air} With Integral Heater & Defroster	$823.00
	Includes : HEATER HOSES Premium : HOSE CLAMPS, HEATER HOSE Mubea Constant Tension Clamps : REFRIGERANT Hydrofluorocarbon HFC-134A	
16WJS	INSTRUMENT PANEL Center Section, Flat Panel	$0.00
16WKY	HVAC FRESH AIR FILTER	$0.00
16WLE	STORAGE POCKET, DOOR Molded Plastic, Full Width; Mounted on Passenger Door	$25.00
16WRX	CAB INTERIOR TRIM Deluxe	$0.00
	Includes : "A" PILLAR COVER Molded Plastic : CAB INTERIOR TRIM PANELS Cloth Covered Molded Plastic, Full Height; All Exposed Interior Sheet Metal is Covered Except for the Following: with a Two-Man Passenger Seat or with a Full Bench Seat the Back Panel is Completely Void of Covering : CONSOLE, OVERHEAD Molded Plastic; With Dual Storage Pockets with Retainer Nets and CB Radio Pocket : DOOR TRIM PANELS Molded Plastic; Driver and Passenger Doors : FLOOR COVERING Rubber, Black : HEADLINER Soft Padded Cloth : INSTRUMENT PANEL TRIM Molded Plastic with Black Center Section : STORAGE POCKET, DOOR (1) Molded Plastic, Full-Length; Driver Door : SUN VISOR (2) Padded Vinyl with Driver Side Toll Ticket Strap, Integral to Console	
16WSK	CAB REAR SUSPENSION Air Bag Type	$0.00
27DPL	WHEELS, FRONT DISC; 22.5"x9.00" Rims, Painted Steel, 5-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with .5" Thick Disc, Non-Standard Offset and Steel Hubs	$332.00
	Includes : PAINT IDENTITY, FRONT WHEELS White	
	Notes : Aluminum Wheels not Painted or Coated : Compatible Tire Sizes: 12R22.5, 295/75R22.5, 295/80R22.5, 315/80R22.5	
28DRN	WHEELS, REAR {Accuride} DUAL DISC; 22.5"x8.25" Rims, Painted Steel, 5-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with .472" Thick Increased Capacity Disc and Steel Hubs	$622.00
	Includes : PAINT IDENTITY, REAR WHEELS White	
	Notes	

Code	Description	List (US DOLLAR)
	: Compatible Tire Sizes: 11R22.5, 12R22.5, 255/70R22.5, 255/80R22.5, 265/75R22.5, 275/70R22.5, 275/80R22.5, 295/75R22.5, 295/80R22,5	
29PAR	PAINT IDENTITY, FRONT WHEELS Disc Front Wheels; With Vendor Applied White Powder Coat Paint	$24.00
29PAS	PAINT IDENTITY, REAR WHEELS Disc Rear Wheels; With Vendor Applied White Powder Coat Paint	$90.00
29WAP	WHEEL GUARDS, FRONT {Accuride} for Metric Hub Piloted Wheels with Flanged Mounting Nuts Mounted Between Hub and Wheel	$24.00
29WAR	WHEEL GUARDS, REAR {Accuride} for Metric Hub Piloted Wheels with Flanged Mounting Nuts, Mounted Between Hub & Wheel and Between Dual Wheels	$47.00
60AAG	BDY INTG, REMOTE POWER MODULE Mounted Inside Cab behind Driver Seat; Up to 6 Outputs & 6 Inputs, Max. 20 amp. per Channel, Max. 80 amp Total (Includes 1 Switch Pack With Latched Switches)	$575.00
7372135423	(8) TIRE, REAR 11R22.5 HDR2 (CONTINENTAL) 491 rev/mile, load range G, 14 ply	$280.00
7792545416	(2) TIRE, FRONT 315/80R22.5 HSU2 WT (CONTINENTAL) 481 rev/mile, load range L, 20 ply	$636.00
	Total of Product Features	**$136,159.00**
	Cab schematic 100GM	
	Location 1: 4421, School Bus Yellow (Std)	
	Chassis schematic N/A	
	Services Section:	
40118	WARRANTY Standard for Paystar 5000, and Workstar 7500/7600, Effective with Vehicles Built January 2, 2015 or Later, CTS-2003Z	$0.00
40KMG	SERVICES, TOWING {Navistar} Service Call to 24-Month/Unlimited Mileage to the Nearest Navistar Dealer for Navistar Warrantable Failure as Contract Defined; Includes Engine Failure if Supplier Declines Tow Coverage & ESC Supplied thru Navistar; $275 (USA) Maximum Benefit per Incident	$560.00
40LED	SRV CONTRACT, EXT ENGINE {Navistar} To 60-Month/100,000 Miles (160,000 km), 3,600 Hours; Includes Engine Electronics and Injectors; for MaxxForce 10 and Navistar N10 Engines	$4,200.00
40NBY	SRV CONTRACT, EXT HTR/AC SYS {Navistar Prepackaged Components} To 60-Month/ 100,000 Miles (160,000 km)	$460.00
40PEE	SRV CONTRACT, EXT VEH COVERAGE {Navistar} To 24-Month/50,000 Miles (80,000 km), Excludes Extended Warranty for Engine and Transmission	$980.00
	Total of Service Features	**$6,200.00**
	Total List Price Including Options:	**$142,359.00**
1	Viking-Cives Quote Number 162366	$86,506.00
	Total Body Allied:	**$86,506.00**

(US DOLLAR)

Description		Price
Net Sales Price:		$172,276.00
Memo Item(s):		
Total Federal Excise Tax	$0.00	
Total Taxes:	$0.00	
Warranty:	$0.00	
Body/Allied Equipment:	$86,506.00	

Note: Memo item(s) shown here are included in the above Net Sales Price.

Please feel free to contact me regarding these specifications should your interests or needs change. I am confident you will be pleased with the quality and service of an International vehicle.

Approved by Seller:

_____
Official Title and Date

_____
Authorized Signature

This proposal is not binding upon the seller without Seller's Authorized Signature

Accepted by Purchaser:

_____
Firm or Business Name

_____
Authorized Signature and Date

_____
Official Title and Date

The TOPS FET calculation is an estimate for reference purposes only. The seller or retailer is responsible for calculating and reporting/paying appropriate FET to the IRS.