Prepared For:
City of Joplin, MO.
Dean Smith
602 S Main St.
Joplin, MO 64801-2316
(417)624 - 0820
Reference ID: JDS-4582-01

Presented By:
INT'L TRK & ENGINE CORP
Joe D Sontag
900 S HIGHWAY DR STE 103
FENTON MO 63026 -
(636)343-6800

Thank you for the opportunity to provide you with the following quotation on a new International truck. I am sure the following detailed specification will meet your operational requirements, and I look forward to serving your business needs.



Model Profile
2017 7500 SFA 6X4 (SF537)

APPLICATION:	Front Plow and Underbelly Scraper with Spreader
MISSION:	Requested GVWR: 58000. Calc. GVWR: 58000 Calc. Start / Grade Ability: 18.32% / 2.23% @ 55 MPH Calc. Geared Speed: 78.2 MPH
DIMENSION:	Wheelbase: 213.00, CA: 138.00, Axle to Frame: 65.00
ENGINE, DIESEL:	{Navistar N10} EPA 2010, SCR, 350 HP @ 2000 RPM, 1150 lb-ft Torque @ 1200 RPM, 2200 RPM Governed Speed, 350 Peak HP (Max)
TRANSMISSION, AUTOMATIC:	{Allison 3000_RDS_P} 5th Generation Controls; Close Ratio, 6-Speed, With Double Overdrive; On/Off Hwy; Includes Oil Level Sensor, With PTO Provision, Less Retarder, With 80,000-lb GVW & GCW Max.
CLUTCH:	Omit Item (Clutch & Control)
AXLE, FRONT NON-DRIVING:	{Meritor MFS-18-133A} Wide Track, I-Beam Type, 18,000-lb Capacity
AXLE, REAR, TANDEM:	{Meritor MT-40-14X-4DFR} Single Reduction, 0.433"(11mm) Wall Housing Thickness, 40,000-lb Capacity, R Wheel Ends Gear Ratio: 5.29
CAB:	Conventional
TIRE, FRONT:	(2) 315/80R22.5 HSC1 (CONTINENTAL) 484 rev/mile, load range L, 20 ply
TIRE, REAR:	(8) 11R22.5 HDR2 (CONTINENTAL) 491 rev/mile, load range G, 14 ply
SUSPENSION, REAR, TANDEM:	{Hendrickson HMX-400-54} Walking Beam Type 54" Axle Spacing; 40,000-lb Capacity, With Rubber End Bushings, Transverse Torque Rods, Less Shock Absorbers
PAINT:	Cab schematic 100GM Location 1: 4421, School Bus Yellow (Std) Chassis schematic N/A

Code	Description	List (US DOLLAR)
SF53700	Base Chassis, Model 7500 SFA 6X4 with 213.00 Wheelbase, 138.00 CA, and 65.00 Axle to Frame.	$106,964.00
1570	TOW HOOK, FRONT (2) Frame Mounted	$73.00
1572	TOW HOOK, REAR (2)	$75.00
1CAJ	FRAME RAILS Heat Treated Alloy Steel (120,000 PSI Yield); 10.866" x 3.622" x 0.433" (276.0mm x 92.0mm x 11.1mm); 456.0" (11582mm) Maximum OAL	$665.00
1LLK	BUMPER, FRONT Omit Item	($30.00)
1WDS	FRAME EXTENSION, FRONT Integral; 20" In Front of Grille	$590.00
1WGB	WHEELBASE RANGE 177" (450cm) Through and Including 226" (575cm)	$742.00
2ARZ	AXLE, FRONT NON-DRIVING {Meritor MFS-18-133A} Wide Track, I-Beam Type, 18,000-lb Capacity	$1,217.00
	Notes : The following features should be considered when calculating Front GAWR: Front Axles; Front Suspension; Brake System; Brakes, Front Air Cam; Wheels; Tires.	
3ACR	SUSPENSION, FRONT, SPRING Multileaf, Shackle Type; 18,000-lb Capacity; Less Shock Absorbers	$79.00
	Includes : SPRING PINS Rubber Bushings, Maintenance-Free	
	Notes : The following features should be considered when calculating Front GAWR: Front Axles; Front Suspension; Brake System; Brakes, Front Air Cam; Wheels; Tires.	
4091	BRAKE SYSTEM, AIR Dual System for Straight Truck Applications	$0.00
	Includes : BRAKE LINES Color and Size Coded Nylon : DRAIN VALVE Twist-Type : GAUGE, AIR PRESSURE (2) Air 1 and Air 2 Gauges; Located in Instrument Cluster : PARKING BRAKE CONTROL Yellow Knob, Located on Instrument Panel : PARKING BRAKE VALVE For Truck : QUICK RELEASE VALVE Bendix On Rear Axle for Spring Brake Release: 1 for 4x2, 2 for 6x4 : SLACK ADJUSTERS, FRONT Automatic : SLACK ADJUSTERS, REAR Automatic : SPRING BRAKE MODULATOR VALVE R-7 for 4x2, SR-7 with relay valve for 6x4	
	Notes : Rear Axle is Limited to 46,000-lb GAWR with Code 04091 BRAKE SYSTEM, AIR and Standard Rear Air Cam Brakes Regardless of Axle /Suspension Ordered.	
4193	BRAKES, FRONT, AIR CAM 16.5" x 6", Includes 24 SqIn Long Stroke Brake Chambers	$0.00
	Notes : The following features should be considered when calculating Front GAWR: Front Axles; Front Suspension; Brake System; Brakes, Front Air Cam; Wheels; Tires.	
4619	TRAILER CONNECTIONS Four-Wheel, With Hand Control Valve and Tractor Protection Valve, for Straight Truck	$317.00
4732	DRAIN VALVE {Berg} Manual; With Pull Chain, for Air Tank	$0.00
	Includes : DRAIN VALVE Mounted in Wet Tank	

Code	Description	List (US DOLLAR)
4AZA	AIR BRAKE ABS {Bendix AntiLock Brake System} Full Vehicle Wheel Control System (4-Channel)	$0.00
4EBT	AIR DRYER {Bendix AD-IP} With Heater	$526.00
	Includes : AIR DRYER LOCATION Inside Left Rail, Back of Cab	
4EXU	BRAKE CHAMBERS, REAR AXLE {Bendix EverSure} 30/30 Spring Brake	$0.00
4EXV	BRAKE CHAMBERS, FRONT AXLE {Bendix} 24 SqIn	$0.00
4LAA	SLACK ADJUSTERS, FRONT {Haldex} Automatic	$97.00
4LGA	SLACK ADJUSTERS, REAR {Haldex} Automatic	$125.00
4NDB	BRAKES, REAR, AIR CAM S-Cam; 16.5" x 7.0"; Includes 30/30 Sq.In. Long Stroke Brake Chamber and Spring Actuated Parking Brake	$0.00
	Notes : The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires.	
4SBC	AIR COMPRESSOR {Bendix Tu-Flo 550} 13.2 CFM Capacity	$0.00
4WBX	DUST SHIELDS, FRONT BRAKE for Air Brakes	$35.00
4WDM	DUST SHIELDS, REAR BRAKE for Air Brakes	$102.00
4WDW	BRAKE CHAMBERS, SPRING on Rear/Rear Axle Located Inside Rear Tire Envelope (Meets Asphalt Spreader/Paver Clearance Requirements)	$32.00
5708	STEERING COLUMN Tilting	$125.00
5CAL	STEERING WHEEL 2-Spoke, 18" Dia., Black	$0.00
5PTB	STEERING GEAR (2) {Sheppard M100/M80} Dual Power	$1,169.00
7BEP	EXHAUST SYSTEM Switchback Horizontal Aftertreatment Device, Frame Mounted Right Side Under Cab; Includes Single Vertical Tail Pipe, Frame Mounted Right Side Back of Cab	$2,051.00
7WBS	MUFFLER/TAIL PIPE GUARD (1) Bright Stainless Steel	$133.00
8000	ELECTRICAL SYSTEM 12-Volt, Standard Equipment	$0.00
	Includes : DATA LINK CONNECTOR For Vehicle Programming and Diagnostics In Cab : FUSES, ELECTRICAL SAE Blade-Type : HAZARD SWITCH Push On/Push Off, Located on Top of Steering Column Cover : HEADLIGHT DIMMER SWITCH Integral with Turn Signal Lever : HEADLIGHTS (2) Sealed Beam, Round, with Chrome Plated Bezels : JUMP START STUD Located on Positive Terminal of Outermost Battery : PARKING LIGHT Integral with Front Turn Signal and Rear Tail Light : RUNNING LIGHT (2) Daytime, Included With Headlights : STARTER SWITCH Electric, Key Operated : STOP, TURN, TAIL & B/U LIGHTS Dual, Rear, Combination with Reflector : TURN SIGNAL SWITCH Self-Cancelling for Trucks, Manual Cancelling for Tractors, with Lane Change Feature : WINDSHIELD WIPER SWITCH 2-Speed with Wash and Intermittent Feature (5 Pre-Set Delays), Integral with Turn Signal Lever : WINDSHIELD WIPERS Single Motor, Electric, Cowl Mounted : WIRING, CHASSIS Color Coded and Continuously Numbered	

Code	Description	List (US DOLLAR)
8518	CIGAR LIGHTER Includes Ash Cup	$18.00
8GXD	ALTERNATOR {Leece-Neville AVI160P2013} Brush Type; 12 Volt 160 Amp. Capacity, Pad Mount, With Remote Sense	$0.00
8HAH	ELECTRIC TRAILER BRAKE/LIGHTS Accommodation Package to Rear of Frame; for Combined Trailer Stop, Tail, Turn, Marker Light Circuits; Includes Electric Trailer Brake Accommodation Package With Cab Connections for Mounting Customer Installed Electric Brake Unit, Less Trailer Socket	$363.00
8MKL	BATTERY SYSTEM {International} Maintenance-Free, (3) 12-Volt 1950CCA Total	$47.00
8RGA	2-WAY RADIO Wiring Effects; Wiring With 20 Amp Fuse Protection, Includes Ignition Wire With 5 Amp Fuse, Wire Ends Heat Shrink and Routed to Center of Header Console in Cab	$68.00
8RMA	RADIO AM/FM/WB/Clock/Bluetooth/USB Input/3MM Auxiliary Input, MP3, Apple Device Play & Control, Bluetooth for Phone & Music, with Multiple Speakers	$483.00
8THB	BACK-UP ALARM Electric, 102 dBA	$120.00
8THJ	AUXILIARY HARNESS 3.0' for Auxiliary Front Head Lights and Turn Signals for Front Plow Applications	$158.00
8TKK	TRAILER AUXILIARY FEED CIRCUIT for Electric Trailer Brake Accommodation/Air Trailer ABS; With 30 Amp Fuse and Relay, Controlled by Ignition Switch	$79.00
8VAY	HORN, ELECTRIC Disc Style	$0.00
8VUL	BATTERY BOX Steel With Plastic Cover, 18" Wide, 2, 3, or 4 Battery Capacity, Mounted Left Side Back of Cab	$0.00
8VZK	TURN SIGNALS, FRONT {Sound Off} Dual Face, LED, Amber/Red, Mounted on Top of Fender, Used With Standard Flush Mounted Front Turn Signal, Side Marker Lamps, Parking Lights and Reflectors	$187.00
8WCL	HORN, AIR Black, Single Trumpet, Air Solenoid Operated	$94.00
8WGD	SOLENOID, AIR for Customer Use; Provides (4) Normally Closed Pilot Air Source, Approx. 4 CFM, Includes Latched Switch in Cab; Air Available Only With Key in "Ignition" or "Accessory" Position; Air Will Exhaust with Key in "Off" Position Notes : To Be Used as a Pilot Air and NOT as an Air Supply.	$259.00
8WGL	WINDSHIELD WIPER SPD CONTROL Force Wipers to Slowest Intermittent Speed When Park Brake Set and Wipers Left on for a Predetermined Time	$26.00
8WMA	SWITCH, TOGGLE, FOR WORK LIGHT Lighted; on Instrument Panel and Wiring Effects for Customer Furnished Back of Cab Light	$42.00
8WPH	CLEARANCE/MARKER LIGHTS (5) {Truck Lite} Amber LED Lights, Flush Mounted on Cab or Sunshade	$0.00
8WPP	ENGINE SHUTDOWN Automatic; With 30 Second Delay, With International Engines	$147.00
8WPZ	TEST EXTERIOR LIGHTS Pre-Trip Inspection will Cycle all Exterior Lamps Except Back-up Lights	$42.00
8WRB	HEADLIGHTS ON W/WIPERS Headlights Will Automatically Turn on if Windshield Wipers are turned on	$22.00
8WTK	STARTING MOTOR {Delco Remy 38MT Type 300} 12 Volt; less Thermal Over-Crank Protection	$0.00
8WTP	COURTESY LIGHT (2) Mounted In Front Map Pocket Left and Right Side	$48.00

Code	Description	List (US DOLLAR)
	Notes : Feature included with CAB INTERIOR TRIM, Premium	
8WWJ	INDICATOR, LOW COOLANT LEVEL With Audible Alarm	$0.00
8WXD	ALARM, PARKING BRAKE Electric Horn Sounds in Repetitive Manner When Vehicle Park Brake is "NOT" Set, With Ignition "OFF" and any Door Opened	$42.00
8XAH	CIRCUIT BREAKERS Manual-Reset (Main Panel) SAE Type III With Trip Indicators, Replaces All Fuses Except For 5-Amp Fuses	$99.00
9HAN	INSULATION, UNDER HOOD for Sound Abatement	$167.00
9HBM	GRILLE Stationary, Chrome	$0.00
9HBN	INSULATION, SPLASH PANELS for Sound Abatement	$76.00
9WAC	BUG SCREEN Front End; Mounted Behind Grille	$131.00
9WBC	FRONT END Tilting, Fiberglass, With Three Piece Construction; for 2007 & 2010 Emissions	$0.00
10060	PAINT SCHEMATIC, PT-1 Single Color, Design 100	$0.00
	Includes : PAINT SCHEMATIC ID LETTERS "GM"	
10761	PAINT TYPE Base Coat/Clear Coat, 1-2 Tone	$0.00
10UAD	VEHICLE REGISTRATION IDENTITY ID for 49 States, Excluding California	$0.00
10WJH	PROMOTIONAL PACKAGE Government and Municipal Silver Package; Two Year Limited Subscription of On-Command Service Information (Formerly Fleet ISIS), and On-Command Parts Information (Formerly Fleet Parts Catalog), Requires Specific Feature Combinations	$0.00
11001	CLUTCH Omit Item (Clutch & Control)	$0.00
12703	ANTI-FREEZE Red, Extended Life Coolant; To -40 Degrees F/ -40 Degrees C, Freeze Protection	$0.00
12851	PTO EFFECTS, ENGINE FRONT Less PTO Unit, Includes Adapter Plate on Engine Front Mounted	$353.00
12959	BLOCK HEATER, ENGINE {Phillips} 120V/1250W	$92.00
	Includes : BLOCK HEATER SOCKET Receptacle Type; Mounted below Drivers Door	
12NWJ	ENGINE, DIESEL {Navistar N10} EPA 2010, SCR, 350 HP @ 2000 RPM, 1150 lb-ft Torque @ 1200 RPM, 2200 RPM Governed Speed, 350 Peak HP (Max)	$1,477.00
	Includes : AIR COMPRESSOR AIR SUPPLY LINE Naturally-Aspirated (Air Brake Chassis Only) : COLD STARTING EQUIPMENT Intake Manifold Electric Grid Heater with Engine ECM Control : CRUISE CONTROL Electronic; Controls Integral to Steering Wheel : ENGINE OIL DRAIN PLUG Magnetic : ENGINE SHUTDOWN Electric, Key Operated : FUEL FILTER Included with Fuel/Water Separator : FUEL/WATER SEPARATOR Fuel/Water Separator and Fuel Filter in a Single Assembly; With Water-in-Fuel Sensor; Engine Mounted : GOVERNOR Electronic : OIL FILTER, ENGINE Spin-On Type : WET TYPE CYLINDER SLEEVES	

Code	Description	List (US DOLLAR)
12THZ	FAN DRIVE {Horton Drivemaster Polar Extreme} Direct Drive Type, Two Speed, With Residual Torque Device for Disengaged Fan Speed	$0.00
	Includes : FAN Nylon	
12UCV	RADIATOR Aluminum, Cross Flow, Series System; 1228 SqIn Core and 648 SqIn Charge Air Cooler	$0.00
12UPA	FEDERAL EMISSIONS {Navistar N9 & N10} EPA, OBD and GHG Certified for Calendar Year 2016	$350.00
12VBB	AIR CLEANER Dual Element	$59.00
	Includes : GAUGE, AIR CLEANER RESTRICTION Air Cleaner Mounted	
12VXV	THROTTLE, HAND CONTROL Engine Speed Control for PTO; Electronic, Mobile, Variable Speed; (Range 2 to 20 MPH) Mounted on Steering Wheel	$0.00
12VYL	ACCESSORY WIRING, SPECIAL for Road Speed Wire Coiled Under Instrument Panel for Customer Use	$45.00
12VYP	ENGINE CONTROL, REMOTE MOUNTED - No Provision Furnished for Remote Mounted Engine Control	$0.00
12WZE	EMISSION COMPLIANCE Federal, Does Not Comply With California Clean Air Idle Regulations	$0.00
13AVR	TRANSMISSION, AUTOMATIC {Allison 3000_RDS_P} 5th Generation Controls; Close Ratio, 6-Speed, With Double Overdrive; On/Off Hwy; Includes Oil Level Sensor, With PTO Provision, Less Retarder, With 80,000-lb GVW & GCW Max.	$9,443.00
13WAW	OIL COOLER, AUTO TRANSMISSION {Modine} Water to Oil Type	$667.00
13WBL	TRANSMISSION SHIFT CONTROL {Allison} Push-Button Type; for Allison 3000 & 4000 Series Transmission	$0.00
13WLP	TRANSMISSION OIL Synthetic; 29 thru 42 Pints	$203.00
13WUA	AUTOMATIC NEUTRAL Allison WT Transmission Shifts to Neutral When Parking Brake is Engaged and Remains in Neutral When Parking Brake is Disengaged	$129.00
13WUS	ALLISON SPARE INPUT/OUTPUT for Rugged Duty Series (RDS); General Purpose Trucks Modified for Single Input Auto Neutral	$0.00
13WYH	TRANSMISSION TCM LOCATION Located Inside Cab	$141.00
13WYU	SHIFT CONTROL PARAMETERS Allison 3000 or 4000 Series Transmissions, 5th Generation Controls, Performance Programming	$0.00
13XAM	PTO LOCATION Dual, Left and Right Side of Transmission	$0.00
14GVY	AXLE, REAR, TANDEM {Meritor MT-40-14X-4DFR} Single Reduction, 0.433"(11mm) Wall Housing Thickness, 40,000-lb Capacity, R Wheel Ends . Gear Ratio: 5.29	$0.00
	Includes : POWER DIVIDER LOCK Electric over Air Operated, Cab Control with Indicator Light : REAR AXLE DRAIN PLUG (2) Magnetic, For Tandem Rear Axle	
	Notes : The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires.	

Code	Description	List (US DOLLAR)
14ULX	SUSPENSION, REAR, TANDEM {Hendrickson HMX-400-54} Walking Beam Type 54" Axle Spacing; 40,000-lb Capacity, With Rubber End Bushings, Transverse Torque Rods, Less Shock Absorbers Includes : CROSSMEMBER, SUSPENSION Stamped Steel Double Dogbone Notes : The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires.	$71.00
14WAL	SUSPENSION/REAR-AXLE IDENTITY for Meritor Tandem Rear Axles With Bar-Pin Beam Attachment Type Suspensions	$191.00
14WBV	SHOCK ABSORBERS, REAR (4) for Hendrickson HMX Suspension Only, Mounted from Frame to Beam	$878.00
15DYP	DEF TANK 9.5 U.S. Gal. 36.0L Capacity, Frame Mounted Outside Left Rail, Under Cab	$52.00
15LKG	FUEL/WATER SEPARATOR with Thermostatic Fuel Temperature Controlled Electric Heater, and Filter Restriction/Change Indicator, Includes Standard Equipment Water-in-Fuel Sensor	$123.00
15SWE	FUEL TANK Top Draw; Non-Polished Aluminum, 26" Diam., 70 U.S. Gal., 265 L Capacity Mounted Left Side, Under Cab	$104.00
16030	CAB Conventional Includes : ARM REST (2) Molded Plastic; One Each Door : COAT HOOK, CAB Located on Rear Wall, Centered Above Rear Window : CUP HOLDERS Two Cup Holders, Located in Lower Center of Instrument Panel : DOME LIGHT, CAB Rectangular, Door Activated and Push On-Off at Light Lens, Timed Theater Dimming, Integral to Console, Center Mounted : GLASS, ALL WINDOWS Tinted : GRAB HANDLE, CAB INTERIOR (1) "A" Pillar Mounted, Passenger Side : GRAB HANDLE, CAB INTERIOR (2) Front of "B" Pillar Mounted, One Each Side : INTERIOR SHEET METAL Upper Door (Above Window Ledge) Painted Exterior Color : STEP (4) Two Steps Per Door	$0.00
16HBA	GAUGE CLUSTER English With English Electronic Speedometer Includes : GAUGE CLUSTER (6) Engine Oil Pressure (Electronic), Water Temperature (Electronic), Fuel (Electronic), Tachometer (Electronic), Voltmeter, Washer Fluid Level : ODOMETER DISPLAY, Miles, Trip Miles, Engine Hours, Trip Hours, Fault Code Readout : WARNING SYSTEM Low Fuel, Low Oil Pressure, High Engine Coolant Temp, and Low Battery Voltage (Visual and Audible)	$0.00
16HGH	GAUGE, OIL TEMP, AUTO TRANS , for Allison Transmission	$48.00
16HKT	IP CLUSTER DISPLAY On Board Diagnostics Display of Fault Codes in Gauge Cluster	$0.00
16HLJ	GAUGE, DEF FLUID LEVEL	$0.00
16JNT	SEAT, DRIVER {National 2000} Air Suspension, High Back With Integral Headrest, Vinyl, Isolator, 1 Chamber Lumbar, With 2 Position Front Cushion Adjust, -3 to +14 Degree Angle Back Adjust Includes : SEAT BELT 3-Point, Lap and Shoulder Belt Type	$0.00

Code	Description	List (US DOLLAR)
16RPV	SEAT, PASSENGER {National 2000} Air Suspension, High Back With Integral Headrest, Vinyl, Isolated, 1 Chamber Lumbar, 2 Position Front Cushion Adjustment, -3 to +14 Degree Back Adjust	$508.00
	Includes : SEAT BELT 3-Point, Lap and Shoulder Belt Type	
16SDT	MIRRORS (2) {Lang Mekra} Styled; Rectangular, Power Both Sides Flat Glass Only, Thermostatically Controlled Heated Heads, Clearance Lights LED, Black Heads, Brackets and Arms, Breakaway Type, 7.09" x 15.75" & Integral Convex Both Sides, 102" Inside Spacing	$650.00
16VCC	SEAT BELT All Orange; 1 to 3	$26.00
16WBY	ARM REST, RIGHT, DRIVER SEAT	$39.00
16WBZ	ARM REST, LEFT, PASSENGER SEAT	$39.00
16WCT	AIR CONDITIONER {Blend-Air} With Integral Heater & Defroster	$823.00
	Includes : HEATER HOSES Premium : HOSE CLAMPS, HEATER HOSE Mubea Constant Tension Clamps : REFRIGERANT Hydrofluorocarbon HFC-134A	
16WJS	INSTRUMENT PANEL Center Section, Flat Panel	$0.00
16WKY	HVAC FRESH AIR FILTER	$0.00
16WLE	STORAGE POCKET, DOOR Molded Plastic, Full Width; Mounted on Passenger Door	$25.00
16WRX	CAB INTERIOR TRIM Deluxe	$0.00
	Includes : "A" PILLAR COVER Molded Plastic : CAB INTERIOR TRIM PANELS Cloth Covered Molded Plastic, Full Height; All Exposed Interior Sheet Metal is Covered Except for the Following: with a Two-Man Passenger Seat or with a Full Bench Seat the Back Panel is Completely Void of Covering : CONSOLE, OVERHEAD Molded Plastic; With Dual Storage Pockets with Retainer Nets and CB Radio Pocket : DOOR TRIM PANELS Molded Plastic; Driver and Passenger Doors : FLOOR COVERING Rubber, Black : HEADLINER Soft Padded Cloth : INSTRUMENT PANEL TRIM Molded Plastic with Black Center Section : STORAGE POCKET, DOOR (1) Molded Plastic, Full-Length; Driver Door : SUN VISOR (2) Padded Vinyl with Driver Side Toll Ticket Strap, Integral to Console	
16WSK	CAB REAR SUSPENSION Air Bag Type	$0.00
27DPL	WHEELS, FRONT DISC; 22.5x9.00 Rims, Painted Steel, 5-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs, Non-Standard Offset, with .5" Thick Disc	$332.00
	Includes : PAINT IDENTITY, FRONT WHEELS White	
	Notes : Aluminum Wheels not Painted or Coated : Compatible Tire Sizes: 12R22.5, 295/75R22.5, 295/80R22.5, 315/80R22.5	
28DRN	WHEELS, REAR {Accuride} DUAL DISC; 22.5x8.25 Rims, Painted Steel, 5-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with .472" Thick Increased Capacity Disc and Steel Hubs	$622.00

Code	Description	List (US DOLLAR)
	Includes : PAINT IDENTITY, REAR WHEELS White	
	Notes : Compatible Tire Sizes: 11R22.5, 12R22.5, 255/70R22.5, 255/80R22.5, 265/75R22.5, 275/70R22.5, 275/80R22.5, 295/75R22.5, 295/80R22,5	
29PAR	PAINT IDENTITY, FRONT WHEELS Disc Front Wheels; With Vendor Applied White Powder Coat Paint	$24.00
29PAS	PAINT IDENTITY, REAR WHEELS Disc Rear Wheels; With Vendor Applied White Powder Coat Paint	$90.00
29WAP	WHEEL GUARDS, FRONT {Accuride} for Metric Hub Piloted Wheels with Flanged Mounting Nuts Mounted Between Hub and Wheel	$24.00
29WAR	WHEEL GUARDS, REAR {Accuride} for Metric Hub Piloted Wheels with Flanged Mounting Nuts, Mounted Between Hub & Wheel and Between Dual Wheels	$47.00
60AAG	BDY INTG, REMOTE POWER MODULE Mounted Inside Cab behind Driver Seat; Up to 6 Outputs & 6 Inputs, Max. 20 amp. per Channel, Max. 80 amp Total (Includes 1 Switch Pack With Latched Switches)	$575.00
7372135423	(8) TIRE, REAR 11R22.5 HDR2 (CONTINENTAL) 491 rev/mile, load range G, 14 ply	$280.00
7792545419	(2) TIRE, FRONT 315/80R22.5 HSC1 (CONTINENTAL) 484 rev/mile, load range L, 20 ply	$620.00
	Total of Product Features	**$136,955.00**
	Cab schematic 100GM	
	Location 1: 4421, School Bus Yellow (Std)	
	Chassis schematic N/A	
	Services Section:	
40118	WARRANTY Standard for Paystar 5000, and Workstar 7500/7600, Effective with Vehicles Built January 2, 2015 or Later, CTS-2003Z	$0.00
40KMG	SERVICES, TOWING {Navistar} Service Call to 24-Month/Unlimited Mileage to the Nearest Navistar Dealer for Navistar Warrantable Failure as Contract Defined; Includes Engine Failure if Supplier Declines Tow Coverage & ESC Supplied thru Navistar; $275 (USA) Maximum Benefit per Incident	$560.00
40LED	SRV CONTRACT, EXT ENGINE {Navistar} To 60-Month/100,000 Miles (160,000 km), 3,600 Hours; Includes Engine Electronics and Injectors; for MaxxForce 10 and Navistar N10 Engines	$4,200.00
40NBY	SRV CONTRACT, EXT HTR/AC SYS {Navistar Prepackaged Components} To 60-Month/ 100,000 Miles (160,000 km)	$460.00
40PEE	SRV CONTRACT, EXT VEH COVERAGE {Navistar} To 24-Month/50,000 Miles (80,000 km), Excludes Extended Warranty for Engine and Transmission	$980.00
	Total of Service Features	**$6,200.00**
	Total List Price Including Options:	**$143,155.00**
1	Viking-Cives Quote Number 162366	$86,506.00

Code	Description	List (US DOLLAR)
	Total Body Allied:	**$86,506.00**

Financial Summary
2017 7500 SFA 6X4 (SF537)

(US DOLLAR)

Description		Price
Net Sales Price:		$172,516.00
Memo Item(s):		
Total Federal Excise Tax	$0.00	
Total Taxes:	$0.00	
Warranty:	$0.00	
Body/Allied Equipment:	$86,506.00	

Note: Memo item(s) shown here are included in the above Net Sales Price.

Please feel free to contact me regarding these specifications should your interests or needs change. I am confident you will be pleased with the quality and service of an International vehicle.

Approved by Seller:

Official Title and Date

Authorized Signature

Accepted by Purchaser:

Firm or Business Name

Authorized Signature and Date

This proposal is not binding upon the seller without Seller's Authorized Signature

Official Title and Date

The TOPS FET calculation is an estimate for reference purposes only. The seller or retailer is responsible for calculating and reporting/paying appropriate FET to the IRS.