PURCHASE AGREEMENT

This Purchase Agreement (together with all attachments referenced herein, the "Agreement"), made and entered into by and between MacQueen Equipment, LLC, as Delaware corporation DBA MacQueen Emergency ("MacQueen"), and City of Joplin, (customer) is effective as of the date specified in Section 3 hereof.

1. Definitions

a. **"Product"** means the fire apparatus and any associated equipment furnished for the Customer by MacQueen, pursuant to the specifications.

b. **"Specifications"** means the general specifications, technical specifications, orientation, and testing requirements for the Product contained in the MacQueen Proposal for the Product prepared in response to the Customer's request for proposal.

c. **"MacQueen Proposal"** means the proposal provided by MacQueen attached as Exhibit C prepared in response to the Customer's request for proposal.

d. **"Delivery"** means the date MacQueen is prepared to make physical possession of the Product available to the Customer.

2. Purpose

This Agreement sets forth the terms and conditions of MacQueen's sale of the Product to the Customer.

3. Term of Agreement

This Agreement will become effective on the date it is signed and approved by MacQueen's authorized representative pursuant to Section 22 hereof ("Effective Date") and, unless earlier terminated pursuant to the terms of this Agreement, it will terminate upon the Customer's Acceptance and payment in full of the Purchase Price.

4. Purchase and Payment

The Customer agrees to purchase the Product specified on Exhibit A for the total purchase price of $2,540,722.00 ("Purchase Price"). Prices are in US Funds.

NOTE: Upon final inspection at the factory for pick-up or delivery, the customer will need to supply a "Certificate of Insurance" and "FULL PAYMENT" prior to release of the vehicle, unless prior arrangements for vehicle's release have been made.

5. Future Changes

Various state or federal regulation agencies (e.g., NFPA, DOT, EPA) may require changes to the Specifications and/or the Product and in any such event any resulting cost increases incurred to comply therewith will be added to the Purchase Price to be paid by the Customer. Any future drive train upgrades (engine, transmission, axles, etc.) or any other specification changes have not been calculated into our annual increases and will be provided at additional cost. The Company reserves the right to update pricing in response to manufacturer-imposed increases as a result of PPI inflation. The Company will document and itemize any such price increase for the Customer's review and approval before proceeding. Should the customer choose not to accept the pricing update, the customer has the ability to cancel without penalty.

6. Agreement Changes

The Customer may request that MacQueen incorporate a change to the Products or the Specifications for the Products by delivering a change order to MacQueen; provided, however, that any such change order must be in writing and include a description of the proposed change sufficient to permit MacQueen to evaluate the feasibility of such change ("Change Order"). Within seven (7) business days of receipt of a Change Order, MacQueen will inform the Customer in writing of the feasibility of the Change Order, the earliest possible implementation date for the Change Order, of any increase or decrease in the Purchase Price resulting from such Change Order, and of any effect on production scheduling or Delivery resulting from such Change Order. MacQueen shall not be liable to the Customer for any delay in performance or Delivery arising from any such Change Order. A Change Order is only

effective when counter-signed by MacQueen's authorized representative. Only the listed customer person(s) specified on Exhibit A may be able to authorize and sign the Change Order.

7. Cancellation/Termination

In the event this Agreement is cancelled or terminated by the Customer before completion, MacQueen may charge a cancellation fee. The following charge schedule based on costs incurred may be applied: (a) 10% of the Purchase Price after order is accepted and entered by MacQueen; (b) 20% of the Purchase Price after completion of approval drawings, and; (c) 30% of the Purchase Price upon any material requisition. The cancellation fee will increase accordingly as costs are incurred as the order progresses through engineering and into manufacturing. MacQueen endeavors to mitigate any such costs through the sale of such Product to another purchaser; however, Customer shall remain liable for the difference between the Purchase Price and, if applicable, the sale price obtained by MacQueen upon sale of the Product to another purchaser, plus any costs incurred by MacQueen to conduct any such sale.

8. Delivery, Inspection, and Acceptance

a. Delivery

Delivery of the Product is approximately **35-38 months** of the Effective Date of this Agreement. Risk of loss shall pass to Customer upon Delivery. Delivery shall be made and title documentation shall pass upon Customer's complete fulfillment of its obligations arising under Section 4 hereof. Due to global supply chain constraints, any delivery date contained herein is a good faith estimate as of the date of this order/contract, and merely an approximation based on current information. Delivery updates will be made available, and a final firm delivery date will be provided as soon as possible.

b. Inspection and Acceptance

Upon Delivery, Customer shall have ninety (90) days within which to inspect the Product for substantial conformance to the material Specifications, and in the event of substantial non-conformance to the material Specifications to furnish MacQueen with written notice sufficient to permit MacQueen to evaluate such non-conformance ("Notice of Defect"). Any Product not in substantial conformance to material Specifications shall be remedied by MacQueen within ninety (90) days from the Notice of Defect. In the event MacQueen does not receive a Notice of Defect within ninety (90) days of Delivery, Product will be deemed to be in conformance with Specifications and Accepted by Customer.

9. Notice

Any required or permitted notices hereunder must be given in writing at the address of each party set forth below, or to such other address as either party may substitute by written notice to the other in the manner contemplated herein, by one of the following methods: hand delivery; registered, express, or certified mail, return receipt requested, postage prepaid; or nationally-recognized private express courier:

MacQueen Equipment, LLC
1125 7th Street East
St. Paul, MN 55106

City of Joplin
Fire Chief Gerald Ezell
303 E 3rd St
Joplin, MO 64801

10. Standard Warranty

The equipment sold herein will be manufactured by Pierce Manufacturing, Inc. and any warranties are attached hereto as Exhibit B and made a part hereof. Any additional warranties must be expressly approved in writing by Pierce's authorized representative and MacQueen.

a. Disclaimer

Other than as expressly set forth in this agreement, neither Pierce, its Parent Company, Affiliates, Subsidiaries, Licensors, suppliers, distributors, dealers, including without limitation, MacQueen, or other respective officers, directors, employees, shareholders, agents or representatives, make any express or implied warranties with respect to the products provided hereunder or otherwise regarding this agreement, whether oral or written, express, implied or statutory. Without limiting the foregoing, any implied warranty against infringement, and the

implied warranty of condition of fitness for a particular purpose are expressly excluded and disclaimed. Statements made by sales representatives or in promotional materials do not constitute warranties.

b. Exclusions of Incidental and Consequential Damages

In no event shall either party be liable for consequential, incidental or punitive damages incurred by the other party or any third party in connection with any matter arising out of or relating to this Agreement, or the breach thereof, regardless of whether such damages arise out of breach of warranty, tort, contract, strict liability, statutory liability, indemnity, whether resulting from non-delivery.

11. Insurance

MacQueen maintains the following limits of insurance with a carrier(s) rated A- or better by A.M. Best:

Commercial General Liability Insurance:

Products/Completed Operations Aggregate: $ 2,000,000

Each Occurrence: $ 2,000,000

Umbrella/Excess Liability Insurance:

Aggregate: $ 5,000,000

Each Occurrence: $ 5,000,000

The Customer may request MacQueen to provide the Customer with a copy of a current Certificate of Insurance with the coverages listed above.

12. Indemnity

Both Parties shall indemnify, defend and hold harmless, its officers, employees, dealers, agents or subcontractors, from any and all claims, costs, judgments, liability, loss, or damage of any kind or nature whatsoever (including, but without limitation, personal injury and death) to all property and persons caused by, resulting from, arising out of or occurring in connection with the Customer's purchase, installation or use of goods sold or supplied by MacQueen which are not caused by the sole negligence of the other party.

13. Force Majeure

MacQueen shall not be responsible nor deemed to be in default on account of delays in performance due to causes which are beyond MacQueen's control which make MacQueen's performance impracticable, including but not limited to civil wars, insurrections, strikes, riots, fires, storms, floods, other acts of nature, explosions, earthquakes, accidents, any act of government, delays in transportation, inability to obtain necessary labor supplies or manufacturing facilities, allocation regulations or orders affecting materials, equipment, facilities or completed products, failure to obtain any required license or certificates, acts of God or the public enemy or terrorism, failure of transportation, epidemics, quarantine restrictions, failure of vendors (due to causes similar to those within the scope of this clause) to perform their contracts or labor troubles causing cessation, slowdown, or interruption of work.

14. Default

The occurrence of one or more of the following shall constitute a default under this Agreement:

(a) the Customer fails to pay when due any amounts under this Agreement or to perform any of its obligations under this Agreement; **(b)** MacQueen fails to perform any of its obligations under this Agreement; **(c)** either party becomes insolvent or become subject to a bankruptcy or insolvency proceedings; **(d)** any representation made by either party to induce the other to enter into this Agreement is false in any material respect; **(e)** the Customer dissolves, merges, consolidates or transfers a substantial portion of its property to another entity; or **(f)** the Customer is in default or has breached any other contract or agreement with MacQueen.

15. Relationship of Parties

Neither party is a partner, employee, agent, or joint venture of or with the other.

16. Assignment

Neither party may assign its rights and obligations under this Agreement unless it has obtained the prior written approval of the other party.

17. Governing Law; Jurisdiction

Without regard to any conflict of law's provisions, this Agreement is to be governed by and under the laws of the state of Missouri. Exclusive venue for any dispute shall be Jasper County, MO.

18. Facsimile & Electronic Verified Signatures

The delivery of signatures to this Agreement by facsimile transmission and/or electronic verified shall be binding as original signatures.

19. Entire Agreement

This Agreement shall be the exclusive agreement between the parties for the Product. Additional or different terms proposed by the Customer shall not be applicable, unless accepted in writing by MacQueen's authorized representative. No change in, modification of, or revision of this Agreement shall be valid unless in writing and signed by MacQueen's authorized representative.

20. Conflict

In the event of a conflict between the Customer Specifications and the MacQueen Proposal, the MacQueen Proposal shall control.

21. Additional Orders

Company, at its sole discretion, will allow the terms of this contract to be extended to both the Customer, as well as to other Municipal, State, or Federal agencies for similar unit(s). Company will allow tag on / additional orders for up to three (3) years from the date of contract execution. To facilitate pricing, Company will quote the original price plus manufacturer's price increases or Producer's Price Index (PPI) whichever is greater as it applies to either Fire Apparatus and/or commercial heavy truck industries. Additionally, any regulatory changes (NFPA, EPA, Engine Emissions, FMVSS, etc.) will also have to be added to the price as they become applicable. Change orders to the original specification will need to be authorized, signed, and accepted by Company. Any entity using this tag-on/additional orders program will be required to sign a new contract commencing the relationship. Additionally, if required by the Purchaser, any new tag-on / additional orders that require a "separate" Performance bond will be separately priced. This contract, including its appendices, embodies the entire agreement between the parties relating to the subject matter contained herein and merges all prior discussions and agreements. No agent or representative of Company has authority to make any representations, statements, warranties, or agreements not herein expressed and all modifications of amendments of this agreement, including any appendices, must be in writing and executed by an authorized representative of each of the parties hereto. No surety of any performance bond given by Company to the Customer in connection with this Agreement shall be liable for any obligation of Company arising under the Standard Applicable Warranty.

22. Signatures

This Agreement is not effective unless and until it is approved, signed and dated by MacQueen's authorized representative.

Accepted and Agreed to:

MACQUEEN EQUIPMENT, LLC	**CITY OF JOPLIN**
Signature: _____	Signature: _____
Name: _____	Name: _____
Title: _____	Title: _____
Date: _____	Date: _____

EXHIBIT A – PURCHASE PAYMENT TERMS & CONDITIONS

MacQueen Equipment, LLC
1125 7th Street East
St. Paul, MN 55106

Customer Name City of Joplin **Date** October 9, 2023

Quantity	Chassis Type	Body Type	Contract Price per Unit	Total Contract Price
2	Velocity	PUC Pumper	$1,270,361.00*	$2,540,722.00*

Houston-Galveston Area Council (HGAC) Consortium Pricing.

Includes graphics to match the last unit ordered.

PERFORMANCE BOND: Included in the contract price.

100% PREPAYMENT OPTION: DUE TWENTY-FIVE (25) DAYS FROM CONTRACT EXECUTION TO BE APPLICABLE.

If 100% prepayment is made twenty-five (25) days from contract signing, deduct $207,942.00 from contract price. Payment due with contract is $2,332,780.00. *Initial here to accept*: _____.

Only the below listed person(s) are authorized to make changes to product specifications on behalf of the Customer.

Name	Title

This contract is available for inter-local and other municipal corporations to utilize with the option of adding or deleting any Company available options, including chassis models. Any addition or deletion may affect the unit price.

"PAYMENT TERMS" 100% of contract price or any balance is due prior to vehicle(s) release at the Pierce Manufacturing Plant (Appleton, WI).

"TAXES" Federal, State, and Local Taxes are not included in the contract price.

"LATE PAYMENT" A late fee of .033% of the sale price will be charged per day for overdue payments beginning ten (10) days after the payment is due for the first thirty (30) days. The late fee increases to .044% per day until the payment is received.

[NOTE: If deferred payment arrangements are required, the Customer must make such financial arrangements through a financial institution acceptable to MacQueen.] All taxes, excises and levies that MacQueen may be required to pay or collect by reason of any present or future law or by any governmental authority based upon the sale, purchase, delivery, storage, processing, use, consumption, or transportation of the Product sold by MacQueen to the Customer shall be for the account of the Customer and shall be added to the Purchase Price. All delivery prices or prices with freight allowance are based upon prevailing freight rates and, in the event of any increase or decrease in such rates, the prices on all unshipped Product will be increased or decreased accordingly. Delinquent payments shall be subject to a carrying charge of 1.5 percent (1.5%) per month or such lesser amount permitted by law. MacQueen will not be required to accept payment other than as set forth in this Agreement. However, to avoid a late charge assessment in the event of a dispute caused by a substantial nonconformance with material Specifications (other than freight), the Customer may withhold up to five percent (5%) of the Purchase Price until such time that MacQueen substantially remedies the nonconformance with material Specifications, but no longer than sixty (60) days after Delivery. If the disputed amount is the freight charge, the Customer may withhold only the amount of the freight charge until the dispute is settled, but no longer than sixty (60) days after Delivery. MacQueen shall have and retain a purchase money security interest in all goods and products now or hereafter sold to the Customer by MacQueen or any of its affiliated companies to secure payment of the Purchase Price for all such goods and products. In the event of nonpayment by the Customer of any debt, obligation or liability now or hereafter incurred or owing by the Customer to MacQueen, MacQueen shall have and may exercise all rights and remedies of a secured party under Article 9 of the Uniform Commercial Code (UCC) as adopted by the state of Minnesota.

THIS PURCHASE DETAIL FORM IS EXPRESSLY SUBJECT TO THE PURCHASE AGREEMENT TERMS AND CONDITIONS DATED AS OF October 9, 2023 BETWEEN MACQUEEN AND City of Joplin (customer) WHICH TERMS AND CONDITIONS ARE HEREBY INCORPORATED IN, AND MADE PART OF, THIS PURCHASE DETAIL FORM AS THOUGH EACH PROVISION WERE SEPARATELY SET FORTH HEREIN, EXCEPT TO THE EXTENT OTHERWISE STATED OR SUPPLEMENTED BY MACQUEEN HEREIN.

Is Customer Name and Address listed on page 2 to be used on Certificate of Origin (CO)? ☐ Yes ☐ No
If not, please provide correct name and address to be listed on CO. _____
_____

Is there a lienholder? ☐ Yes ☐ No
If yes, please provide lienholder information. _____
_____

EXHIBIT B – PROPOSAL OPTION LIST WITH WARRANTIES

SEE ATTACHED PROPOSAL OPTION LIST Bid Number 1063 Dated 10/9/2023 FOR ALL APPLICABLE OPTIONS AND WARRANTIES APPROVED WITH CONTRACT.

EXHIBIT C - PROPOSAL

SEE PROPOSAL FOR Bid Number 1063 Dated 10/9/2023 .

Option List

10/9/2023

Customer:	Joplin Fire Department, City of	**Bid Number:**	1063
Representative	Borgmann, Mike	**Job Number:**	
Organization:	MacQueen Emergency Group	**Number of Units:**	2
Requirements Manager:		**Bid Date:**	10/27/2023
Description:	Joplin Velocity PUC 3/4	**Stock Number:**	
Body:	Pumper, PUC, Aluminum	**Price Level:**	46 (Current: 46)
Chassis:	Velocity Chassis, PUC-NG (Med Block)	**Lane:**	Lane 2

Line	Option	Type	Option Description	Qty
1	0010012		No Boiler Plates requested	1
2	0661794		Single Source Compliance	1
3	0584456		Manufacture Location, Appleton, Wisconsin	1
4	0584452		RFP Location: Appleton, Wisconsin	1
5	0588609		Vehicle Destination, US	1
6	0764706	SP	BMP Truck- Pre-Approval at Bid - Approved Option Will be Required at Booking	1
7	0610784		Comply NFPA 1901 Changes Effective Jan 1, 2016, With Exceptions	1
8	0533347		Pumper/Pumper with Aerial Device Fire Apparatus	1
9	0588611		Vehicle Certification, Pumper	1
10	0661778		Agency, Apparatus Certification, Pumper/Tanker, U.L.	1
11	0891947		Certification, Vehicle Inspection Program, NFPA 1901	1
12	0000114		Inspection Trip(s) Qty, - 02 Fill in Blank - 4	2
13	0620362		Consortium, HGAC	1
14	0537375		Unit of Measure, US Gallons	1
15	0529326		Bid Bond, 10%, Pierce Built Chassis	1
16	0816570		Performance Bond, 100% Req'd, PPI Terms	1
17	0000007		Approval Drawing	1
18	0002928		Electrical Diagrams	1
19	0888808		Velocity Chassis, PUC-NG (Med Block)	1
20	0000110		Wheelbase Wheelbase - 216	1
21	0000070		GVW Rating GVW rating - 53800	1
22	0000203		Frame Rails, 13.38 x 3.50 x .375, Qtm/AXT/Imp/Vel/DCF	1
23	0889469		Frame Liner, "C/Inv L" 12.50" x 3.00" x .25", AXT/Vel/Imp/Enf, 56" QVal	1
24	0508849		Axle, Front, Oshkosh TAK-4, Non Drive, 22,800 lb, Imp/Vel	1
25	0010427		Suspension, Front TAK-4, 22,800 lb, Qtm/AXT/Imp/Vel/Enf/SFR	1
26	0087572		Shock Absorbers, KONI, TAK-4, Qtm/AXT/Imp/Vel/DCF/Enf	1
27	0000322		Oil Seals, Front Axle	1
28	0785760		Tires, Front, Michelin, XZY3 (wb), 425/65R22.50, LRL, Fire Service Speed Rating	1
29	0773076		Wheels, Front, Alcoa, 22.50" x 13.00", Aluminum, Dura-Bright, Hub Pilot	1
30	0530467		Axle, Rear, Meritor RS30-185, 31,000 lb, Imp/Vel/Dash CF	1
31	0814716		Top Speed of Vehicle, 70 MPH/112 KPH, Non-NFPA 2016	1
32	0555352		Suspen, Rear, Hendrickson FMX 312 EX, Air Ride, 31,000 lb	1
33	0000485		Oil Seals, Rear Axle	1
34	0787280		Tires, Rear, Michelin, X WORKS Z, 315/80R22.50, LRL, Single, Fire Serv Speed Rat	1
35	0052876		Wheels, Rear, Alcoa, 22.50" x 9.00", Aluminum, Dura-Bright, Hub Pilot, Single	1
36	0568081		Tire Balancing, Counteract Beads	1
37	0620570		Tire Pressure Monitoring, RealWheels, AirSecure, Valve Cap, Single Axle Qty, Tire Pressure Ind - 6	1
38	0801909		Lug Nut, Covers, Chrome	1
39	0003245		Axle Hub Covers w/center hole, S/S, Front Axle	1
40	0001960		Axle Hub Covers, Rear, S/S, High Hat (Pair)	1
41	0002045		Mud Flap, Front and Rear, Pierce Logo	1
42	0760675		Chains, Onspot, Automatic Tire, Custom	1
43	0544802		Chocks, Wheel, SAC-44-E, Folding, (Up to 44" Diameter Tires) Qty, Pair - 01	1

Line	Option	Type	Option Description	Qty
44	0544806		Mounting Brackets, Chocks, SAC-44-E, Folding, Horizontal	1
			Qty, Pair - 01	
			Location, Wheel Chocks - Left Side Rear Tire, Forward, LS3	
45	0010670		ABS Wabco Brake System, Single rear axle	1
46	0030185		Brakes, Knorr/Bendix 17", Disc, Front, TAK-4	1
47	0803729		Brakes, Meritor, Cam, Rear, 16.50 x 8.63"	1
48	0020784		Air Compressor, Brake, Cummins/Wabco 18.7 CFM	1
49	0000786		Brake Reservoirs, Four	1
50	0568012		Air Dryer, Wabco System Saver 1200, Heater, 2010	1
51	0000790		Brake Lines, Nylon	1
52	0068871		Air Inlet, with Kussmaul Air Eject, Recessed Mount, Location Feature	1
			Location - driver side behind crew cab door below shore line connection	
			Qty, Air Coupling (s) - 1	
53	0642325		Outlet, Air, with shut off valve, Milton "M" Fittings	1
			Location, Air Coupling(s) - zb) Pump Operator Panel	
			Qty, Air Coupling (s) - 1	
54	0060852		Cover, Weatherproof, for Recessed Kussmaul Air Inlet	1
			Color, Kussmaul Cover - b) red	
55	0000853		Compressor, Air, Kussmaul 091-9 12V Brake System	1
			Location - TBD	
56	0808533		Engine, Cummins X10, 450 hp, 1250 lb-ft, W/OBD, EPA 2027, Imp/Vel	1
57	0811409		Not Required, Engine Contingency Adjustment	1
58	0001244		High Idle w/Electronic Engine, Custom	1
59	0001236		Not Required, Auxiliary Brake, Alt. Aux. Brake Selected	1
60	0552334		Clutch, Fan, Air Actuated, Horton Drive Master	1
61	0123135		Air Intake, w/Ember separator, Imp/Vel	1
62	0814375		Exhaust System, Horizontal, Right Side	1
			Exhaust, Diffuser - Aluminized Steel (Standard)	
			Exhaust, Material/Finish - Aluminized Steel (Standard)	
			Location, Diffuser Termination - 2.00" Past Rub Rail (Standard)	
			Tip, Exhaust - Straight Tip (Standard)	
63	0787999		Radiator, Impel/Velocity	1
64	0511425		Cooling Hoses, Rubber	1
65	0674793		Fuel Tank, 65 Gallon, Left Side Fill, Rear Air Suspension, PUC	1
66	0001129		Lines, Fuel	1
67	0595087		DEF Tank, 4.5 Gallon, DS Fill, Forward of Rear Axle	1
			Door, Material & Finish, DEF Tank - Polished Stainless	
68	0723716		Fuel Priming Pump, Electronic, Automatic, Cummins, No Swt Req'd	1
69	0582243		Shutoff Valves, Fuel Line @ Primary Filter, Cummins	1
70	0699437		Cooler, Chassis Fuel, Not Req'd.	1
71	0690880		No Selection Required From This Category	1
72	0887552		Trans, Allison 6th Gen, 3000 EVS PR, w/Prognostics, Imp/Vel/SFR/Enf	1
			Trans. retarder capacity - b. medium/1300, 3000 EVS	
			Trans, retarder control - l) Auto 1/3, 2/3, 3/3	
73	0625329		Transmission, Shifter, 5-Spd, Push Button, 3000 EVS	1
74	0517604		Transmission Programming, Park to Neutral, PUC	1
75	0797408		Transmission Oil Cooler, Modine, External, w/Modine External Sump	1
76	0801878		Fluid, 3000 Series Trans, Allison Approved TES-668 Synthetic, IPOS, Custom	1
77	0001370		Driveline, Spicer 1710	1
78	0669988		Steering, Sheppard M110 w/Tilt, TAK-4, Eaton Pump, w/Cooler	1
79	0001544		Not Required, Steering Assist Cylinder on Front Axle	1
80	0509231		Steering Wheel, 4 Spoke with Controls	1
81	0690274		Logo/Emblem, on Dash	1
			Text, Row (1) One - Joplin	
			Text, Row (2) Two - Fire	
			Text, Row (3) Three - Department	
82	0123627		Bumper, 26" Extended, Imp/Vel	1
83	0610291		Tray, Hose, Center, 26" Bumper, Outside Air Horns, 13" Deep, Imp/Vel	1
			Grating, Bumper extension - Grating, Rubber	
			Capacity, Bumper Tray - 23) 200' of 1.75"	
84	0630813		Cover, Aluminum Treadplate, One (1) D-Ring Latch, Hose Tray	1
			Stay arm, Tray Cover - b) Pneumatic Stay Arm	

Line	Option	Type	Option Description	Qty
85	0510226		Lift & Tow Package, Imp/Vel, AXT, Dash CF	1
86	0002270		Tow Hooks, Chrome	1
87	0668310		Cab, Velocity FR, 7010 Raised Roof, PUC	1
88	0724237		Engine Tunnel, ISL, Mech Fasteners, Impel/Velocity FR	1
89	0677478		Rear Wall, Exterior, Cab, Aluminum Treadplate	1
90	0122466		Cab Lift, Elec/Hyd, w/Manual Override, Imp/Vel	1
91	0123176		Grille, Bright Finished, Front of Cab, Velocity	1
92	0807034	SP	Scuffplates, S/S At Cab Door Jambs, UL-LX, 4-Door Cab	1
			Color, UL-LX, Per Item - a) black	
93	0527032		Trim, S/S Band, Across Cab Face, Rect Lights, Velocity	1
			Material Trim/Scuffplate - c) S/S, Polished	
			Turnsignal Covers - Polished S/S Covers	
94	0087357		Molding, Chrome on Side of Cab	1
95	0559132		Mirrors, Forward Mtd, Htd/Rmt, Pierce One-Eleven, LED Turn Signal	1
			Finish, Arm Cover - Chrome	
			Finish, Mirror Head - Chrome	
96	0667937		Door, Full Height, Velocity FR 4-Door Cab, Raised Roof	1
			Key Model, Cab Doors - 751	
			Cab, Exterior Door Handle, Finish - 4-Door, Chrome/Black	
97	0655511		Door Panel, Brushed Stainless Steel, Impel/Velocity 4-Door Cab	1
98	0667905		Storage Pockets w/ Elastic Cover, Recessed, Overhead, Impel/Velocity FR	1
99	0667902		Controls, Electric Windows, All Cab Doors, Impel/Velocity FR	1
100	0512419		Electric Door Locks, Cab Doors, Imp/Vel	1
101	0555485		Steps, 4-Door Full Tilt Cab, Imp/Vel	1
102	0770194		Handrail, Exterior, Knurled, Alum, 4-Door Cab	1
103	0643790		Steps, Stirrup, Formed w/Grip Strut, Crew Cab Doors	1
			Light, Step, Additional - P25 LED	
104	0668574		Steps, Stirrup, Formed w/Grip Strut, Cab Doors	1
			Light, Step, Additional - P25 LED	
105	0892637		Lights, Cab & Crw Cab Acs Stps, P25, LED w/Bezel, 1Lt Per Step	1
			Color, Trim - Chrome Housing	
106	0002140		Fenders, S/S on Cab	1
107	0586968		Handrail, Interior, Crew Cab Doors, Angled	1
108	0592071		No Windows, Side of Crew Cab, Vel/Imp	1
109	0568605		Not Required, Interior Trim, No Cab Side Windows	1
110	0012090		Not Required, Windows, Front/Side of raised roof	1
111	0509286		Not Required, Windows Rear of Crew Cab, Imp/Vel	1
112	0558334		Not Required, Trim, Cab Rear Windows, No Rear Windows	1
113	0123686		Drip Rail, Cab Roof, Impel/Velocity/Velocity SLT	1
114	0663383		Mounting Provisions, 3/16" Alum, Full Engine Tunnel, Vel/Imp	1
			Mounting Provision Spacing - .75"	
			Material Finish, Cab Interior - Painted	
115	0748671		Cab Interior, Vinyl, Velocity FR, CARE	1
			Color, Cab Interior Vinyl/Fabric - Endure Vinyl - Silver/Gray	
116	0667943		Cab Interior, Paint Color, Impel/Velocity FR	1
			Color, Cab Interior Paint - i) fire smoke gray	
117	0696871		Floor, Alum Cab & Rubber Crew Cab - AXT/Imp/Vel	1
118	0741239		HVAC, Impel/Velocity FR, CARE	1
			Paint Color, A/C Condenser - Painted to Match Cab Roof	
			HVAC System, Filter Access - Removable Panel	
			Auxiliary Cab Heater - Both	
119	0639675		Sun Visor, Smoked Lexan, AXT, Imp/Vel, Saber FR/Enforcer	1
			Sun Visor Retention - No Retention	
120	0543257		Grab Handles, Driver Door Post & Passenger Dash Panel, Imp/Vel	1
121	0583938		Lights, Engine Compt, Custom, Auto Sw, Wln 3SC0CDCR, 3" LED, Trim	1
			Qty, - 01	
122	0122516		Fluid Check Access, Imp/Vel	1
			Latch, Door, Storage - Lift and Turn Latch, Flush	
123	0583042		Side Roll and Frontal Impact Protection	1
124	0622618		Seating Capacity, 5 Seats	1
125	0697005		Seat, Driver, Pierce PS6, Premium, Air Ride, High Back, Safety	1
126	0587668		Seat, Officer, Pierce PS6, Base, SCBA, Safety	1

Line	Option	Type	Option Description	Qty
127	0510037		Radio Compartment, Below Officer Seat, Imp/Vel	1
128	0803506	SP	Cabinet, Rear Facing, LS, 24 W x 53 H x 30.5 D, 2" Web, Ext Acc, Imp/Vel	1
			Type of fastener - 2" side release Restraint Location - Bottom (towards the ground) Scuffplate, Material/Finish - No Scuffplate Material Finish, Shelf - Painted - Cab Interior Shelf/Tray, Cabinet - (2) Shelves, Adjustable, 0.75" Up-Turned Lip Door, Cab Exterior Cabinet - Double Pan, Non-Locking Door, Exterior Stop - Bumper Light, Tall Cabinet - Pierce, Interior, Right Side Louvers, Cabinet - 0-No Louvers	
129	0102783		Not Required, Seat, Rr Facing C/C, Center	1
130	0803508	SP	Cabinet, Rear Facing, RS, 29 W x 53 H x 30.5 D, 2" Web, Ext Acc, Imp/Vel	1
			Type of fastener - 2" side release Restraint Location - Bottom (towards the ground) Scuffplate, Material/Finish - No Scuffplate Material Finish, Shelf - Painted - Cab Interior Shelf/Tray, Cabinet - (2) Shelves, Adjustable, 0.75" Up-Turned Lip Door, Cab Exterior Cabinet - Double Pan, Non-Locking Door, Exterior Stop - Bumper Light, Tall Cabinet - Pierce, Interior, Left Side Louvers, Cabinet - 0-No Louvers	
131	0108189		Not Required, Seat, Forward Facing C/C, DS Outboard	1
132	0790599	SP	Seat, Forward Facing C/C, Center, (3) Pierce PS6, Premium, SCBA, Safety, Riser	1
133	0108190		Not Required, Seat, Forward Facing C/C, PS Outboard	1
134	0566653		Upholstery, Seats In Cab, Turnout Tuff	1
			Color, Cab Interior Vinyl/Fabric - c) Black	
135	0543991		Bracket, Air Bottle, Hands-Free II, Cab Seats	4
			Qty, - 04	
136	0669368		Riser, Fwd Facing C/C seat raised 3.00", w/Raised Roof cab only, PUC	1
137	0603867		Seat Belt, ReadyReach	1
			Seat Belt Color - Red	
138	0604864		Seat Belt Height Adjustment, 5 Seats, Imp/Vel, Dash CF	1
139	0602464		Helmet Storage, Provided by Fire Department, NFPA 2016	1
140	0647647		Lights, Dome, FRP Dual LED 4 Lts	1
			Color, Dome Lt - Red & White Color, Dome Lt Bzl - Black Control, Dome Lt White - Door Switches and Lens Switch Control, Dome Lt Color - Lens Switch	
141	0896451		Enhanced Software for Cab and Crew Cab Dome Lts	1
142	0631776		Not Required, Overhead Map Lights	1
143	0804719		Handlts, (4) Streamlight, Fire Vulcan, 44451, C4 LED, Tail Lts, 12v, Orange	1
			Location, Portable Hand Light - TBD	
144	0568369		Cab Instruments, Ivory Gauges, Chrome Bezels, Impel/Velocity 2010	1
145	0509511		Air Restriction Indicator, Imp/Vel, AXT, Dash CF, Enf MUX	1
146	0543751		Light, Do Not Move Apparatus	1
			Alarm, Do Not Move Truck - Pulsing Alarm	
147	0509042		Messages, Open Dr/DNMT, Color Dsply,	1
148	0611681		Switching, Cab, Membrane, Impel/Velocity/Quantum, Dash CF, AXT WiFi MUX	1
			Location, Emerg Sw Pnls - Driver's Side Overhead	
149	0555915		Wiper Control, 2-Speed with Intermittent, MUX, Impel/Velocity	1
150	0583917		Wiring, Spare, 15 A 12V DC 5th	2
			Qty, - 02 12vdc power from - Battery direct Wire termination - Butt Splice Location - One in Each EMS Compartment, wiring to terminate towards top of compt.	
151	0797189		Wiring, Spare, 4.8 A 12V DC, USB Termination Blue Sea 1045 1st	4
			Qty, - 04 12vdc power from - Battery direct Location - Officer and Driver side Lower Dash Panel, Inside Each EMS Compartment	
152	0560535		Wiring, Spare, 15 A 12V DC 4th	3
			Qty, - 03	

Line	Option	Type	Option Description	Qty
152			12vdc power from - Battery switched Wire termination - Butt Splice Location - Under Mounting Plate on Engine Tunnel	
153	0548004		Wiring, Spare, 15 A 12V DC 1st	1
			Qty, - 01 12vdc power from - Battery direct Wire termination - Butt Splice Location, Spare Wiring - Officer Dash	
154	0548006		Wiring, Spare, 15 A 12V DC 2nd	1
			Qty, - 01 12vdc power from - Battery switched Wire termination - Butt Splice Location - Officer Side Dash Upper Panel	
155	0548007		Wiring, Spare, 15 A 12V DC 3rd	3
			Qty, - 03 12vdc power from - Battery direct Wire termination - Butt Splice Location - Under Mounting Plate on Engine Tunnel	
156	0803875		Radio, AM/FM/WB, Jensen, Frt,Rear Aux In/Frt,Rear USB/Bluetooth	1
			Speakers, AM/FM Radio - Two (2) pairs of speakers, Cab/Crew Antenna, AM/FM Radio - c) Roof-mounted rubber antenna Location, AM/FM Radio - b) within reach of the officer	
157	0814201		Vehicle Information Center, 7" Color Display, Touchscreen, MUX, CL714 **	1
			System Of Measurement - US Customary	
158	0816633		Collision Mitigation, HAAS Alert (R2V), HA7	1
			Subscription, HAAS R2V - R2V - 5 Year Data Plan Subscription	
159	0606247		Vehicle Data Recorder w/CZ Display Seat Belt Monitor	1
160	0696443		Antenna Mount, Custom Chassis, Cable Routed to Overhead Switch Area	1
			Location - location #5 switch panel Qty, - 01	
161	0817058		Camera, Pierce, LS Mux, R Camera, SD, CL714	1
			Camera System Audio - Not Provided	
162	0814831		Not Required, Camera Switcher	1
163	0683718		Recess, Rear Vision Camera Into Lightstick Housing	1
164	0896458		Pierce Command Zone, Advanced Electronics & Control System, Vel WiFi CZT	1
			Color, Antenna - Black Antenna Module Housings - Black Housing with Power and Status Ind	
165	0896456		Prognostics, Electrical System	1
166	0816093		ClearSky Telematics, Remote Fleet & On-scene Management, AT&T Commercial	1
			Subscription, Telematics - 3 Year Subscription	
167	0730603		Electrical System, Velocity ESP, Cummins, Paccar	1
168	0079211		Batteries, (6) Stryten/Exide Grp 31, 950 CCA each, Threaded Stud	1
169	0008621		Battery System, Single Start, All Custom Chassis	1
170	0123174		Battery Compartment, Imp/Vel	1
171	0803511		Not Required - Battery Charger Included In Inverter/Charger Category	1
172	0814995		Not Required, Location Picked From Location,Inverter/Battery Charger/Conditioner	1
173	0817736	SP	Inverter/Battery Charger, Ksml 091-269-12-3000, Non-NFPA	1
			Location, Inverter Switch - DS Cab	
174	0814936		Location, Body, Inverter/Battery Charger, Forward Compartment, LS	1
			Location, Comp Body - High On Left Wall	
175	0811952		Not Required, Indicator/Remote Status	1
176	0812004	SP	Approved, Inverter/Batt Chgr	1
177	0016857		Shoreline, 20A 120V, Kussmaul Auto Eject, 091-55-20-120, Super	1
			Qty, - 01 Color, Kussmaul Cover - b) red Shoreline Connection - Battery Charger, L1, R4, Both EMS Cabinets	
178	0026800		Shoreline Location	1
			Location, Shoreline(s) - DS Crew Cab	
179	0647728		Alternator, 430 amp, Delco Remy 55SI	1
180	0092582		Load Manager/Sequencer, MUX	1
			Enable/Disable Hi-Idle - e)High Idle enable	
181	0783153		Headlights, Rect LED, JW Spkr Evo 2, AXT/DCF/Enf/Imp/Sab/Vel	1
			Color, Headlight Bez - Chrome Bezel	

Line	Option	Type	Option Description	Qty
182	0648425		Light, Directional, Wln 600 Cmb, Cab Crn, Imp/Vel/AXT/Qtm/DCF	1
			Color, Lens, LED's - m)match LED's	
183	0620054		Light, Directional/Marker, Intermediate, Weldon 9186-8580-29 LED 2lts	1
184	0648074		Lights, Clearance/Marker/ID, Front, P25 LED 7 Lts	1
185	0535157		Lights, Clearance/Marker/ID, Rear, Truck-Lite 33050R LED 7Lts, PUC/HDRP	1
186	0517025		Lights, Tail, Wrap-around, Stop/Tail, Turn & Backup LED, Tri-Cluster	1
187	0085910		Lights, Backup Included in Signal Cluster	1
188	0650265		Bracket, License Plate & Light, Cast Products LP0004-1-B, LED Light	1
189	0589905		Alarm, Back-up Warning, PRECO 1040	1
190	0769569		Lights, Perimeter Cab, Amdor AY-LB-12HW012 LED 4Dr	1
191	0769559		Lights, Perimeter Pump House, Amdor AY-LB-12HW012 LED 2lts	1
192	0770056		Lights, Perimeter Body, Amdor AY-LB-12HW020 LED 2lts, Rear Step	1
			Control, Perimeter Lts - Parking Brake Applied	
193	0896454		Enhanced Software for Perimeter Lts	1
194	0557322		Lights, Step, P25 at Rear Tailboard, PUC, 4lts Perm Lts	1
195	0698589		Lights, Side Scene, Wln M9LZC Gradient LED, 1st	4
			Qty, - 04	
			Switch, Lt Control 1 DC,1 - a) DS Switch Panel	
			Switch, Lt Control 2 DC,2 - g) PS Switch Panel	
			Switch, Lt Control 3 DC,3 - e) Pump Operators Panel	
			Switch, Lt Control 4 DC,4 - d) No Control	
			Location, Scene Lights - Each Side Body, Forward & Rearward, 4lts	
196	0776357		Light, Visor, Wln, 12V P*H2* Pioneer, Cnt Feature, 1st	1
			Qty, - 01	
			Location, driver's/passenger's/center - Centered	
			Color, Wln Lt Housing - Black Paint	
			Control, Scene Lts - Cab Sw Panel DS and Cab Sw Panel PS	
			Scene Light Optics - Flood/Spot	
197	0889855		Lights, HiViz FT-B-46-*-*, 46", Brkt Fet 1st	2
			Location - Mounted to the cab on the raised roof portion, Over the rear cab doors. one on each side.	
			Qty, - 02	
			Control, Scene Lts - Cab Sw Panel DS and Cab Sw Panel PS	
			Color, Lt Housing HiViz - Black	
			Brackets, Cab Side Scene Lts - Directly to Cab Roof	
198	0532358		Not Required, Deck Lights, Other Hose Bed & Rear Lighting	1
199	0645877		Lights, Hose Bed, Sides, Dual LED Light Strips	1
			Control, Hose Bed Lts - Cup Switch At Rear SS	
200	0645677		Lights, Not Required, Rear Work, Alt. 12 Volt Lights At Rear Body	1
201	0645683		Lights, Rear Scene, Wln, M9LZC LED	2
			Qty, - 02	
			Control, Rear Scene Lts - Cab Switch Panel DS, Cab Switch Panel PS and Cup Switch At Rear SS	
			Location, Scene Lights - Each Side Rear Body, Mid, 2lts	
202	0709438		Lights, Walk Surf, FRP Flood, LED	1
203	0518282		Pumper, PUC, Aluminum	1
204	0554271		Body Skirt Height, 20"	1
205	0501271		Tank, Water, 750 Gallon, Poly, Rectangular Form Fitting, PUC	1
206	0003405		Overflow, 4.00" Water Tank, Poly	1
207	0028107		Not Required, Foam Cell Modification	1
208	0553729		Not Required, Restraint, Water Tank, Heavy Duty	1
209	0003429		Not Required, Direct Tank Fill	1
210	0003424		Not Required, Dump Valve	1
211	0048710		Not Required, Jet Assist	1
212	0030007		Not Required, Dump Valve Chute	1
213	0514778		Not Required, Switch, Tank Dump Master	1
214	0597043		Body Height, PUC/HDRP	1
			Body Height - 92.00"	
215	0199241		Hose Bed, Aluminum, Pumper, PUC	1
216	0723340		Unpainted/Brush Finished, Hose Bed, 3G PUC/HDRP	1
217	0003481		Hose Bed Capacity, Special	1
			Capacity, Hosebed - 300' of 3.00", 1600' of 5.00", 300' of 2.50"	

Line	Option	Type	Option Description	Qty
218	0003488		Divider, Hose Bed, Unpainted	2
			Qty, Hosebed Dividers - 2	
219	0644518		Divider, Unpainted, Permanent, Box Style, Hose Bed Cover/Handrail Mntg	1
			Location - center of hosebed	
			Qty, - 1	
220	0755029		Special Split and Dual Extrusions, Hose Bed Rear	1
221	0077656	SP	Cover, Hose Bed, Alum Treadplate, Center Hose Bed Divider Support	1
222	0505155		Flap, Rear of Alum Hose Bed Cover, Two Piece, Vinyl	1
			Color, Vinyl Cover - c) black	
223	0611509		Running Boards, Flip Out, PUC	1
224	0685334		Tailboard, 12" Deep, Full Width, PUC/HDRP	1
225	0690029		Wall, Rear, Body Material, PUC, PUC Tanker, PRM, HDRP	1
226	0003531		Tow Bar, Under Tailboard	1
227	0656764		Construction, Compt, Alum, Pumper, PUC	1
228	0515256		LS 214" Rollup, (1) 31" (1) 50.5" Fwd, (1) 52" Rr, FH/FD Front & Rear, PUC	1
229	0515258		RS 214" Rollup, (2) 42" Fwd, (1) 52" Rr, Full Height & Depth Front & Rear, PUC	1
230	0692733		Doors, Rollup, Gortite, Side Compartments	8
			Qty, Door Accessory - 08	
			Color, Roll-up Door, Gortite - Painted to Match Lower Body	
			Latch, Roll-up Door, Gortite - Non-Locking Liftbar	
231	0557309		Compt, Rear, Rollup, 40.50" FF, w/Tailboard, PUC/HDRP	1
232	0692743		Door, Gortite, Rollup, Rear Compartment, PUC	1
			Color, Roll-up Door, Gortite - Satin finish	
			Latch, Roll-up Door, Gortite - Non-Locking Liftbar	
233	0795390		Pull Strap for Rollup Doors, Amdor Flex-HD	10
			Location - L1, L2, L3, L4, R1, R2, R3, R4, Each Crosslay Door	
			Qty, Door Accessory - 10	
234	0616670		Lights, Compt, Pierce LED, Dual Light Strips, Each Side of Door, Pumper/Tanker	9
			Qty, - 09	
			Location, Compartment Lights - All Body Compts	
235	0816613	SP	214" Hatch, (2) Lift-up, 21" Wide, Both Sides, RS Short for Cargo,LS Spcl Dr,PUC	1
			Size - 22"	
			Size, Hatch Compt, Height - 22.00"	
			Trim, Body/Hatch Compt Seam, Horizontal, Pair - Molding	
			Trim, Body/Hatch Compt Seam, Vertical, Pair, PUC - Painted Smooth Weld	
			Matting, Floor, Hatch Compt - Dri-Deck - Black	
236	0733406		Handrails, Hatch Step Area, (1) Curved & (1) Straight	1
237	0687993		Lights, Hatch Compt, LED Strip Light, 214", Both Sides	1
238	0687145		Shelf Tracks, Recessed, PUC/3rd Generation	1
239	0600350		Shelves, Adj, 500 lb Capacity, Full Width/Depth, Predefined Locations	6
			Qty, Shelf - 06	
			Material Finish, Shelf - Brushed	
			Location, Shelves/Trays, Predefined - RS3-Centered, RS4-Centered, LS2-Centered, LS3-Upper Third Left of Partition, LS3-Transition Point Left of Partition and B1-Upper Third	
240	0709690		Tray, 250 lb Slide-out, 2" Sides - Adj. Height, Predefined Locations	2
			Qty, Tray (slide-out) - 02	
			Location, Shelves/Trays, Predefined - RS1-Lower Third and LS1-Lower Third	
			Material Finish, Tray - Brushed	
241	0709692		Tray, 215 lb, Tilt/Slide-Out, 30 Deg, Adj, Predefined Locations	2
			Qty, Tray (slide-out) - 02	
			Location, Shelves/Trays, Predefined - RS2-Centered and RS1-Upper Third	
			Material Finish, Tray - Brushed	
242	0647091		Tray, Floor Mounted, Slide-Out, 500lb, 2.00" Sides	5
			Qty, - 05	
			Location, Tray Slide-Out, Floor Mounted - RS1, RS2, RS3, RS4 and LS1	
			Material Finish, Tray - Brushed	
243	0650981		Toolboard, Slide-out, Alum, .188", Peg Board, Brushed, 3G, Slides Top and Bottom	2
			location - LS3 Both Rear of Partition	
			Qty - 2	
			Mounting, Toolboard - Adjustable side-side	

Line	Option	Type	Option Description	Qty
243			Hole Diameter, Pegboard/Toolboard - .203" diameter	
244	0544614		Toolboard, Swing-out, Alum, .188", Peg Board, 3G	1
			Qty - 1 Location, Pivot - Front Mounting, Toolboard - Adjustable Frt-back Hole Diameter, Pegboard/Toolboard - .203" diameter Finish, Pegboard/Toolboard - Brushed Finish Location, Toolboard - LS1 - Above Transition Point	
245	0726457		Partition, Vertical Compt, Predefined Locations	1
			Qty, Partition - 01 Location, Partition/Toolboard, Predefined - LS3- 24.00" From Forward Door Frame Material Finish, Partition - Brushed	
246	0654369		Recess, Partition, Right of Pump Opertor's Panel, PUC	1
247	0755638		Pegboard, Back Wall Mounted, 3/16" Alum, Full Height Compt	1
			Qty, Comp. Accessory - 01 Hole Diameter, Pegboard/Toolboard - .203" diameter Finish, Pegboard/Toolboard - Brushed Finish Location, Compartment, Predefined - LS2	
248	0755527		Pegboard, Back Wall Mounted, 3/16" Alum, Standard Depth Upper	1
			Qty, Comp. Accessory - 01 Hole Diameter, Pegboard/Toolboard - .203" diameter Finish, Pegboard/Toolboard - Brushed Finish Location, Compartment, Predefined - LS1	
249	0063064		Rub Rail, Aluminum Extruded, Side of Body, 3rd Gen Body	1
250	0515441		Fender Crowns, Rear, S/S, W/Removable Fender Liner, Pumper, 3G	1
			Material Finish, Fender Liner - Brushed Stainless	
251	0519849		Not Required, Hose, Hard Suction	1
252	0527021		Handrails Located @ Front Body	1
253	0664688		Handrails, Rear, PUC/HDRP	1
254	0000941		No Rear Hose Bed Handrail Required	1
255	0505105		Handle, Grab, Chrome, Each	1
			Location, Handrails - on hatch compt door, right side rear by landing area Qty, Handrails - 01	
256	0519354		Handrail, Extra - 12"	1
			Location, Handrails - rear of body on left side adjacent to hosebed Qty, Handrails - 01	
257	0657651		Compt, Air Bottle, Double, Fender Panel	4
			Qty, Air Bottle Comp - 4 Door Finish, Fender Compt - Polished Location, Fender Compt - Double - LS Fwd, Double - LS Rear, Double - RS Fwd and Double - RS Rear Latch, Air Bottle Compt - Southco C2 Chrome Raised Insert, Air Bottle Compt - Rubber Matting	
258	0004225		Ladder, 24' Duo-Safety 900A 2-Section	1
259	0004230		Ladder, 14' Duo-Safety 775A Roof	1
260	0638382		Rack, Ladders, LS Full Depth Body, PUC/HDRP	1
			Door, Material & Finish, Ladder Storage - smooth aluminum Latch, Door Ladder Storage - D-Handle latch Hinge Location - Inboard	
261	0733387		Ladder, 10' Duo-Safety Folding 585A	1
262	0733005		Compt w/Trough, Folding Ladder, In Upper Body, LS	1
			Door, Material & Finish, Storage - Smooth Aluminum Latch, Door, Storage - Southco C2 Chrome Raised Hinge Location - Outboard	
263	0789534		Pike Pole, 8' DUO Safety, Fiberglass	1
			Qty, Pike Poles - 1	
264	0732982		Tube, Pike Pole 8' or Longer, In Upper Body Long Tool Storage Compt	2
			Qty, Pike Poles - 2 Location, Left Side, Right Side - Left Side Material/Finish, Tube, Pike Pole - Aluminum Width, Notch, Pike Pole Tube - .75", Standard Notch	
265	0552649		Pike Pole, 6' Fire Hooks Unlimited, New York Roof Hook, Steel, Pry End, RH-6	1
			Qty, - 01	

Line	Option	Type	Option Description	Qty
265			Location - in upper body long tool storage on right side	
266	0732992		Tube, Pike Pole 6', In Upper Body Long Tool Storage Compt	2
			Qty, Pike Poles - 2 Location, Left Side, Right Side - Right Side Material/Finish, Tube, Pike Pole - Aluminum Width, Notch, Pike Pole Tube - 1.38", NY Notch	
267	0769733		Compt, Long Tool Storage Compt, In Upper Body (1) RS, PUC/HDRP	1
			Door, Material & Finish, Storage - Smooth Aluminum Latch, Door, Storage - Southco C2 Chrome Raised Hinge Location - Outboard	
268	0004361		Tubes, Alum, Pike Pole Storage	4
			Qty, Pike Pole Tubes - 04 Location, Pike Pole Tube - Crosslay/Speedlay	
269	0530099		Notch, Pike Pole Tube/Trough, Specify Size (Pike Pole(s) Not Included)	4
			Location - four in crosslay compartment, upper portion, two accessed from each side of truck, with spacing to allow removal of tools individually Qty, - 04 Fill in Blank - NY Hook notched tubes.	
270	0521734		No Steps Required, Front Of Body, PUC	1
271	0515519		Ladder, Top Access, Alum, RH Rear, PUC/HDRP	1
			Do Not Move Truck Indicator - DNMT indicator	
272	0724153		Step, Folding - Extra, Body Only, w/LED, Trident	2
			Qty, Folding Step - 02 Location, Additional Step - driver side rear wall as indicated on AD print Coating, Step - black	
273	0529030		Step, Full Width, Rear Of Body, 8", Below Hosebed, Recessed Traffic Light, PUC	1
274	0004387		Step, Wedge, 8.00" - Extra	1
			Location, Additional Step - landing area on the right rear corner of body, back of hatch compartment Qty, Add. Wedge Step - 1	
275	0515692		Pump Operators Panel, 31", Control Zone, PUC	1
276	0520016		Not Required, Pumphouse Structure, PUC	1
277	0771274		Cargo Compt, Floor Lowered, Rearward Section Over Pump, For OAH, PUC	1
278	0889385		Pump, Pierce, 1500 GPM, Single Stage, PUC-NG	1
279	0515822		Seal, Mechanical, Silicon Carbide, PUC Pump	1
280	0802234		Gear Case, Integrated Pump Transmission, PUC-NG, Cummins	1
281	0721196		Pumping Mode, Pump and Roll/Stationary, Basic, MUX, PUC	1
282	0515829		Pump Shift, Sure-Shift	1
283	0515833		Transmission Lock-up, Not Req'd, Park to Neutral, Pump, PUC	1
284	0515835		Auxiliary Cooling System, PUC	1
285	0014486		Not Required, Transfer Valve, Single Stage Pump	1
286	0746508		Valve(s), Relief Intake, Trident Air Max, Control Location	1
			Qty - 1 Pressure Setting - 125 psig Intake Relief Valve Control - Behind Right Side Pump Panel	
287	0596073		Controller, Pressure, FRC, Pump Boss, PBA400, PUC	1
288	0072153		Primer, Trident, Air Prime, Air Operated	1
289	0658266		Thermal Relief Valve, w/Amber Warning Light and Alarm, PUC Pump	1
			Location, Thermal Relief Discharge - Ground	
290	0780359		Manuals, Pump, (2) Total, Electronic Copies, Pierce PUC Pump	1
291	0602496		Plumbing, Stainless Steel and Hose, Single Stage Pump, PUC	1
292	0089437		Plumbing Without Foam System	1
293	0517852		Inlets, 6.00" - 1250-2000 GPM, Pierce PUC Pump	1
294	0014650		Pump Suction Tube(s), Short, All	1
295	0699096		Not Required, Cap, Main Pump Inlet, Included w/Storz Adapter	1
296	0084610		Valves, Akron 8000 series- All	1
297	0520002		Valve, Inlet(s) Recessed, Side Cntrl, PUC	1
			Qty, Inlets - 1	
298	0004700		Control, Inlet, at Valve	1
299	0004660		Inlet (1), Left Side, 2.50"	1
300	0029147		Not Required, Inlet, Right Side	1
301	0521137		Anode, Zinc, Pair, Pump Inlets, PUC	1
302	0092569		No Rear Inlet (Large Dia) Requested	1

Line	Option	Type	Option Description	Qty
303	0064116		No Rear Inlet Actuation Required	1
304	0092696		Not Required, Cap, Rear Inlet	1
305	0009648		No Rear Intake Relief Valve Required on Rear Inlet	1
306	0092568		No Rear Auxiliary Inlet Requested	1
307	0723049		Valve, .75" Bleeder, Aux. Side Inlet, "T" Swing Handle	1
308	0520277		Tank to Pump, (1) 3.00" Valve, 4.00" Plumbing, PUC	1
309	0595508		Outlet, Tank Fill, 1.50", PUC	1
310	0766941		Control, Outlets, Swing Handle, Elec Right Outlets Akron 9335 w/Press Disp, PUC	1
311	0516755		Outlet, Left Side, 2.50" (2), PUC	1
312	0528718		Elbow, Left Side Outlets, 45 Degree, 2.50" FNST x 2.50" MNST, VLH, PUC	1
313	0092570		Not Required, Outlets, Left Side Additional	1
314	0035094		Not Required, Elbow, Left Side Outlets, Additional	1
315	0766761		Outlet, Right Side, 2.50", (1), Electric Akron 9335 Controller, PUC	1
			Qty, Discharges - 01	
316	0021134		Not Required, Elbow, Right Side Outlets	1
317	0733304	SP	Outlet, Right Side, Additional, 2.50", PUC	1
318	0646833	SP	Not Required, Elbow, Right Side Outlets, Additional	1
			Qty, Discharges - 01	
319	0766992		Outlet, Right Side, 4" w/4" Valve, Akron 9335 Elec Controller, PUC	1
320	0602442		Elbow and Cap, Large Dia Outlet, Provided by Dealer, NFPA 2016	1
321	0649939		Outlet, Front, 1.50" w/2" Plumbing	1
			Fitting, Outlet - 1.50" NST with 90 degree swivel	
			Drain, Front Outlet - Automatic	
			Location, Front, Single - in center bumper tray	
322	0092575		Not Required, Outlet, Rear	1
323	0045099		Not Required, Elbow, Rear Outlets	1
324	0537394		Not Required, Outlet, Rear, Additional, PUC	1
325	0537395		Not Required, Elbow, Rear Outlets, Additional	1
326	0516824		Outlet, Front of Hose Bed, 2.50", PUC	2
			Qty, Discharges - 02	
			location - Matching the 2.5 and 3.0 hose locations.	
327	0752097		Caps/Plugs for 1.00" to 3.00" Discharges/Inlets, Chain	1
328	0723042		Valve, 0.75" Bleeder, Discharges, "T" Swing Handle	1
329	0516860		Outlet, 3.00" Deluge w/2.50" Valve, PUC	1
330	0543615		Monitor, Akron, 3440 DeckMaster, w\Remote Tether	1
			Fill in Blank - Please mount tether for remote in the L4 compartment On right bulkhead of pump control panel	
			Monitor Finish - Painted by OEM	
331	0029304		No Nozzle Req'd	1
332	0005072		Deluge Mount, 3" ANSI 4 Bolt Flange	1
333	0750982		Crosslay Module, Full Width, Roll Up Doors, PUC	1
334	0749510		Doors, Crosslay, Roll-up Gortite, Each End, Full Height, PUC	1
			Color, Roll-up Door, Gortite - Painted to Match Lower Body	
			Latch, Roll-up Door, Gortite - Non-Locking Liftbar	
			Drip Pan - Drip Pan Not Required	
335	0747660		Lights, Crosslay Compt, Forward LED, 2Lts	1
336	0750916		Crosslays, (2) 1.50", W/Poly Trays, PUC	1
			Crosslay/Deadlay/Speedlay Capacity 1 - 200' of 1.75" double jacket hose	
337	0750900		Crosslay, (1) 2.50", W/Poly Trays, PUC	1
			Crosslay/Deadlay/Speedlay Capacity 1 - 200' of 2.50" double jacket hose	
338	0661221		Tray(s), Poly, Special Size, IPOS	3
			Location - increasing the upper crosslay width to 7.00" each and the lower crosslay to 10". It will make packing hose a little easier. See option 661221. If this change is made, wheelbase will be 216" with a 20.5" wide module.	
			Qty, - 03	
			Size - increasing the upper crosslay width to 7.00" each and the lower crosslay to 10". It will make packing hose a little easier. See option 661221. If this change is made, wheelbase will be 216" with a 20.5" wide module.	
339	0015216		Reel, Booster, Aluminum - Over Pump, Right Side	1
340	0683521		Switch, (2) Reel Rewind - Special Location	1
			Location - one in LS4 on forward bulkhead and one in RS4 on forward bulkhead	

Line	Option	Type	Option Description	Qty
341	0005300		Hose, Booster - 150' of 1.00"/800 PSI	1
342	0017858		Capacity, Hose Reel 150' of 1"	1
343	0007428		Nozzle for Booster Reel Not Req'd	1
344	0674725		Blowout, Hose Reel - Quarter Turn Valve at Panel	1
345	0622237		Roller Assembly, Additional	1
			Location - left side of the truck, above LS4 compt, on hatch compartment to the outside edge	
			Qty, - 1	
346	0044333		Not Required, Foam System	1
347	0012126		Not Required, CAF Compressor	1
348	0552517		Not Required, Refill, Foam Tank	1
349	0042573		Not Required, Foam System Demonstration	1
350	0045465		Not Required, Foam Tanks	1
351	0091110		Not Required, Foam Tank Drain	1
352	0091079		Not Required, Foam Tank #2	1
353	0091112		Not Required, Foam Tank #2 Drain	1
354	0746445		Approval Dwg, Pump Operator's Panel, Includes Color And Label Tags	1
			Num Of Truck(s) or Sim Unit, OPER Pump Pnl, Dwg - 02	
355	0032479		Pump Panel Configuration, Control Zone	1
356	0516975		Material, Pump Panels, Operators Brushed Stainless, Sides Brushed Stainless, PUC	1
357	0516978		Pump and Plumbing Access, Simple Tilt Service, PUC	1
358	0618458		Light, Pump Compt, Wln 3SC0CDCR LED White, PUC	1
			Qty, - 01	
359	0516983		Gauges, Engine, Included With Pierce Pressure Controller, PUC	1
360	0005601		Throttle, Engine, Incl'd w/Press Controller	1
361	0739224		Indicator Light @ Pump Panel, Throttle Ready, Incl w/Pressure Gov/Throttle,Green	1
362	0549333		Indicators, Engine, Included with Pressure Controller	1
363	0553643		Control, Air Horn at Pmp Pnl, Red Switch	1
364	0511078		Gauges, 4.00" Master, Class 1, 30"-0-600psi	1
365	0511100		Gauge, 2.00" Pressure, Class 1, 30"-0-400psi	1
366	0604123		Gauge, Water Level, FRC, WLA 300-A00, TankVision Pro, w/Remote Light Driver	1
367	0604028		Water Level Gauge, FRC, MaxVision WLA280-A00 Programmable Remote Display	2
			Location - Each side High behind Crew Cab Doors	
			Qty, - 02	
			Activation, Water Level G - pb) parking brake is applied	
368	0006774		Not Required, Foam Level Gauge	1
369	0653081		Light, Pump Operator & Panel, Side Ctrl, PUC, 60354C LED Cab & LED OH Chr Cvr	1
370	0606694		Air Horns, (2) Hadley, 6" Round, eTone, In Bumper	1
371	0606835		Location, Air Horns, Bumper, Each Side, Outside Frame, Outboard (Pos #1 & #7)	1
372	0757092		Control, Air Horn, Multi Select	1
373	0757080		Control, Air Horn, Ft Sw, RS	1
374	0757084		Control, Air Horn, Horn Ring	1
375	0525667		Siren, Wln 295SLSA1, 100 or 200 Watt	1
376	0510206		Location, Elect Siren, Recessed Overhead In Console	1
			Location, Elec Siren - Overhead, PS Outside Sw Pnl	
377	0076156		Control, Elec Siren, Head Only	1
378	0601304		Speaker, (2) Wln, SA315P, w/Pierce Polished Stainless Steel Grille, 100 watt	1
			Connection, Speaker - siren head	
379	0601559		Location, Speaker, Frt Bumper, Recessed, Each Side, Inside Frame (Pos 3 & 5)	1
380	0056084		Wiring & Mount, Siren, Federal Q2B, Cust Installed	1
381	0006095		Siren, Mechanical, Mounted Above Deckplate	1
			Location, Siren, Mech - a) Left	
382	0748305		Control, Mech Siren, Multi Select	1
383	0748281		Control Mech Siren, Ft Sw RS	1
384	0736165		Sw, Siren Brake, Momentary, RS Overhead Sw Pnl	1
385	0609328	SP	Guard, Foot Switches, Treadplate, 2swts, Hinged	1
			Location - Office Side Foot Switches	
386	0746353		Not Required, Warning Lights Intensity	1
387	0607636		Lightbar, Wln, Freedom IV-Q, 81", RRRRRRRROptRRRRRRRR	1
			Opticom Priority - b) High	

Line	Option	Type	Option Description	Qty
387			Opticom Activation - E-Master Momentary Opticom Activation - No Activation Filter, Whl Freedom Ltbrs - No Filters	
388	0749055		Light, Front Zone, Wln M6# M6# M6# M6#, Split Color, Q Bezel 4lts Color, Lt DS Frnt Out Spl - b) Red and Blue Color, Lt PS Frnt Out Spl - b) Red and Blue Color, Lt DS Frnt Ins Spl - b) Red and Blue Color, Lt PS Frnt Ins Spl - b) Red and Blue Color, Q Bezel and Trim - Chrome	1
389	0653937		Flasher, Headlight Alternating Headlt flash deactivation - a)w/high beam	1
390	0553202		Lights, Side Zone Lower, Wln M6# LED, Split Color 2pr Location, Lights Rear - Over Wheel Wells Location, Lights Front Side - b)each side bumper Color, Lt Side Frnt Split - Red and Blue Color, Lt Side Rear Split - Red and Blue	1
391	0742884		Lights, Side, Wln M6# Split Color LED 1st Location, Lights - Side Warning Light Behind Crew Cab Door Each Side Qty, - 02 Control, Light - f) emerg master Color, Lt Side Split - Red and Blue Color, Trim - Chrome Trim	2
392	0742881		Lights, Side, Wln M6# Split Color LED 2nd Location, Lights - On Hatch Compartment Forward of the Forward Scene Light Each Side Qty, - 02 Control, Light - b) side warning Color, Lt Side Split - Red and Blue Color, Trim - Chrome Trim	2
393	0653437		Lights, Rear Zn Lwr, Wln M4# Split LED Color, Lt DS Rear Splt - a) Red and Blue Color, Lt PS Rear Splt - a) Red and Blue	1
394	0750350		Lights, Rear, Wln M6# LED, Split Color, Clear Lens 1st Location - Rear High in step well and opposite side on hatch compartment Qty, - 02 Control, Light - f) emerg master Color, Lt Rear Splt - Red out Blue in Color, Trim - Chrome Trim	2
395	0750467		Lights, Rear/Side Up Zone, Wln M6# Split Color, 4lts Color, Lt DS Rear Splt - a) Red and Blue Color, Lt PS Rear Splt - a) Red and Blue Color, Lt DS Side Splt - Red Forward, Blue to the rear Color, Lt PS Side Splt - Red Forward, Blue to the Rear Color, Trim - Chrome Trim	1
396	0006551		Not Required, Lights, Rear Upper Zone Blocking	1
397	0590000		No Hose Bed Warn Light Brackets Required,Lights Mounted on Hatch/Body Compts,PUC	1
398	0791493		Light, Traffic Directing, Wln TAM65 36" Long LED Activation, Traffic Dir L - Control Head Only	1
399	0529858		Location, Traf Dir Lt, Recessed Within Trdplt Step	1
400	0530282		Location, Traf Dir Lt Controller, Overhead Switch Panel DS Right End	1
401	0015829		Circuit Breaker Panel with Inverter Location - LS3	1
402	0781507		Receptacle, 15/20A 120V 3-Pr 3-Wr, NEMA 5-20R SB Dup, 2nd, Interior Cab Qty, - 01 Location 1 - PS EMS Compartment, high on back wall AC Power Source - Shoreline to Inverter Internal Transfer Sw Cover, Receptacle - Interior SS Wall Plate(s)	1
403	0781579		Receptacle, 15/20A 120V 3-Pr 3-Wr, NEMA 5-20R SB Dup, 1st, Interior Cab Qty, - 01 Location 1 - DS EMS Compartment, high on back wall AC Power Source - Shoreline to Inverter Internal Transfer Sw Cover, Receptacle - Interior SS Wall Plate(s)	1

Line	Option	Type	Option Description	Qty
404	0779718		Receptacle, 15/20A 120V 3-Pr 3-Wr, NEMA 5-20R SB Dup, 2nd, Interior Body	1
			Qty, - 01 Location 1 - RS4 on forward bulkhead under panel AC Power Source - Shoreline to Inverter Internal Transfer Sw Cover, Receptacle - Interior Flip Up Cover(s)	
405	0779717		Receptacle, 15/20A 120V 3-Pr 3-Wr, NEMA 5-20R SB Dup, 3rd, Interior Body	1
			Qty, - 01 Location 1 - LS3 forward bulkhead mounted low AC Power Source - Shoreline to Inverter Internal Transfer Sw Cover, Receptacle - Interior, Flip Up Duplex Cover	
406	0779722		Receptacle, 15/20A 120V 3-Pr 3-Wr, NEMA 5-20R SB Dup, 1st, Interior Body	1
			Qty, - 01 Location 1 - LS1 on forward bulkhead, low AC Power Source - Shoreline to Inverter Internal Transfer Sw Cover, Receptacle - Interior, Flip Up Duplex Cover	
407	0778560		Receptacle, 15A 120V 3-Pr 3-Wr TL, Wtrprfroof	2
			Location, Receptacles - One on each side of the body above the wheel wheels Qty, - 02 AC Power Source - Shoreline to Inverter Internal Transfer Sw	
408	0519934		Not Required, Brand, Hydraulic Tool System	1
409	0649753		Not Required, PTO Driven Hydraulic Tool System	1
410	0602516		NFPA Required Loose Equipment, Pumper, NFPA 2016, Provided by Fire Department	1
411	0519913		Not Required, Soft Suction Hose	1
412	0027023		No Strainer Required	1
413	0602538		Extinguisher, Dry Chemical, Pumper NFPA 2016 Class, Provided by Fire Department	1
414	0602360		Extinguisher, 2.5 Gal. Pressurized Water, Pumper NFPA 2016,Provided by Fire Dept	1
415	0602679		Axe, Flathead, Pumper NFPA 2016 Classification, Provided by Fire Department	1
416	0602667		Axe, Pickhead, Pumper NFPA 2016 Classification, Provided by Fire Department	1
417	0741569		Paint Process / Environmental Requirements, Appleton	1
418	0709846		Paint, Two-Tone Color, Velocity/Impel	1
			Paint Color, Upper Area, Predefined - #101 Black Shield, Cab - High Shield-Velocity/Impel Paint Color, Lower Area, Predefined - 202 Lower red to match job # Joplin #37925 Paint Break, Cab - Standard Two-Tone Cab Break	
419	0709845		Paint, Single Color, Body	1
			Paint, Body - Match Lower Cab	
420	0646901		Paint Chassis Frame Assy, With Liner, E-Coat, Standard	1
			Paint Color, Frame Assembly, Predefined - Standard Black	
421	0693797		No Paint Required, Aluminum Front Wheels	1
422	0693792		No Paint Required, Aluminum Rear Wheels	1
423	0733739		Paint, Axle Hubs	1
			Paint, Axle Hub - Lower Job Color	
424	0007234		Compartment, Unpainted, D/A Finished	1
425	0544124		Reflective Band, 1"-4"-1"	1
			Color, Reflect Band - A - i) gold Color, Reflect Band - B - p) black Color, Reflect Band - C - ze) gold	
426	0510041		Reflective across Cab Face, Imp/Vel	1
427	0593732		Stripe, Chevron, Rear, Diamond Grade, Pumper, PUC	1
			Color, Rear Chevron DG - fluorescent yellow green	
428	0027341		Jog, In Reflective Stripe, Single or Multiple	1
			Qty, - 1	
429	0552453		Stripe, Reflective, Chevron, Cab and Crew Cab Doors Interior, Diamond Grade	1
			Color, Reflect Band - A - p) fluorescent yellow green diamond grade Size, Chevron Striping - 04 Color, Reflect Chev - A - r) red diamond grade	
430	0067298		Stripe, Gold Leaf, Across Cab Face	1
431	0027286		Not Required, Lettering Specs	1
432	0007472		[Lettering not Requested]	1

Line	Option	Type	Option Description	Qty
433	0769753		Emblem, American Flag Painted on Cab Grille, All Custom Chassis	1
434	0002838		Undercoating, Cab & Body, Ziebart	1
435	0772003		Manual, Fire Apparatus Parts, USB Flash Drive, Custom Qty, - 01	1
436	0772037		Manual, Chassis Service, USB Flash Drive, Custom Qty, - 01	1
437	0773381		Manual, Chassis Operation, (1) USB Flash Drive, Custom	1
438	0030008		Warranty, Basic, 1 Year, Apparatus, WA0008	1
439	0611136		Warranty, Chassis, 3 Year, Velocity/Impel, WA0284	1
440	0696698		Warranty, Engine, Cummins, 5 Year, WA0181	1
441	0684953		Warranty, Steering Gear, Sheppard M110, 3 Year WA0201	1
442	0595767		Warranty, Frame, 50 Year, Velocity/Impel, WA0038	1
443	0595698		Warranty, Axle, 3 Year, TAK-4, WA0050	1
444	0733306		Warranty, Single Axle, 5 Year, Meritor, General Service, WA0384	1
445	0652758		Warranty, ABS Brake System, 3 Year, Meritor Wabco, WA0232	1
446	0019914		Warranty, Structure, 10 Year, Custom Cab, WA0012	1
447	0744240		Warranty, Paint, 10 Year, Cab, Pro-Rate, WA0055	1
448	0524627		Warranty, Electronics, 5 Year, MUX, WA0014	1
449	0695416		Warranty, Pierce Camera System, WA0188	1
450	0647720		Warranty, Pierce LED Strip Lights, WA0203	1
451	0046369		Warranty, 5-year EVS Transmission, Standard Custom, WA0187	1
452	0685945		Warranty, Transmission Cooler, WA0216	1
453	0688798		Warranty, Water Tank, Lifetime, UPF, Poly Tank, WA0195	1
454	0596025		Warranty, Structure, 10 Year, Body, WA0009	1
455	0693127		Warranty, Gortite, Roll-up Door, 6 Year, WA0190	1
456	0889364		Warranty, Pump, Pierce, PUC-NG, 7 Year Parts, 1 Year Labor, WA0390	1
457	0648675		Warranty, 10 Year S/S Pumbing, WA0035	1
458	0641372		Warranty, Foam System, Not Available	1
459	0595820		Warranty, Paint, 10 Year, Body, Pro-Rate, WA0057	1
460	0593921		Not Required, Warranty, No Lettering	1
461	0683627		Certification, Vehicle Stability, CD0156	1
462	0808580		Certification, Engine Installation, Imp/Vel, Cummins X10, 2027	1
463	0686786		Certification, Power Steering, CD0098	1
464	0892701		Certification, Cab Integrity, Impel/Velocity FR, CD0190	1
465	0548950		Certification, Cab Door Durability, Velocity/Impel, CD0001	1
466	0548967		Certification, Windshield Wiper Durability, Impel/Velocity, CD0005	1
467	0667411		Certification, Electric Window Durability, Velocity/Impel FR, CD0004	1
468	0549273		Certification, Seat Belt Anchors and Mounting, Imp/Vel/Vel SLT, CD0018	1
469	0735950		Certification, Cab HVAC System Perf, Vel/Imp FR, CD0166/CD0168/CD0176/CD0177	1
470	0545073		Amp Draw Report, NFPA Current Edition	1
471	0002758		Amp Draw, NFPA/ULC Radio Allowance	1
472	0799248		Appleton/Florida BTO	1
473	0000048		PUMPER/TANKER, 3rd Gen	1
474	0000012		PIERCE CHASSIS	1
475	0004713		ENGINE, OTHER	1
476	0046395		EVS 3000 Series TRANSMISSION	1
477	0520324		PIERCE PUMP, PUC	1
478	0020009		POLY TANK	1
479	0028047		NO FOAM SYSTEM	1
480	0020006		SIDE CONTROL	1
481	0020007		AKRON VALVES	1
482	0020015		ABS SYSTEM	1
483	0658751		PUMPER BASE	1

MACQUEEN EMERGENCY

Pierce
PERFORM. LIKE NO OTHER.

MINNESOTA ILLINOIS INDIANA MISSOURI NEBRASKA NORTH DAKOTA SOUTH DAKOTA

EM-102

October 9, 2023

Fire Chief Gerald Ezell
City of Joplin
303 E 3rd St
Joplin, MO 64801

Subject: **Proposal for Two (2) Pierce Velocity PUC Pumpers**
Bid/Proposal 1063

Dear Fire Chief Ezell,

With regard to the above subject, please find attached our completed proposal. Pricing, is as follows, including 100% prepay option.

Pricing Summary:

Sale Price – **$2,540,722.00* -** $1,270,361.00 Each
Houston-Galveston Area Council (HGAC) Consortium Pricing.
Includes graphics to match the last unit ordered.

100% Prepayment Option:

Should the City of Joplin elect to make a 100% prepayment twenty-five (25) days after contract execution, a discount of ($207,942.00) can be subtracted from the above "Sale Price" resulting in a revised contract price of **$2,332,780.00.**

Terms and Conditions:

Taxes – Not Applicable

Freight – F.O.B. – Appleton, WI / Shipping to Joplin, MO

Terms – Net due prior to vehicle(s) release at the Pierce Manufacturing Plant (Appleton, WI). Net due twenty-five (25) days after Contract signing for **Prepay discount** to be applicable.

Delivery – 35 - 38 months from receipt and acceptance of contract.

Said apparatus and equipment are to be built and shipped in accordance with the specifications hereto attached, delays due to strikes, war, or international conflicts, or other causes beyond our control not preventing, could alter the delivery schedule.

The specifications herein contained, shall form a part of the final contract, and are subject to changes as desired by the purchaser, provided such changes are acknowledged and agreed to in writing by the purchaser.

Various state or federal regulation agencies (e.g., NFPA, DOT, EPA) may require changes to the Specifications and/or the Product and in any such event any resulting cost increases incurred to comply therewith will be added to the Purchase Price to be paid by the Customer. Any future drive train upgrades (engine, transmission, axles, etc.) or any other specification changes have not been calculated into our annual increases and will be provided at additional cost. The Company reserves the right to update pricing in response to manufacturer-imposed increases as a result of PPI inflation. The Company will document and itemize any such price increase for the Customer's review and approval before proceeding. Should the customer choose not to accept the pricing update, the customer has the ability to cancel without penalty.

This proposal for fire apparatus conforms with all Federal Department of Transportation (DOT) rules and regulations in effect at the time of bid, and with all National Fire Protection Association (NFPA) Guidelines for Automotive Fire Apparatus as published at the time of bid, except as modified by customer specifications.

The attached proposal is valid **until October 31, 2023**. *After October 31, 2023, Sale Price will increase to approximately $2,567,000.00.*

We trust the above and the enclosed to be full and complete at this time; however, should you have any questions or require additional information, please do not hesitate to contact me at 636-667-7213 or mike.borgmann@macqueengroup.com .

We wish to thank the City of Joplin for the opportunity to submit our proposal.

Respectfully,

Mike Borgmann

Mike Borgmann
Apparatus Sales
MacQueen Equipment LLC
DBA MacQueen Emergency Group