PURCHASE AGREEMENT

This Purchase Agreement (together with all attachments referenced herein, the "Agreement"), made and entered into by and between MacQueen Equipment, LLC, as Delaware corporation DBA MacQueen Emergency ("MacQueen"), and City of Joplin Fire Department, (customer) is effective as of the date specified in Section 3 hereof.

1. Definitions

a. **"Product"** means the fire apparatus and any associated equipment furnished for the Customer by MacQueen, pursuant to the specifications.

b. **"Specifications"** means the general specifications, technical specifications, orientation, and testing requirements for the Product contained in the MacQueen Proposal for the Product prepared in response to the Customer's request for proposal.

c. **"MacQueen Proposal"** means the proposal provided by MacQueen attached as Exhibit C prepared in response to the Customer's request for proposal.

d. **"Delivery"** means the date MacQueen is prepared to make physical possession of the Product available to the Customer.

2. Purpose

This Agreement sets forth the terms and conditions of MacQueen's sale of the Product to the Customer.

3. Term of Agreement

This Agreement will become effective on the date it is signed and approved by MacQueen's authorized representative pursuant to Section 22 hereof ("Effective Date") and, unless earlier terminated pursuant to the terms of this Agreement, it will terminate upon the Customer's Acceptance and payment in full of the Purchase Price.

4. Purchase and Payment

The Customer agrees to purchase the Product specified on Exhibit A for the total purchase price of $1,954,900.00 ("Purchase Price"). Prices are in US Funds.

NOTE: Upon final inspection at the factory for pick-up or delivery, the customer will need to supply a "Certificate of Insurance" and "FULL PAYMENT" prior to release of the vehicle, unless prior arrangements for vehicle's release have been made.

5. Future Changes

Various state or federal regulatory agencies (e.g. NFPA, DOT, EPA) may require changes to the Specifications and/or the Product and in any such event any resulting cost increases incurred to comply therewith will be added to the Purchase Price to be paid by the Customer. In addition, any future drive train upgrades (engine, transmission, axles, etc.), or any other specification changes have not been calculated into our annual increases and will be provided at additional cost. To the extent practicable, Company will document and itemize any such price increase for the Customer's approval before proceeding.

6. Agreement Changes

The Customer may request that MacQueen incorporate a change to the Products or the Specifications for the Products by delivering a change order to MacQueen; provided, however, that any such change order must be in writing and include a description of the proposed change sufficient to permit MacQueen to evaluate the feasibility of such change ("Change Order"). Within seven (7) business days of receipt of a Change Order, MacQueen will inform the Customer in writing of the feasibility of the Change Order, the earliest possible implementation date for the Change Order, of any increase or decrease in the Purchase Price resulting from such Change Order, and of any effect on production scheduling or Delivery resulting from such Change Order. MacQueen shall not be liable to the Customer for any delay in performance or Delivery arising from any such Change Order. A Change Order is only effective when counter signed by MacQueen's authorized representative. Only the listed customer person(s) specified on Exhibit A may be able to authorize and sign the Change Order.

7. Cancellation/Termination

In the event this Agreement is cancelled or terminated by a party before completion, MacQueen may charge a cancellation fee. The following charge schedule based on costs incurred may be applied: (a) 10% of the Purchase Price after order is accepted and entered by MacQueen; (b) 20% of the Purchase Price after completion of approval drawings, and; (c) 30% of the Purchase Price upon any material requisition. The cancellation fee will increase accordingly as costs are incurred as the order progresses through engineering and into manufacturing. MacQueen endeavors to mitigate any such costs through the sale of such Product to another purchaser; however, Customer shall remain liable for the difference between the Purchase Price and, if applicable, the sale price obtained by MacQueen upon sale of the Product to another purchaser, plus any costs incurred by MacQueen to conduct any such sale.

8. Delivery, Inspection, and Acceptance

a. Delivery

Delivery of the Product is approximately **15.5 to 18.5 months** of the Effective Date of this Agreement. Risk of loss shall pass to Customer upon Delivery. Delivery shall be made, and title shall pass upon Customer's complete fulfillment of its obligations arising under Section 4 hereof.

b. Inspection and Acceptance

Upon Delivery, Customer shall have fifteen (15) days within which to inspect the Product for substantial conformance to the material Specifications, and in the event of substantial non-conformance to the material Specifications to furnish MacQueen with written notice sufficient to permit MacQueen to evaluate such non-conformance ("Notice of Defect"). Any Product not in substantial conformance to material Specifications shall be remedied by MacQueen within thirty (30) days from the Notice of Defect. In the event MacQueen does not receive a Notice of Defect within fifteen (15) days of Delivery, Product will be deemed to be in conformance with Specifications and Accepted by Customer.

9. Notice

Any required or permitted notices hereunder must be given in writing at the address of each party set forth below, or to such other address as either party may substitute by written notice to the other in the manner contemplated herein, by one of the following methods: hand delivery; registered, express, or certified mail, return receipt requested, postage prepaid; or nationally recognized private express courier:

MacQueen Equipment, LLC
1125 7th Street East
St. Paul, MN 55106

City of Joplin Fire Department
Fire Chief Gerald Ezell
303 E. 3rd Street
Joplin, MO 64801

10. Standard Warranty

The equipment sold herein will be manufactured by Pierce Manufacturing, Inc. and any warranties are attached hereto as Exhibit B and made a part hereof. Any additional warranties must be expressly approved in writing by Pierce's authorized representative and MacQueen.

a. Disclaimer

Other than as expressly set forth in this agreement, neither Pierce, its Parent Company, Affiliates, Subsidiaries, Licensors, suppliers, distributors, dealers, including without limitation, MacQueen, or other respective officers, directors, employees, shareholders, agents or representatives, make any express or implied warranties with respect to the products provided hereunder or otherwise regarding this agreement, whether oral or written, express, implied or statutory. Without limiting the foregoing, any implied warranty against infringement, and the implied warranty of condition of fitness for a particular purpose are expressly excluded and disclaimed. Statements made by sales representatives or in promotional materials do not constitute warranties.

b. Exclusions of Incidental and Consequential Damages

In no event shall MacQueen be liable for consequential, incidental or punitive damages incurred by Customer or any third party in connection with any matter arising out of or relating to this Agreement, or the breach thereof,

regardless of whether such damages arise out of breach of warranty, tort, contract, strict liability, statutory liability, indemnity, whether resulting from non-delivery or from MacQueen's own negligence, or otherwise.

11. Insurance

MacQueen maintains the following limits of insurance with a carrier(s) rated A- or better by A.M. Best:

Commercial General Liability Insurance:

Products/Completed Operations Aggregate: $ 2,000,000

Each Occurrence: $ 2,000,000

Umbrella/Excess Liability Insurance:

Aggregate: $ 5,000,000

Each Occurrence: $ 5,000,000

The Customer may request MacQueen to provide the Customer with a copy of a current Certificate of Insurance with the coverages listed above.

12. Indemnity

The Customer shall indemnify, defend and hold harmless MacQueen, its officers, employees, dealers, agents or subcontractors, from any and all claims, costs, judgments, liability, loss, damage, attorneys' fees or expenses of any kind or nature whatsoever (including, but without limitation, personal injury and death) to all property and persons caused by, resulting from, arising out of or occurring in connection with the Customer's purchase, installation or use of goods sold or supplied by MacQueen which are not caused by the sole negligence of MacQueen or Pierce.

13. Force Majeure

MacQueen shall not be responsible nor deemed to be in default on account of delays in performance due to causes which are beyond MacQueen's control which make MacQueen's performance impracticable, including but not limited to civil wars, insurrections, strikes, riots, fires, storms, floods, other acts of nature, explosions, earthquakes, accidents, any act of government, delays in transportation, inability to obtain necessary labor supplies or manufacturing facilities, allocation regulations or orders affecting materials, equipment, facilities or completed products, failure to obtain any required license or certificates, acts of God or the public enemy or terrorism, failure of transportation, epidemics, quarantine restrictions, failure of vendors (due to causes similar to those within the scope of this clause) to perform their contracts or labor troubles causing cessation, slowdown, or interruption of work.

14. Default

The occurrence of one or more of the following shall constitute a default under this Agreement:

(a) the Customer fails to pay when due any amounts under this Agreement or to perform any of its obligations under this Agreement; **(b)** MacQueen fails to perform any of its obligations under this Agreement; **(c)** either party becomes insolvent or become subject to a bankruptcy or insolvency proceedings; **(d)** any representation made by either party to induce the other to enter into this Agreement is false in any material respect; **(e)** the Customer dissolves, merges, consolidates or transfers a substantial portion of its property to another entity; or **(f)** the Customer is in default or has breached any other contract or agreement with MacQueen.

15. Relationship of Parties

Neither party is a partner, employee, agent, or joint venture of or with the other.

16. Assignment

Neither party may assign its rights and obligations under this Agreement unless it has obtained the prior written approval of the other party.

17. Governing Law; Jurisdiction

Without regard to any conflict of law's provisions, this Agreement is to be governed by and under the laws of the state of Minnesota.

18. Facsimile & Electronic Verified Signatures

The delivery of signatures to this Agreement by facsimile transmission and/or electronic verified shall be binding as original signatures.

19. Entire Agreement

This Agreement shall be the exclusive agreement between the parties for the Product. Additional or different terms proposed by the Customer shall not be applicable, unless accepted in writing by MacQueen's authorized representative. No change in, modification of, or revision of this Agreement shall be valid unless in writing and signed by MacQueen's authorized representative.

20. Conflict

In the event of a conflict between the Customer Specifications and the MacQueen Proposal, the MacQueen Proposal shall control.

21. Additional Orders

Company, at its sole discretion, will allow the terms of this contract to be extended to both the Customer, as well as to other Municipal, State, or Federal agencies for similar unit(s). Company will allow tag on / additional orders for up to three (3) years from the date of contract execution. To facilitate pricing, Company will quote the original price plus manufacturer's price increases or Producer's Price Index (PPI) whichever is greater as it applies to either Fire Apparatus and/or commercial heavy truck industries. Additionally, any regulatory changes (NFPA, EPA, Engine Emissions, FMVSS, etc.) will also have to be added to the price as they become applicable. Change orders to the original specification will need to be authorized, signed, and accepted by Company. Any entity using this tag-on/additional orders program will be required to sign a new contract commencing the relationship. Additionally, if required by the Purchaser, any new tag-on / additional orders that require a "separate" Performance bond will be separately priced. This contract, including its appendices, embodies the entire agreement between the parties relating to the subject matter contained herein and merges all prior discussions and agreements. No agent or representative of Company has authority to make any representations, statements, warranties, or agreements not herein expressed and all modifications of amendments of this agreement, including any appendices, must be in writing and executed by an authorized representative of each of the parties hereto. No surety of any performance bond given by Company to the Customer in connection with this Agreement shall be liable for any obligation of Company arising under the Standard Applicable Warranty.

22. Signatures

This Agreement is not effective unless and until it is approved, signed and dated by MacQueen's authorized representative.

Accepted and Agreed to:

MACQUEEN EQUIPMENT, LLC	**CITY OF JOPLIN FIRE DEPARTMENT**
Signature: _____	Signature: _____
Name: _____	Name: _____
Title: _____	Title: _____
Date: _____	Date: _____

EXHIBIT A – PURCHASE PAYMENT TERMS & CONDITIONS

MacQueen Equipment, LLC
1125 7th Street East
St. Paul, MN 55106

Customer Name City of Joplin Fire Department **Date** October 6, 2022

Quantity	Chassis Type	Body Type	Price per Unit
2	Velocity	Pumper	$1,954,900.00*

***Houston-Galveston Area Council (HGAC) Consortium Pricing**.*

****Contract Pricing only valid if signed and returned for processing prior to October 30, 2022****

PERFORMANCE BOND: Included in the contract price.

100% PREPAYMENT OPTION: DUE AT CONTRACT EXECUTION TO BE APPLICABLE.

If 100% prepayment is made with contract, deduct $49,476.00 from contract price.

Payment due with contract is $1,905,424.00. *Initial here to accept*: _____.

Only the below listed person(s) are authorized to make changes to product specifications on behalf of the Customer.

Name	Title

This contract is available for inter-local and other municipal corporations to utilize with the option of adding or deleting any Company available options, including chassis models. Any addition or deletion may affect the unit price.

"PAYMENT TERMS" 100% of contract price or any balance is due prior to vehicle(s) release at the Pierce Manufacturing Plant (Appleton, WI).

"TAXES" Federal, State, and Local Taxes are not included in the contract price.

"LATE PAYMENT" A late fee of .033% of the sale price will be charged per day for overdue payments beginning ten (10) days after the payment is due for the first thirty (30) days. The late fee increases to .044% per day until the payment is received.

[NOTE: If deferred payment arrangements are required, the Customer must make such financial arrangements through a financial institution acceptable to MacQueen.] All taxes, excises and levies that MacQueen may be required to pay or collect by reason of any present or future law or by any governmental authority based upon the sale, purchase, delivery, storage, processing, use, consumption, or transportation of the Product sold by MacQueen to the Customer shall be for the account of the Customer and shall be added to the Purchase Price. All delivery prices or prices with freight allowance are based upon prevailing freight rates and, in the event of any increase or decrease in such rates, the prices on all unshipped Product will be increased or decreased accordingly. Delinquent payments shall be subject to a carrying charge of 1.5 percent (1.5%) per month or such lesser amount permitted by law. MacQueen will not be required to accept payment other than as set forth in this Agreement. However, to avoid a late charge assessment in the event of a dispute caused by a substantial nonconformance with material Specifications (other than freight), the Customer may withhold up to five percent (5%) of the Purchase Price until such time that MacQueen substantially remedies the nonconformance with material Specifications, but no longer than sixty (60) days after Delivery. If the disputed amount is the freight charge, the Customer may withhold only the amount of the freight charge until the dispute is settled, but no longer than sixty (60) days after Delivery. MacQueen shall have and retain a purchase money security interest in all goods and products now or hereafter sold to the Customer by MacQueen or any of its affiliated companies to secure payment of the Purchase Price for all such goods and products. In the event of nonpayment by the Customer of any debt, obligation or liability now or hereafter incurred or owing by the Customer to MacQueen, MacQueen shall have and may exercise all rights and remedies of a secured party under Article 9 of the Uniform Commercial Code (UCC) as adopted by the state of Minnesota.

THIS PURCHASE DETAIL FORM IS EXPRESSLY SUBJECT TO THE PURCHASE AGREEMENT TERMS AND CONDITIONS DATED AS OF October 6, 2022 BETWEEN MACQUEEN AND City of Joplin Fire Department (customer) WHICH TERMS AND CONDITIONS ARE HEREBY INCORPORATED IN, AND MADE PART OF, THIS PURCHASE DETAIL FORM AS THOUGH EACH PROVISION WERE SEPARATELY SET FORTH HEREIN, EXCEPT TO THE EXTENT OTHERWISE STATED OR SUPPLEMENTED BY MACQUEEN HEREIN.

Is Customer Name and Address listed on page 2 to be used on Certificate of Origin (CO)? ☐ Yes ☐ No

If not, please provide correct name and address to be listed on CO. _____

_____

Is there a lienholder? ☐ Yes ☐ No

If yes, please provide lienholder information. _____

_____

EXHIBIT B – PROPOSAL OPTION LIST WITH WARRANTIES

SEE ATTACHED PROPOSAL OPTION LIST Bid Number #608 Dated 10/6/2022 FOR ALL APPLICABLE OPTIONS AND WARRANTIES APPROVED WITH CONTRACT.

EXHIBIT C - PROPOSAL

SEE PROPOSAL FOR Bid Number #608 Dated 10/6/2022 .

Option List

10/6/2022

Customer:	Joplin Fire Department	**Bid Number:**	608
Representative	Borgmann, Mike	**Job Number:**	
Organization:	MacQueen Emergency Group	**Number of Units:**	2
Requirements Manager:		**Bid Date:**	11/16/2022
Description:	Joplin Velocity PUC #2	**Stock Number:**	
Body:	Pumper, PUC, Aluminum	**Price Level:**	42 (Current: 42)
Chassis:	Velocity Chassis, PUC-NG (Med Block)	**Lane:**	

Line	Option	Type	Option Description	Qty
1	0010012		No Boiler Plates requested	1
2	0661794		Single Source Compliance	1
3	0584456		Manufacture Location, Appleton, Wisconsin	1
4	0584452		RFP Location: Appleton, Wisconsin	1
5	0588609		Vehicle Destination, US	1
6	0791096	SP	Build My Pierce™ Truck	1
			Fill in Blank - Booked with 450 options and 5 sps	
7	0610784		Comply NFPA 1901 Changes Effective Jan 1, 2016, With Exceptions	1
8	0533347		Pumper/Pumper with Aerial Device Fire Apparatus	1
9	0588611		Vehicle Certification, Pumper	1
10	0661778		Agency, Apparatus Certification, Pumper/Tanker, U.L.	1
11	0891947		Certification, Vehicle Inspection Program, NFPA 1901	1
12	0000114		Inspection Trip(s)	2
			Qty, - 02 Fill in Blank - 4	
13	0620362		Consortium, HGAC	1
14	0537375		Unit of Measure, US Gallons	1
15	0529326		Bid Bond, 10%, Pierce Built Chassis	1
16	0050066		Performance Bond, 100% Req'd **	1
17	0000007		Approval Drawing	1
18	0002928		Electrical Diagrams	1
19	0888808		Velocity Chassis, PUC-NG (Med Block)	1
20	0000110		Wheelbase	1
			Wheelbase - 216	
21	0000070		GVW Rating	1
			GVW rating - 53800	
22	0000203		Frame Rails, 13.38 x 3.50 x .375, Qtm/AXT/Imp/Vel/DCF	1
23	0889469		Frame Liner, "C/Inv L" 12.50" x 3.00" x .25", AXT/Vel/Imp/Enf, 56" QVal	1
24	0508849		Axle, Front, Oshkosh TAK-4, Non Drive, 22,800 lb, Imp/Vel	1
25	0010427		Suspension, Front TAK-4, 22,800 lb, Qtm/AXT/Imp/Vel/DCF/Enf	1
26	0087572		Shock Absorbers, KONI, TAK-4, Qtm/AXT/Imp/Vel/DCF/Enf	1
27	0000322		Oil Seals, Front Axle	1
28	0785760		Tires, Front, Michelin, XZY3 (wb), 425/65R22.50, LRL, Fire Service Speed Rating	1
29	0773076		Wheels, Front, Alcoa, 22.50" x 13.00", Aluminum, Dura-Bright, Hub Pilot	1
30	0530467		Axle, Rear, Meritor RS30-185, 31,000 lb, Imp/Vel/Dash CF	1
31	0602744		Top Speed of Vehicle, Non-NFPA 2016 Compliant	1
			Top Speed of Vehicle - 70	
32	0555352		Suspen, Rear, Hendrickson FMX 312 EX, Air Ride, 31,000 lb	1
33	0000485		Oil Seals, Rear Axle	1
34	0792923		Tires, Rear, Michelin, X WORKS Z, 315/80R22.50, LRL, Single	1
35	0052876		Wheels, Rear, Alcoa, 22.50" x 9.00", Aluminum, Dura-Bright, Hub Pilot, Single	1
36	0568081		Tire Balancing, Counteract Beads	1
37	0620570		Tire Pressure Monitoring, RealWheels, AirSecure, Valve Cap, Single Axle	1
			Qty, Tire Pressure Ind - 6	
38	0003245		Axle Hub Covers w/center hole, S/S, Front Axle	1
39	0001960		Axle Hub Covers, Rear, S/S, High Hat (Pair)	1
40	0057936		Covers, Lug Nut, Chrome	1
41	0002045		Mud Flap, Front and Rear, Pierce Logo	1
42	0760675		Chains, Onspot, Automatic Tire, Custom	1
43	0544802		Chocks, Wheel, SAC-44-E, Folding	1
			Qty, Pair - 01	

Line	Option	Type	Option Description	Qty
44	0544806		Mounting Brackets, Chocks, SAC-44-E, Folding, Horizontal	1
			Qty, Pair - 01	
			Location, Wheel Chocks - Left Side Rear Tire, Forward, LS3	
45	0010670		ABS Wabco Brake System, Single rear axle	1
46	0030185		Brakes, Knorr/Bendix 17", Disc, Front, TAK-4	1
47	0000740		Brakes, Meritor, Cam, Rear, 16.50 x 8.63"	1
48	0020784		Air Compressor, Brake, Cummins/Wabco 18.7 CFM	1
49	0000786		Brake Reservoirs, Four	1
50	0568012		Air Dryer, Wabco System Saver 1200, Heater, 2010	1
51	0000790		Brake Lines, Nylon	1
52	0089419		Air Inlet, with Kussmaul Air Eject (Fill-In Blank Location)	1
			Location - Behind Rear Crew Cab Door Drivers Side	
			Qty, Air Coupling (s) - 1	
53	0805865		Engine, Cummins L9, 450 hp, 1250 lb-ft, W/OBD, EPA 2024, Imp/Vel	1
54	0001244		High Idle w/Electronic Engine, Custom	1
55	0001236		Not Required, Auxiliary Brake, Alt. Aux. Brake Selected	1
56	0552334		Clutch, Fan, Air Actuated, Horton Drive Master	1
57	0123135		Air Intake, w/Ember separator, Imp/Vel	1
58	0794761		Exhaust System, 4", 2017 L9 Engine, Horizontal, Right Side	1
59	0787999		Radiator, Impel/Velocity	1
60	0511425		Cooling Hoses, Rubber	1
61	0674793		Fuel Tank, 65 Gallon, Left Side Fill, Rear Air Suspension, PUC	1
62	0001129		Lines, Fuel	1
63	0595087		DEF Tank, 4.5 Gallon, DS Fill, Forward of Rear Axle	1
			Door, Material & Finish, DEF Tank - Polished Stainless	
64	0723716		Fuel Priming Pump, Electronic, Automatic, Cummins, No Swt Req'd	1
65	0582243		Shutoff Valves, Fuel Line @ Primary Filter, Cummins	1
66	0699437		Cooler, Chassis Fuel, Not Req'd.	1
67	0690880		No Selection Required From This Category	1
68	0887552		Trans, Allison 6th Gen, 3000 EVS PR, w/Prognostics, Imp/Vel/SFR/Enf	1
			Trans. retarder capacity - b. medium/1300, 3000 EVS	
			Trans, retarder control - l) Auto 1/3, 2/3, 3/3	
69	0625329		Transmission, Shifter, 5-Spd, Push Button, 3000 EVS	1
70	0517604		Transmission Programming, Park to Neutral, PUC	1
71	0797408		Transmission Oil Cooler, Modine, External, w/Modine External Sump	1
72	0804209		Engraving, Transmission Dipstick Cap, "Synthetic Trans Fluid Only" TES-668	1
73	0024895		Mode, Downshift, Aggressive downshift to 2nd, w/engine brake, 5 speed	1
74	0801878		Fluid, 3000 Series Trans, Allison Approved TES-668 Synthetic, IPOS, Custom	1
75	0001370		Driveline, Spicer 1710	1
76	0669988		Steering, Sheppard M110 w/Tilt, TAK-4, Eaton Pump, w/Cooler	1
77	0001544		Not Required, Steering Assist Cylinder on Front Axle	1
78	0509231		Steering Wheel, 4 Spoke with Controls	1
79	0690274		Logo/Emblem, on Dash	1
			Text, Row (1) One - Joplin	
			Text, Row (2) Two - Fire	
			Text, Row (3) Three - Department	
80	0123627		Bumper, 26" Extended, Imp/Vel	1
81	0610291		Tray, Hose, Center, 26" Bumper, Outside Air Horns, 13" Deep, Imp/Vel	1
			Grating, Bumper extension - Grating, Rubber	
			Capacity, Bumper Tray - 23) 200' of 1.75"	
82	0630813		Cover, Aluminum Treadplate, One (1) D-Ring Latch, Hose Tray	1
			Stay arm, Tray Cover - b) Pneumatic Stay Arm	
83	0510226		Lift & Tow Package, Imp/Vel, AXT, Dash CF	1
84	0002270		Tow Hooks, Chrome	1
85	0012300		Bracket, License Plate, Frt Bumper Non-Illuminated	1
86	0668310		Cab, Velocity FR, 7010 Raised Roof, PUC	1
87	0724237		Engine Tunnel, ISL, Mech Fasteners, Impel/Velocity FR	1
88	0677478		Rear Wall, Exterior, Cab, Aluminum Treadplate	1
89	0122466		Cab Lift, Elec/Hyd, w/Manual Override, Imp/Vel	1
90	0123176		Grille, Bright Finished, Front of Cab, Velocity	1
91	0757871	SP	Scuffplates, S/S At Cab Door Jambs, UL-LX, 4-Door Cab	1
			Color, UL-LX, Per Item - a) black	

Line	Option	Type	Option Description	Qty
92	0527032		Trim, S/S Band, Across Cab Face, Rect Lights, Velocity	1
			Material Trim/Scuffplate - c) S/S, Polished	
			Turnsignal Covers - Polished S/S Covers	
93	0087357		Molding, Chrome on Side of Cab	1
94	0559132		Mirrors, Forward Mtd, Htd/Rmt, Pierce One-Eleven, LED Turn Signal	1
			Finish, Arm Cover - Chrome	
			Finish, Mirror Head - Chrome	
95	0667937		Door, Full Height, Velocity FR 4-Door Cab, Raised Roof	1
			Key Model, Cab Doors - 751	
			Cab, Exterior Door Handle, Finish - 4-Door, Chrome/Black	
96	0655511		Door Panel, Brushed Stainless Steel, Impel/Velocity 4-Door Cab	1
97	0667905		Storage Pockets w/ Elastic Cover, Recessed, Overhead, Impel/Velocity FR	1
98	0667902		Controls, Electric Windows, All Cab Doors, Impel/Velocity FR	1
99	0512419		Electric Door Locks, Cab Doors, Imp/Vel	1
100	0555485		Steps, 4-Door Full Tilt Cab, Imp/Vel	1
101	0770194		Handrail, Exterior, Knurled, Alum, 4-Door Cab	1
102	0697689		Steps, Stirrup, Formed w/Grip Strut, Cab & Crew Cab Doors	1
			Light, Step, Additional - P25 LED	
103	0892637		Lights, Cab & Crw Cab Acs Stps, P25, LED w/Bezel, 1Lt Per Step	1
			Color, Trim - Chrome Housing	
104	0002140		Fenders, S/S on Cab	1
105	0586968		Handrail, Interior, Crew Cab Doors, Angled	1
106	0592071		No Windows, Side of Crew Cab, Vel/Imp	1
107	0568605		Not Required, Interior Trim, No Cab Side Windows	1
108	0012090		Not Required, Windows, Front/Side of raised roof	1
109	0509286		Not Required, Windows Rear of Crew Cab, Imp/Vel	1
110	0558334		Not Required, Trim, Cab Rear Windows, No Rear Windows	1
111	0123686		Drip Rail, Cab Roof, Impel/Velocity/Velocity SLT	1
112	0663383		Mounting Provisions, 3/16" Alum, Full Engine Tunnel, Vel/Imp	1
			Mounting Provision Spacing - .75"	
			Material Finish, Cab Interior - Painted	
113	0748671		Cab Interior, Vinyl, Velocity FR, CARE	1
			Color, Cab Interior Vinyl/Fabric - Endure Vinyl - Silver/Gray	
114	0667943		Cab Interior, Paint Color, Impel/Velocity FR	1
			Color, Cab Interior Paint - i) fire smoke gray	
115	0696871		Floor, Alum Cab & Rubber Crew Cab - AXT/Imp/Vel	1
116	0741239		HVAC, Impel/Velocity FR, CARE	1
			Paint Color, A/C Condenser - Painted to Match Cab Roof	
			HVAC System, Filter Access - Removable Panel	
			Auxiliary Cab Heater - Both	
117	0639675		Sun Visor, Smoked Lexan, AXT, Imp/Vel, Saber FR/Enforcer	1
			Sun Visor Retention - No Retention	
118	0543257		Grab Handles, Driver Door Post & Passenger Dash Panel, Imp/Vel	1
119	0583938		Lights, Engine Compt, Custom, Auto Sw, Wln 3SC0CDCR, 3" LED, Trim	1
			Qty, - 01	
120	0122516		Fluid Check Access, Imp/Vel	1
			Latch, Door, Storage - Lift and Turn Latch, Flush	
121	0583042		Side Roll and Frontal Impact Protection	1
122	0622618		Seating Capacity, 5 Seats	1
123	0697005		Seat, Driver, Pierce PS6, Premium, Air Ride, High Back, Safety	1
124	0587668		Seat, Officer, Pierce PS6, Base, SCBA, Safety	1
125	0510037		Radio Compartment, Below Officer Seat, Imp/Vel	1
126	0803506	SP	Cabinet, Rear Facing, LS, 24 W x 53 H x 30.5 D, 2" Web, Ext Acc, Imp/Vel	1
			Type of fastener - 2" side release	
			Restraint Location - Bottom (towards the ground)	
			Scuffplate, Material/Finish - No Scuffplate	
			Material Finish, Shelf - Painted - Cab Interior	
			Shelf/Tray, Cabinet - (2) Shelves, Adjustable, 0.75" Up-Turned Lip	
			Door, Cab Exterior Cabinet - Double Pan, Non-Locking	
			Door, Exterior Stop - Bumper	
			Light, Tall Cabinet - Pierce, Interior, Right Side	
			Louvers, Cabinet - 0-No Louvers	
127	0102783		Not Required, Seat, Rr Facing C/C, Center	1

Line	Option	Type	Option Description	Qty
128	0726354	SP	Cabinet, Rear Facing, RS, 29 W x 53 H x 30.5 D, Web, Ext Acc, Imp/Vel	1
			Type of fastener - 1" side release Restraint Location - Bottom (towards the ground) Scuffplate, Material/Finish - No Scuffplate Material Finish, Shelf - Painted - Cab Interior Shelf/Tray, Cabinet - (2) Shelves, Adjustable, 0.75" Up-Turned Lip Door, Cab Exterior Cabinet - Double Pan, Non-Locking Door, Exterior Stop - Bumper Light, Tall Cabinet - Pierce, Interior, Left Side Louvers, Cabinet - 0-No Louvers	
129	0108189		Not Required, Seat, Forward Facing C/C, DS Outboard	1
130	0790599	SP	Seat, Forward Facing C/C, Center, (3) Pierce PS6, Premium, SCBA, Safety, Riser	1
131	0108190		Not Required, Seat, Forward Facing C/C, PS Outboard	1
132	0566653		Upholstery, Seats In Cab, Turnout Tuff	1
			Color, Cab Interior Vinyl/Fabric - c) Black	
133	0543991		Bracket, Air Bottle, Hands-Free II, Cab Seats	4
			Qty, - 04	
134	0669368		Riser, Fwd Facing C/C seat raised 3.00", w/Raised Roof cab only, PUC	1
135	0603867		Seat Belt, ReadyReach	1
			Seat Belt Color - Red	
136	0604864		Seat Belt Height Adjustment, 5 Seats, Imp/Vel, Dash CF	1
137	0602464		Helmet Storage, Provided by Fire Department, NFPA 2016	1
138	0647647		Lights, Dome, FRP Dual LED 4 Lts	1
			Color, Dome Lt - Red & White Color, Dome Lt Bzl - Black Control, Dome Lt White - Door Switches and Lens Switch Control, Dome Lt Color - Lens Switch	
139	0896451		Enhanced Software for Cab and Crew Cab Dome Lts	1
140	0631776		Not Required, Overhead Map Lights	1
141	0804719		Handlts, (4) Streamlight, Fire Vulcan, 44451, C4 LED, Tail Lts, 12v, Orange	1
			Location, Portable Hand Light - Against inside wall to the rear of crew doors 6" off ground each side, Upper Left of L3 compartment reachable from ground, One to be Mounted on Engine tunnel TBD location at final	
142	0568369		Cab Instruments, Ivory Gauges, Chrome Bezels, Impel/Velocity 2010	1
143	0509511		Air Restriction Indicator, Imp/Vel, AXT, Dash CF, Enf MUX	1
144	0543751		Light, Do Not Move Apparatus	1
			Alarm, Do Not Move Truck - Pulsing Alarm	
145	0509042		Messages, Open Dr/DNMT, Color Dsply,	1
146	0611681		Switching, Cab, Membrane, Impel/Velocity/Quantum, Dash CF, AXT WiFi MUX	1
			Location, Emerg Sw Pnls - Driver's Side Overhead	
147	0555915		Wiper Control, 2-Speed with Intermittent, MUX, Impel/Velocity	1
148	0548006		Wiring, Spare, 15 A 12V DC 2nd	1
			Qty, - 01 12vdc power from - Battery switched Wire termination - Butt Splice Location - Officer Side Dash Upper Panel	
149	0548007		Wiring, Spare, 15 A 12V DC 3rd	3
			Qty, - 03 12vdc power from - Battery direct Wire termination - Butt Splice Location - Under Mounting Plate on Engine Tunnel	
150	0797189		Wiring, Spare, 4.8 A 12V DC, USB Termination Blue Sea 1045 1st	4
			Qty, - 04 12vdc power from - Battery direct Location - Officer and Driver side Lower Dash Panel, Inside Each EMS Compartment	
151	0548004		Wiring, Spare, 15 A 12V DC 1st	1
			Qty, - 01 12vdc power from - Battery direct Wire termination - Butt Splice Location, Spare Wiring - Officer Dash	
152	0583917		Wiring, Spare, 15 A 12V DC 5th	2
			Qty, - 02 12vdc power from - Battery direct	

Line	Option	Type	Option Description	Qty
152			Wire termination - Butt Splice	
			Location - One in Each EMS Compartment	
153	0560535		Wiring, Spare, 15 A 12V DC 4th	3
			Qty, - 03	
			12vdc power from - Battery switched	
			Wire termination - Butt Splice	
			Location - Under Mounting Plate on Engine Tunnel	
154	0803875		Radio, AM/FM/WB, Jensen, Frt,Rear Aux In/Frt,Rear USB/Bluetooth	1
			Speakers, AM/FM Radio - Two (2) pairs of speakers, Cab/Crew	
			Antenna, AM/FM Radio - c) Roof-mounted rubber antenna	
			Location, AM/FM Radio - b) within reach of the officer	
155	0615386		Vehicle Information Center, 7" Color Display, Touchscreen, MUX	1
			System Of Measurement - US Customary	
156	0734857		Collision Mitigation, HAAS Alert (R2V), HA5	1
			Subscription, HAAS R2V - R2V - 5 Year Data Plan Subscription	
157	0606247		Vehicle Data Recorder w/CZ Display Seat Belt Monitor	1
158	0734999		Intercom, David Clark, 4-Pos, 2-Radio, D, O, 2ibC, U3805	1
159	0637058		David Clark Universal Radio Interfaces Included with Single/Dual System	1
			Location, Radio Interface - Center overhead console	
160	0597914		Headset, David Clark, H3442 Under Helmet, Flex Mic	6
			Qty, - 06	
			Location - Next to each seat, One in Pump Panel Compartment	
161	0681408		Hangers For Headsets, NFPA, Each	5
			Qty, - 05	
			Location, Headset Hangers - Driver Seat, Officer Seat, DS Inbrd, Fwrd Fcng Seat and PS Inbrd, Fwrd Fcng Seat	
162	0559156		Install Customer Provided Two-Way Radio(s)	1
			Location - Overhead console in loc #5	
			Qty, - 01	
163	0696439		Antenna Mount, Custom Chassis, Cable Routed to Instrument Panel Area	1
			Qty, - 01	
			Location, Antenna Mount - Right Side	
164	0653526		Camera, Pierce, Driver Mux, Rear Camera Only	1
			Camera System Audio - Not Provided	
165	0523921		Recess, Rear Vision Camera	1
			Location, Camera, Recessed - Center Rear	
166	0896458		Pierce Command Zone, Advanced Electronics & Control System, Vel WiFi CZT	1
			Color, Antenna - Black Antenna	
			Module Housings - Black Housing with Power and Status Ind	
167	0896456		Prognostics, Electrical System	1
168	0892649		CZ Connect Telematics	1
			Subscription, CZ Connect Telematics - 3 Year Subscription	
169	0730603		Electrical System, Velocity ESP, Cummins, Paccar	1
170	0079211		Batteries, (6) Exide Grp 31, 950 CCA each, Threaded Stud	1
171	0008621		Battery System, Single Start, All Custom Chassis	1
172	0123174		Battery Compartment, Imp/Vel	1
173	0531338		Charger, Sngl Sys, Kussmaul, Pump Plus 1200, 52-21-1100	1
174	0696828		Location, Charger/Compr, DS Hatch Compt, Cover	1
175	0530952		Location, Bat Chrg Ind, DS Behind Crew Cab Door	1
176	0016857		Shoreline, 20A 120V, Kussmaul Auto Eject, 091-55-20-120, Super	1
			Qty, - 01	
			Color, Kussmaul Cover - b) red	
			Shoreline Connection - Battery Charger, L1, R4, Both EMS Cabinets	
177	0026800		Shoreline Location	1
			Location, Shoreline(s) - DS Crew Cab	
178	0647728		Alternator, 430 amp, Delco Remy 55SI	1
179	0092582		Load Manager/Sequencer, MUX	1
			Enable/Disable Hi-Idle - e)High Idle enable	
180	0783153		Headlights, Rect LED, JW Spkr Evo 2, AXT/DCF/Enf/Imp/Sab/Vel	1
			Color, Headlight Bez - Chrome Bezel	
181	0648425		Light, Directional, Wln 600 Cmb, Cab Crn, Imp/Vel/AXT/Qtm/DCF	1
			Color, Lens, LED's - m)match LED's	
182	0620054		Light, Directional/Marker, Intermediate, Weldon 9186-8580-29 LED 2lts	1

Line	Option	Type	Option Description	Qty
183	0648074		Lights, Clearance/Marker/ID, Front, P25 LED 7 Lts	1
184	0088869		Lights, Clearance/Marker/ID, Rear, Truck-Lite 26250R LED 7Lts	1
185	0517025		Lights, Tail, Wrap-around, Stop/Tail, Turn & Backup LED, Tri-Cluster	1
186	0085910		Lights, Backup Included in Signal Cluster	1
187	0650265		Bracket, License Plate & Light, Cast Products LP0004-1-B, LED Light	1
188	0589905		Alarm, Back-up Warning, PRECO 1040	1
189	0769420		Lights, Perimeter Cab, Amdor AY-LB-12HW020 LED 4Dr	1
190	0769559		Lights, Perimeter Pump House, Amdor AY-LB-12HW012 LED 2lts	1
191	0770056		Lights, Perimeter Body, Amdor AY-LB-12HW020 LED 2lts, Rear Step	1
			Control, Perimeter Lts - Parking Brake Applied	
192	0896454		Enhanced Software for Perimeter Lts	1
193	0557322		Lights, Step, P25 at Rear Tailboard, PUC, 4lts Perm Lts	1
194	0698589		Lights, Side Scene, Wln M9LZC Gradient LED, 1st	4
			Qty, - 04 Switch, Lt Control 1 DC,1 - a) DS Switch Panel Switch, Lt Control 2 DC,2 - g) PS Switch Panel Switch, Lt Control 3 DC,3 - e) Pump Operators Panel Switch, Lt Control 4 DC,4 - d) No Control Location, Scene Lights - Each Side Body, Forward & Rearward, 4lts	
195	0776357		Light, Visor, Wln, 12V P*H2* Pioneer, Cnt Feature, 1st	1
			Qty, - 01 Location, driver's/passenger's/center - Centered Color, Wln Lt Housing - Black Paint Control, Scene Lts - Cab Sw Panel DS and Cab Sw Panel PS Scene Light Optics - Flood/Spot	
196	0889855		Lights, HiViz FT-B-46-*-*, 46", Brkt Fet 1st	2
			Location - Mounted to the cab on the raised roof portion, Over the rear cab doors. one on each side. Qty, - 02 Control, Scene Lts - Cab Sw Panel DS and Cab Sw Panel PS Color, Lt Housing HiViz - Black Brackets, Cab Side Scene Lts - Directly to Cab Roof	
197	0532358		Not Required, Deck Lights, Other Hose Bed & Rear Lighting	1
198	0645877		Lights, Hose Bed, Sides, Dual LED Light Strips	1
			Control, Hose Bed Lts - Cup Switch At Rear SS	
199	0635487		Lights, Rear Scene, Wln, 700 LED, Below Tailboard	1
			Control, Rear Scene Lts - Cab Switch Panel DS	
200	0645683		Lights, Rear Scene, Wln, M9LZC LED	2
			Qty, - 02 Control, Rear Scene Lts - Cab Switch Panel DS, Cab Switch Panel PS and Cup Switch At Rear SS Location, Scene Lights - Each Side Rear Body, Mid, 2lts	
201	0709438		Lights, Walk Surf, FRP Flood, LED	1
202	0518282		Pumper, PUC, Aluminum	1
203	0554271		Body Skirt Height, 20"	1
204	0501271		Tank, Water, 750 Gallon, Poly, Rectangular Form Fitting, PUC	1
205	0003405		Overflow, 4.00" Water Tank, Poly	1
206	0028107		Not Required, Foam Cell Modification	1
207	0553729		Not Required, Restraint, Water Tank, Heavy Duty	1
208	0003429		Not Required, Direct Tank Fill	1
209	0003424		Not Required, Dump Valve	1
210	0048710		Not Required, Jet Assist	1
211	0030007		Not Required, Dump Valve Chute	1
212	0514778		Not Required, Switch, Tank Dump Master	1
213	0597043		Body Height, PUC/HDRP	1
			Body Height - 104.00"	
214	0199241		Hose Bed, Aluminum, Pumper, PUC	1
215	0723340		Unpainted/Brush Finished, Hose Bed, 3G PUC/HDRP	1
216	0003481		Hose Bed Capacity, Special	1
			Capacity, Hosebed - 300' of 3.00", 1600' of 5.00", 300' of 2.50"	
217	0003488		Divider, Hose Bed, Unpainted	2
			Qty, Hosebed Dividers - 2	

Line	Option	Type	Option Description	Qty
218	0733527		Hose Restraint, 2" Nylon Web Rear, Seat Belt, w/Alum Hose Bed Cover	1
			Location - In addition to Seat Belt releases at top of Hose Bed, 4 Fasteners along the bottom	
			Nylon Web Color - Black	
			Type of fastener, Rear - velcro straps/footman loops - bottom of hosebed	
			Quantity - 04	
			Release, Seat Belt Buckle - Single Release	
219	0697047		Cover, Hose Bed, Alum Treadplate, Full Length, Special Split, Four Section, PUC	1
220	0611509		Running Boards, Flip Out, PUC	1
221	0685334		Tailboard, 12" Deep, Full Width, PUC/HDRP	1
222	0690029		Wall, Rear, Body Material, PUC, PUC Tanker, PRM, HDRP	1
223	0003531		Tow Bar, Under Tailboard	1
224	0656764		Construction, Compt, Alum, Pumper, PUC	1
225	0515256		LS 214" Rollup, (1) 31" (1) 50.5" Fwd, (1) 52" Rr, FH/FD Front & Rear, PUC	1
226	0515258		RS 214" Rollup, (2) 42" Fwd, (1) 52" Rr, Full Height & Depth Front & Rear, PUC	1
227	0692733		Doors, Rollup, Gortite, Side Compartments	8
			Qty, Door Accessory - 08	
			Color, Roll-up Door, Gortite - Painted to Match Lower Body	
			Latch, Roll-up Door, Gortite - Non-Locking Liftbar	
228	0599445		Compt, Rear, Rollup, 33.50" FF, w/Tailboard, PUC/HDRP	1
229	0692743		Door, Gortite, Rollup, Rear Compartment, PUC	1
			Color, Roll-up Door, Gortite - Satin finish	
			Latch, Roll-up Door, Gortite - Non-Locking Liftbar	
230	0795390		Pull Strap for Rollup Doors, Amdor Flex-HD	10
			Location - L1, L2, L3, L4, R1, R2, R3, R4, Each Crosslay Door	
			Qty, Door Accessory - 10	
231	0616670		Lights, Compt, Pierce LED, Dual Light Strips, Each Side of Door, Pumper/Tanker	9
			Qty, - 09	
			Location, Compartment Lights - All Body Compts	
232	0515685		214" Hatch, (2) Lift-up, 21" Wide, Both Sides, PUC	1
			Size, Hatch Compt, Height - 22.00"	
			Trim, Body/Hatch Compt Seam, Horizontal, Pair - Molding	
			Trim, Body/Hatch Compt Seam, Vertical, Pair, PUC - Painted Smooth Weld	
			Matting, Floor, Hatch Compt - Dri-Deck - Black	
233	0733406		Handrails, Hatch Step Area, (1) Curved & (1) Straight	1
234	0687993		Lights, Hatch Compt, LED Strip Light, 214", Both Sides	1
235	0687145		Shelf Tracks, Recessed, PUC/3rd Generation	1
236	0600350		Shelves, Adj, 500 lb Capacity, Full Width/Depth, Predefined Locations	10
			Qty, Shelf - 10	
			Material Finish, Shelf - Brushed	
			Location, Shelves/Trays, Predefined - LS1-Transition Point, RS1-Centered, RS2-Centered, RS3-Centered, RS4-Centered, RS4-Upper Third, RS1-Upper Third, LS3-Upper Third Left of Partition, LS3-Transition Point Left of Partition and B1-Upper Third	
237	0709690		Tray, 250 lb Slide-out, 2" Sides - Adj. Height, Predefined Locations	1
			Qty, Tray (slide-out) - 01	
			Location, Shelves/Trays, Predefined - LS3-Lower Third	
			Material Finish, Tray - Brushed	
238	0709692		Tray, 215 lb, Tilt/Slide-Out, 30 Deg, Adj, Predefined Locations	1
			Qty, Tray (slide-out) - 01	
			Location, Shelves/Trays, Predefined - LS2-Upper Third	
			Material Finish, Tray - Brushed	
239	0647091		Tray, Floor Mounted, Slide-Out, 500lb, 2.00" Sides	5
			Qty, - 05	
			Location, Tray Slide-Out, Floor Mounted - RS1, RS2, RS3, RS4 and LS1	
			Material Finish, Tray - Brushed	
240	0544597		Toolboard, Slide-out, Alum, .188", Peg Board, Brushed, 3G	2
			location - LS3 Both Rear of Partition	
			Qty - 2	
			Mounting, Toolboard - Adjustable side-side	
241	0544614		Toolboard, Swing-out, Alum, .188", Peg Board, 3G	1
			Qty - 1	
			Location, Pivot - Front	

Line	Option	Type	Option Description	Qty
241			Mounting, Toolboard - Adjustable Frt-back Hole Diameter, Pegboard/Toolboard - .203" diameter Finish, Pegboard/Toolboard - Brushed Finish Location, Toolboard - LS1	
242	0726457		Partition, Vertical Compt, Predefined Locations	1
			Qty, Partition - 01 Location, Partition/Toolboard, Predefined - LS3- 24.00" From Forward Door Frame Material Finish, Partition - Brushed	
243	0654369		Recess, Partition, Right of Pump Opertor's Panel, PUC	1
244	0755527		Pegboard, Back Wall Mounted, 3/16" Alum, Standard Depth Upper	2
			Qty, Comp. Accessory - 02 Hole Diameter, Pegboard/Toolboard - .203" diameter Finish, Pegboard/Toolboard - Brushed Finish Location, Compartment, Predefined - LS1 and LS2	
245	0063064		Rub Rail, Aluminum Extruded, Side of Body, 3rd Gen Body	1
246	0515441		Fender Crowns, Rear, S/S, W/Removable Fender Liner, Pumper, 3G	1
			Material Finish, Fender Liner - Brushed Stainless	
247	0519849		Not Required, Hose, Hard Suction	1
248	0527021		Handrails Located @ Front Body	1
249	0664688		Handrails, Rear, PUC/HDRP	1
250	0000941		No Rear Hose Bed Handrail Required	1
251	0657651		Compt, Air Bottle, Double, Fender Panel	4
			Qty, Air Bottle Comp - 4 Door Finish, Fender Compt - Polished Location, Fender Compt - Double - LS Fwd, Double - LS Rear, Double - RS Fwd and Double - RS Rear Latch, Air Bottle Compt - Southco C2 Chrome Raised Insert, Air Bottle Compt - Rubber Matting	
252	0004225		Ladder, 24' Duo-Safety 900A 2-Section	1
253	0004230		Ladder, 14' Duo-Safety 775A Roof	1
254	0638382		Rack, Ladders, LS Full Depth Body, PUC/HDRP	1
			Door, Material & Finish, Ladder Storage - smooth aluminum Latch, Door Ladder Storage - D-Handle latch Hinge Location - Inboard	
255	0733387		Ladder, 10' Duo-Safety Folding 585A	1
256	0733005		Compt w/Trough, Folding Ladder, In Upper Body, LS	1
			Door, Material & Finish, Storage - Smooth Aluminum Latch, Door, Storage - Southco C2 Chrome Raised Hinge Location - Outboard	
257	0789534		Pike Pole, 8' DUO Safety, Fiberglass	1
			Qty, Pike Poles - 1	
258	0732982		Tube, Pike Pole 8' or Longer, In Upper Body Long Tool Storage Compt	2
			Qty, Pike Poles - 2 Location, Left Side, Right Side - Left Side Material/Finish, Tube, Pike Pole - Aluminum Width, Notch, Pike Pole Tube - .75", Standard Notch	
259	0685804		Pike Pole, 6' Fire Hooks Unlimited, New York Roof Hook, Ram Knob End, RH-6	1
			Qty, - 01	
260	0732992		Tube, Pike Pole 6', In Upper Body Long Tool Storage Compt	2
			Qty, Pike Poles - 2 Location, Left Side, Right Side - Right Side Material/Finish, Tube, Pike Pole - Aluminum Width, Notch, Pike Pole Tube - 1.38", NY Notch	
261	0769733		Compt, Long Tool Storage Compt, In Upper Body (1) RS, PUC/HDRP	1
			Door, Material & Finish, Storage - Smooth Aluminum Latch, Door, Storage - Southco C2 Chrome Raised	
262	0004361		Tubes, Alum, Pike Pole Storage	4
			Qty, Pike Pole Tubes - 04 Location, Pike Pole Tube - Crosslay/Speedlay	
263	0530099		Notch, Pike Pole Tube/Trough, Specify Size (Pike Pole(s) Not Included)	4
			Location - four in crosslay compartment, two accessed from each side of truck, with spacing to allow removal of tools individually Qty, - 04	

Line	Option	Type	Option Description	Qty
263			Fill in Blank - NY Hook notched tubes.	
264	0521734		No Steps Required, Front Of Body, PUC	1
265	0515519		Ladder, Top Access, Alum, RH Rear, PUC/HDRP	1
			Do Not Move Truck Indicator - No DNMT indicator	
266	0559070		Step, Corner Step - Extra, PUC/HDRP	1
			Location, Additional Step - In Cargo Area as Indicated in Prelim Drawing	
			Qty, Corner Steps - 1	
267	0515692		Pump Operators Panel, 31", Control Zone, PUC	1
268	0520016		Not Required, Pumphouse Structure, PUC	1
269	0889385		Pump, Pierce, 1500 GPM, Single Stage, PUC-NG	1
270	0515822		Seal, Mechanical, Silicon Carbide, PUC Pump	1
271	0802234		Gear Case, Integrated Pump Transmission, PUC-NG, Cummins	1
272	0721196		Pumping Mode, Pump and Roll/Stationary, Basic, MUX, PUC	1
273	0515829		Pump Shift, Sure-Shift	1
274	0515833		Transmission Lock-up, Not Req'd, Park to Neutral, Pump, PUC	1
275	0515835		Auxiliary Cooling System, PUC	1
276	0014486		Not Required, Transfer Valve, Single Stage Pump	1
277	0746508		Valve(s), Relief Intake, Trident Air Max, Control Location	1
			Qty - 1 Pressure Setting - 125 psig Intake Relief Valve Control - Behind Right Side Pump Panel	
278	0596073		Controller, Pressure, FRC, Pump Boss, PBA400, PUC	1
279	0072153		Primer, Trident, Air Prime, Air Operated	1
280	0658266		Thermal Relief Valve, w/Amber Warning Light and Alarm, PUC Pump	1
			Location, Thermal Relief Discharge - Ground	
281	0780359		Manuals, Pump, (2) Total, Electronic Copies, Pierce PUC Pump	1
282	0602496		Plumbing, Stainless Steel and Hose, Single Stage Pump, PUC	1
283	0089437		Plumbing Without Foam System	1
284	0517852		Inlets, 6.00" - 1250-2000 GPM, Pierce PUC Pump	1
285	0014650		Pump Suction Tube(s), Short, All	1
286	0755923		Valve, Ball Intake, Akron Revolution	2
			Location - Both Main Inlets Qty - 2 Connection, Inlet, Side B - 5.0" Storz with a cap Connection, Outlet, Side A - 6.0" FNST swivel long handle Ball Intake Valve - 7983 (straight inlet)	
287	0699096		Not Required, Cap, Main Pump Inlet, Included w/Storz Adapter	1
288	0084610		Valves, Akron 8000 series- All	1
289	0520002		Valve, Inlet(s) Recessed, Side Cntrl, PUC	1
			Qty, Inlets - 1	
290	0004700		Control, Inlet, at Valve	1
291	0785853		Inlet, Left Side, 2.50", Special Threads, 2016 Non-NFPA Compliant	1
			Special Threads - 3.234 x 6	
292	0029147		Not Required, Inlet, Right Side	1
293	0521137		Anode, Zinc, Pair, Pump Inlets, PUC	1
294	0092569		No Rear Inlet (Large Dia) Requested	1
295	0064116		No Rear Inlet Actuation Required	1
296	0092696		Not Required, Cap, Rear Inlet	1
297	0009648		No Rear Intake Relief Valve Required on Rear Inlet	1
298	0092568		No Rear Auxiliary Inlet Requested	1
299	0723049		Valve, .75" Bleeder, Aux. Side Inlet, "T" Swing Handle	1
300	0520277		Tank to Pump, (1) 3.00" Valve, 4.00" Plumbing, PUC	1
301	0595508		Outlet, Tank Fill, 1.50", PUC	1
302	0766941		Control, Outlets, Swing Handle, Elec Right Outlets Akron 9335 w/Press Disp, PUC	1
303	0516755		Outlet, Left Side, 2.50" (2), PUC	1
304	0008475		Elbow, Left Side Outlets, 45 Degree, 2.50" FNST x 2.50" Male Special Thread,VLH	2
			Qty, Discharges - 02 Special Threads - 3.234 x 6	
305	0092570		Not Required, Outlets, Left Side Additional	1
306	0035094		Not Required, Elbow, Left Side Outlets, Additional	1
307	0766761		Outlet, Right Side, 2.50", (1), Electric Akron 9335 Controller, PUC	1
			Qty, Discharges - 01	

Line	Option	Type	Option Description	Qty
308	0784855		Elbow, Right Side Outlets, 45 Deg, 2.50" FNST x 2.50" Male Spcl Thread, VLH, PUC	1
			Qty, Discharges - 01 Special Threads - 3.234 x 6	
309	0092571		Not Required, Outlets, Right Side Additional	1
310	0089584		Not Required, Elbow, Right Side Outlets, Additional	1
311	0766992		Outlet, Right Side, 4" w/4" Valve, Akron 9335 Elec Controller, PUC	1
312	0527969		Cap, Large Dia Outlet, 4.00", IPO Elbow	1
313	0649939		Outlet, Front, 1.50" w/2" Plumbing	1
			Fitting, Outlet - 1.50" NST with 90 degree swivel Drain, Front Outlet - Automatic Location, Front, Single - in center bumper tray	
314	0092575		Not Required, Outlet, Rear	1
315	0045099		Not Required, Elbow, Rear Outlets	1
316	0537394		Not Required, Outlet, Rear, Additional, PUC	1
317	0537395		Not Required, Elbow, Rear Outlets, Additional	1
318	0516824		Outlet, Front of Hose Bed, 2.50", PUC	2
			Qty, Discharges - 02 location - Matching the 2.5 and 3.0 hose locations.	
319	0752094		Caps/Plugs for 1.00" to 3.00" Discharges/Inlets, Spcl Threads, Chain	1
320	0723042		Valve, 0.75" Bleeder, Discharges, "T" Swing Handle	1
321	0005085		Adapter, Thread - 2.50" FNST X 2.50" M Special	3
			Qty, Adapter for Outlets - 03 Special Threads - 3.234 x 6 Location, Adapter(s) - Both Hose bed discharges, 2.5" crosslay	
322	0516860		Outlet, 3.00" Deluge w/2.50" Valve, PUC	1
323	0543615		Monitor, Akron, 3440 DeckMaster, w\Remote Tether	1
			Fill in Blank - Please mount tether for remote in the L4 compartment On side of pump control panel Monitor Finish - Painted by OEM	
324	0510255		Nozzle, Akron 5177, 1250 GPM, Akromatic - Electric	1
325	0005072		Deluge Mount, 3" ANSI 4 Bolt Flange	1
326	0750982		Crosslay Module, Full Width, Roll Up Doors, PUC	1
327	0749510		Doors, Crosslay, Roll-up Gortite, Each End, Full Height, PUC	1
			Color, Roll-up Door, Gortite - Painted to Match Lower Body Latch, Roll-up Door, Gortite - Non-Locking Liftbar Drip Pan - Drip Pan Not Required	
328	0747660		Lights, Crosslay Compt, Forward LED, 2Lts	1
329	0737370		Crosslays, (1) 2.50", W/Poly Trays, PUC	1
			Crosslay/Deadlay/Speedlay Capacity 1 - 200' of 2.50" double jacket hose	
330	0749435		Crosslays, (2) 1.50", W/Poly Trays, PUC	1
			Crosslay/Deadlay/Speedlay Capacity 1 - tbd	
331	0661221		Tray(s), Poly, Special Size, IPOS	3
			Location - increasing the upper crosslay width to 7.00" each and the lower crosslay to 10". It will make packing hose a little easier. See option 661221. If this change is made, wheelbase will be 216" with a 20.5" wide module. Qty, - 03 Size - increasing the upper crosslay width to 7.00" each and the lower crosslay to 10". It will make packing hose a little easier. See option 661221. If this change is made, wheelbase will be 216" with a 20.5" wide module.	
332	0015216		Reel, Booster, Aluminum - Over Pump, Right Side	1
333	0683521		Switch, (2) Reel Rewind - Special Location	1
			Location - one on each side of the pump panel	
334	0005300		Hose, Booster - 150' of 1.00"/800 PSI	1
335	0017858		Capacity, Hose Reel 150' of 1"	1
336	0007074		Nozzle, Elkhart S-200 1.00"	1
337	0674725		Blowout, Hose Reel - Quarter Turn Valve at Panel	1
338	0622237		Roller Assembly, Additional	1
			Location - left side of the truck Qty, - 1	
339	0044333		Not Required, Foam System	1
340	0012126		Not Required, CAF Compressor	1
341	0552517		Not Required, Refill, Foam Tank	1

Line	Option	Type	Option Description	Qty
342	0042573		Not Required, Foam System Demonstration	1
343	0045465		Not Required, Foam Tanks	1
344	0091110		Not Required, Foam Tank Drain	1
345	0091079		Not Required, Foam Tank #2	1
346	0091112		Not Required, Foam Tank #2 Drain	1
347	0738072		Approval Dwg, Pump Panel(s), Not Required	1
348	0032479		Pump Panel Configuration, Control Zone	1
349	0516975		Material, Pump Panels, Operators Brushed Stainless, Sides Brushed Stainless, PUC	1
350	0516978		Pump and Plumbing Access, Simple Tilt Service, PUC	1
351	0618458		Light, Pump Compt, Wln 3SC0CDCR LED White, PUC	1
			Qty, - 01	
352	0516983		Gauges, Engine, Included With Pierce Pressure Controller, PUC	1
353	0005601		Throttle, Engine, Incl'd w/Press Controller	1
354	0739224		Indicator Light @ Pump Panel, Throttle Ready, Incl w/Pressure Gov/Throttle,Green	1
355	0549333		Indicators, Engine, Included with Pressure Controller	1
356	0553643		Control, Air Horn at Pmp Pnl, Red Switch	1
357	0511078		Gauges, 4.00" Master, Class 1, 30"-0-600psi	1
358	0511100		Gauge, 2.00" Pressure, Class 1, 30"-0-400psi	1
359	0604123		Gauge, Water Level, FRC, WLA 300-A00, TankVision Pro, w/Remote Light Driver	1
360	0604028		Water Level Gauge, FRC, MaxVision WLA280-A00 Programmable Remote Display	2
			Location - Each side High behind Crew Cab Doors Qty, - 02 Activation, Water Level G - pb) parking brake is applied	
361	0006774		Not Required, Foam Level Gauge	1
362	0653081		Light, Pump Operator & Panel, Side Ctrl, PUC, 60354C LED Cab & LED OH Chr Cvr	1
363	0606694		Air Horns, (2) Hadley, 6" Round, eTone, In Bumper	1
364	0606835		Location, Air Horns, Bumper, Each Side, Outside Frame, Outboard (Pos #1 & #7)	1
365	0757092		Control, Air Horn, Multi Select	1
366	0757080		Control, Air Horn, Ft Sw, RS	1
367	0757084		Control, Air Horn, Horn Ring	1
368	0525667		Siren, Wln 295SLSA1, 100 or 200 Watt	1
369	0510206		Location, Elect Siren, Recessed Overhead In Console	1
			Location, Elec Siren - Overhead, PS Outside Sw Pnl	
370	0076156		Control, Elec Siren, Head Only	1
371	0601304		Speaker, (2) Wln, SA315P, w/Pierce Polished Stainless Steel Grille, 100 watt	1
			Connection, Speaker - siren head	
372	0601559		Location, Speaker, Frt Bumper, Recessed, Each Side, Inside Frame (Pos 3 & 5)	1
373	0895310		Siren, Federal Q2B	1
			Finish, Q2B Siren - Chrome	
374	0006095		Siren, Mechanical, Mounted Above Deckplate	1
			Location, Siren, Mech - a) Left	
375	0748305		Control, Mech Siren, Multi Select	1
376	0748281		Control Mech Siren, Ft Sw RS	1
377	0736165		Sw, Siren Brake, Momentary, RS Overhead Sw Pnl	1
378	0609328	SP	Guard, Foot Switches, Treadplate, 2swts, Hinged	1
			Location - Office Side Foot Switches	
379	0746353		Not Required, Warning Lights Intensity	1
380	0607636		Lightbar, Wln, Freedom IV-Q, 81", RRRRRRRROptRRRRRRRR	1
			Opticom Priority - b) High Opticom Activation - E-Master Momentary Opticom Activation - No Activation Filter, Whl Freedom Ltbrs - No Filters	
381	0749055		Light, Front Zone, Wln M6# M6# M6# M6#, Split Color, Q Bezel 4lts	1
			Color, Lt DS Frnt Out Spl - b) Red and Blue Color, Lt PS Frnt Out Spl - b) Red and Blue Color, Lt DS Frnt Ins Spl - b) Red and Blue Color, Lt PS Frnt Ins Spl - b) Red and Blue Color, Q Bezel and Trim - Chrome	
382	0757440		Light, Front, Roto Ray 4000W, PAR46 LED, 2-R, 1-W, Hidden Mt Top Section Grl	1
383	0653937		Flasher, Headlight Alternating	1
			Headlt flash deactivation - a)w/high beam	

Line	Option	Type	Option Description	Qty
384	0553202		Lights, Side Zone Lower, Wln M6# LED, Split Color 2pr	1
			Location, Lights Rear - Over Wheel Wells	
			Location, Lights Front Side - b)each side bumper	
			Color, Lt Side Frnt Split - Red and Blue	
			Color, Lt Side Rear Split - Red and Blue	
385	0742884		Lights, Side, Wln M6# Split Color LED 1st	2
			Location, Lights - Side Warning Light Behind Crew Cab Door Each Side	
			Qty, - 02	
			Control, Light - f) emerg master	
			Color, Lt Side Split - Red and Blue	
			Color, Trim - Chrome Trim	
386	0742881		Lights, Side, Wln M6# Split Color LED 2nd	2
			Location, Lights - On Hatch Compartment Forward of the Forward Scene Light Each Side	
			Qty, - 02	
			Control, Light - b) side warning	
			Color, Lt Side Split - Red and Blue	
			Color, Trim - Chrome Trim	
387	0653437		Lights, Rear Zn Lwr, Wln M4# Split LED	1
			Color, Lt DS Rear Splt - a) Red and Blue	
			Color, Lt PS Rear Splt - a) Red and Blue	
388	0750350		Lights, Rear, Wln M6# LED, Split Color, Clear Lens 1st	2
			Location - Rear High in step well and opposite side on hatch compartment	
			Qty, - 02	
			Control, Light - f) emerg master	
			Color, Lt Rear Splt - Red out Blue in	
			Color, Trim - Chrome Trim	
389	0750467		Lights, Rear/Side Up Zone, Wln M6# Split Color, 4lts	1
			Color, Lt DS Rear Splt - a) Red and Blue	
			Color, Lt PS Rear Splt - a) Red and Blue	
			Color, Lt DS Side Splt - Red Forward, Blue to the rear	
			Color, Lt PS Side Splt - Red Forward, Blue to the Rear	
			Color, Trim - Chrome Trim	
390	0006551		Not Required, Lights, Rear Upper Zone Blocking	1
391	0590000		No Hose Bed Warn Light Brackets Req'd, Lights Mtd on Hatch/Body Compts, PUC	1
392	0776337	SP	Lights, Traffic Directing, Wln TA4437M, 22.75" long LED, split, TACTL5	1
			Activation, Traffic Dir L - Aux Flash With Ign Sw Through Separate Mom Sw	
393	0774061	SP	Location, Traf Dir Lt, On Top of Hose Bed Cover, Half Each Cover, Level in Box	1
			Material, Bracket - Aluminum Treadplate	
394	0530280		Location, Traf Dir Lt Controller, Overhead Switch Panel DS Center	1
395	0803938	SP	Inverter, Xantrex Freedom X, 817-3000, 3000W, Non-NFPA	1
			Location, Inverter Switch - DS Cab	
396	0888945		Location, Inverter/Battery Charger, LS Front Body Cmpt, Loc Fet	1
			Location, Inverter - TBD	
397	0889666		Review Required, Inverter	1
398	0015829		Circuit Breaker Panel with Inverter	1
			Location - LS3	
399	0781507		Receptacle, 15/20A 120V 3-Pr 3-Wr, NEMA 5-20R SB Dup, 2nd, Interior Cab	1
			Qty, - 01	
			Location 1 - PS EMS Compartment	
			AC Power Source - Shoreline	
			Cover, Receptacle - Interior SS Wall Plate(s)	
400	0781579		Receptacle, 15/20A 120V 3-Pr 3-Wr, NEMA 5-20R SB Dup, 1st, Interior Cab	1
			Qty, - 01	
			Location 1 - DS EMS Compartment	
			AC Power Source - Shoreline	
			Cover, Receptacle - Interior SS Wall Plate(s)	
401	0779717		Receptacle, 15/20A 120V 3-Pr 3-Wr, NEMA 5-20R SB Dup, 3rd, Interior Body	1
			Qty, - 01	
			Location 1 - L3 Under Electrical Panel	
			AC Power Source - Shoreline	
			Cover, Receptacle - Interior, Flip Up Duplex Cover	

Line	Option	Type	Option Description	Qty
402	0779718		Receptacle, 15/20A 120V 3-Pr 3-Wr, NEMA 5-20R SB Dup, 2nd, Interior Body	1
			Qty, - 01 Location 1 - R4 AC Power Source - Shoreline Cover, Receptacle - Interior Flip Up Cover(s)	
403	0779722		Receptacle, 15/20A 120V 3-Pr 3-Wr, NEMA 5-20R SB Dup, 1st, Interior Body	1
			Qty, - 01 Location 1 - L1 AC Power Source - Shoreline Cover, Receptacle - Interior, Flip Up Duplex Cover	
404	0778560		Receptacle, 15A 120V 3-Pr 3-Wr TL, Wtrprfroof	2
			Location, Receptacles - One on each side of the body above the wheel wheels Qty, - 02 AC Power Source - Inverter	
405	0519934		Not Required, Brand, Hydraulic Tool System	1
406	0649753		Not Required, PTO Driven Hydraulic Tool System	1
407	0754002	SP	Tool,Mounting,Turntable (Lazy Susan),Floor Mtd,Slide-Out,Up to (4) Battery Tools	1
			Qty, - 01 Brand, Model, Age of Tool - TNT, ESLC.29.D Cutter,ES100.28D Spreader,ER.40 Ram, EbfccD Combi tool, May of 2020 Location - B1	
408	0007150		Bag of Nuts and Bolts	1
			Qty, Bag Nuts and Bolts - 1	
409	0602516		NFPA Required Loose Equipment, Pumper, NFPA 2016, Provided by Fire Department	1
410	0519913		Not Required, Soft Suction Hose	1
411	0027023		No Strainer Required	1
412	0602538		Extinguisher, Dry Chemical, Pumper NFPA 2016 Class, Provided by Fire Department	1
413	0602360		Extinguisher, 2.5 Gal. Pressurized Water, Pumper NFPA 2016,Provided by Fire Dept	1
414	0602679		Axe, Flathead, Pumper NFPA 2016 Classification, Provided by Fire Department	1
415	0602667		Axe, Pickhead, Pumper NFPA 2016 Classification, Provided by Fire Department	1
416	0741569		Paint Process / Environmental Requirements, Appleton	1
417	0709846		Paint, Two-Tone Color, Velocity/Impel	1
			Paint Color, Upper Area, Predefined - #101 Black Shield, Cab - High Shield-Velocity/Impel Paint Color, Lower Area, Predefined - 202 Lower red to match job # Joplin #29953 Paint Break, Cab - Standard Two-Tone Cab Break	
418	0709845		Paint, Single Color, Body	1
			Paint, Body - Match Lower Cab	
419	0646901		Paint Chassis Frame Assy, With Liner, E-Coat, Standard	1
			Paint Color, Frame Assembly, Predefined - Standard Black	
420	0693797		No Paint Required, Aluminum Front Wheels	1
421	0693792		No Paint Required, Aluminum Rear Wheels	1
422	0733739		Paint, Axle Hubs	1
			Paint, Axle Hub - Lower Job Color	
423	0007234		Compartment, Unpainted, D/A Finished	1
424	0544124		Reflective Band, 1"-4"-1"	1
			Color, Reflect Band - A - i) gold Color, Reflect Band - B - p) black Color, Reflect Band - C - ze) gold	
425	0510041		Reflective across Cab Face, Imp/Vel	1
426	0593732		Stripe, Chevron, Rear, Diamond Grade, Pumper, PUC	1
			Color, Rear Chevron DG - fluorescent yellow green	
427	0670035		Stripe, Diamond Grade Chevron, Toolboard	2
			Location - L1, L2 Color, Reflect Band - A - p) fluorescent yellow green diamond grade Qty, - 02	
428	0552453		Stripe, Reflective, Chevron, Cab and Crew Cab Doors Interior, Diamond Grade	1
			Color, Reflect Band - A - p) fluorescent yellow green diamond grade Size, Chevron Striping - 04 Color, Reflect Chev - A - r) red diamond grade	

Line	Option	Type	Option Description	Qty
429	0027372		Lettering Specifications, (GOLD STAR Process)	1
430	0686428		Lettering, Gold Leaf, 3.00", (41-60)	1
			Outline, Lettering - Outline and Shade	
431	0769753		Emblem, American Flag Painted on Cab Grille, All Custom Chassis	1
432	0002838		Undercoating, Cab & Body, Ziebart	1
433	0772003		Manual, Fire Apparatus Parts, USB Flash Drive, Custom	1
			Qty, - 01	
434	0772037		Manual, Chassis Service, USB Flash Drive, Custom	1
			Qty, - 01	
435	0773381		Manual, Chassis Operation, (1) USB Flash Drive, Custom	1
436	0030008		Warranty, Basic, 1 Year, Apparatus, WA0008	1
437	0611136		Warranty, Chassis, 3 Year, Velocity/Impel, WA0284	1
438	0651119		Warranty, Engine, Cummins, 10 Year/200,000 Mile Major Components	1
439	0684953		Warranty, Steering Gear, Sheppard M110, 3 Year WA0201	1
440	0595767		Warranty, Frame, 50 Year, Velocity/Impel, WA0038	1
441	0595698		Warranty, Axle, 3 Year, TAK-4, WA0050	1
442	0733306		Warranty, Single Axle, 5 Year, Meritor, General Service, WA0384	1
443	0652758		Warranty, ABS Brake System, 3 Year, Meritor Wabco, WA0232	1
444	0019914		Warranty, Structure, 10 Year, Custom Cab, WA0012	1
445	0744240		Warranty, Paint, 10 Year, Cab, Pro-Rate, WA0055	1
446	0524627		Warranty, Electronics, 5 Year, MUX, WA0014	1
447	0695416		Warranty, Pierce Camera System, WA0188	1
448	0647720		Warranty, Pierce LED Strip Lights, WA0203	1
449	0046369		Warranty, 5-year EVS Transmission, Standard Custom, WA0187	1
450	0685945		Warranty, Transmission Cooler, WA0216	1
451	0688798		Warranty, Water Tank, Lifetime, UPF, Poly Tank, WA0195	1
452	0596025		Warranty, Structure, 10 Year, Body, WA0009	1
453	0693127		Warranty, Gortite, Roll-up Door, 6 Year, WA0190	1
454	0889364		Warranty, Pump, Pierce, PUC-NG, 7 Year Parts, 1 Year Labor, WA0390	1
455	0648675		Warranty, 10 Year S/S Pumbing, WA0035	1
456	0641372		Warranty, Foam System, Not Available	1
457	0595820		Warranty, Paint, 10 Year, Body, Pro-Rate, WA0057	1
458	0595421		Warranty, Goldstar, 3 Year, Apparatus, WA0018	1
459	0683627		Certification, Vehicle Stability, CD0156	1
460	0736241		Certification, Engine Installation, Imp/Vel, Cummins L9, 2021	1
461	0686786		Certification, Power Steering, CD0098	1
462	0892701		Certification, Cab Integrity, Impel/Velocity FR, CD0190	1
463	0548950		Certification, Cab Door Durability, Velocity/Impel, CD0001	1
464	0548967		Certification, Windshield Wiper Durability, Impel/Velocity, CD0005	1
465	0667411		Certification, Electric Window Durability, Velocity/Impel FR, CD0004	1
466	0549273		Certification, Seat Belt Anchors and Mounting, Imp/Vel/Vel SLT, CD0018	1
467	0735950		Certification, Cab HVAC System Perf, Vel/Imp FR, CD0166/CD0168/CD0176/CD0177	1
468	0545073		Amp Draw Report, NFPA Current Edition	1
469	0002758		Amp Draw, NFPA/ULC Radio Allowance	1
470	0799248		Appleton/Florida BTO	1
471	0000048		PUMPER/TANKER, 3rd Gen	1
472	0000012		PIERCE CHASSIS	1
473	0004713		ENGINE, OTHER	1
474	0046395		EVS 3000 Series TRANSMISSION	1
475	0520324		PIERCE PUMP, PUC	1
476	0020009		POLY TANK	1
477	0028047		NO FOAM SYSTEM	1
478	0020006		SIDE CONTROL	1
479	0020007		AKRON VALVES	1
480	0020015		ABS SYSTEM	1
481	0658751		PUMPER BASE	1

EM-102

October 6, 2022

Fire Chief Gerald Ezell
City of Joplin Fire Department
303 E. 3rd Street
Joplin, MO 64801

Subject: **Proposal for (2) two Pierce Velocity Pumper**
Proposal / Bid #608

Dear Fire Chief Ezell,

With regard to the above subject, please find attached our completed proposal. Pricing, is as follows, including 100% prepay option.

Pricing Summary:

Sale Price – **$1,954,900.00*** = $977,450.00ea x2
Houston-Galveston Area Council (HGAC) Consortium Pricing.

100% Performance Bond:

Included in the above price.

100% Prepayment Option:

Should the City of Joplin Fire Department elect to make 100% prepayment 30 days after contract execution, a discount of ($49,476.00) can be subtracted from the above "Sale Price" resulting in a revised contract price of **$1,905,424.00**.

Terms and Conditions:

Taxes – Not Applicable

Freight – F.O.B. – Appleton, WI / Shipping to Joplin, MO

Terms – Net due prior to vehicle(s) release at the Pierce Manufacturing Plant (Appleton, WI). Net due 30 days after Contract signing for **Prepay discount** to be applicable.

Delivery – 15.5 to 18.5 months from receipt and acceptance of contract.

Said apparatus and equipment are to be built and shipped in accordance with the specifications hereto attached, delays due to strikes, war, or international conflicts, or other causes beyond our control not preventing, could alter the delivery schedule.

The specifications herein contained, shall form a part of the final contract, and are subject to changes as desired by the purchaser, provided such changes are acknowledged and agreed to in writing by the purchaser.

This proposal for fire apparatus conforms with all Federal Department of Transportation (DOT) rules and regulations in effect at the time of bid, and with all National Fire Protection Association (NFPA) Guidelines for Automotive Fire Apparatus as published at the time of bid, except as modified by customer specifications.

The attached proposal is valid for until **October 30, 2022**. *After October 31, 2022, Sale Price will increase to $2,081,968.50.*

We trust the above and the enclosed to be full and complete at this time; however, should you have any questions or require additional information, please do not hesitate to contact me at 636-667-7213 or mike.borgmann@macqueengroup.com .

We wish to thank the City of Joplin Fire Department for the opportunity to submit our proposal.

Respectfully,

Mike Borgmann

Mike Borgmann
Apparatus Sales
MacQueen Equipment LLC
DBA MacQueen Emergency Group