BID PACKAGE

#2023-03

for

Confined Space Rescue Equipment Bid

JOPLIN FIRE DEPARTMENT
Operations Division
303 E. 3RD STREET
JOPLIN, MO 64801

	Bidder Complies	
	Yes	No

NOTICE TO BIDDERS

The City of Joplin, Missouri will accept sealed bid proposals until 10:00AM, Thursday August 17, 2023, at the Joplin Fire Department located at 303 E. 3rd Street, Joplin, Missouri, 64801 to PURCHASE the following:

Confined Space Rescue Equipment Bid

Specifications and bid forms are available from Fire Chief Gerald Ezell, Fire Dept., by calling 417-624-0820 x 301 or by writing to the address indicated above. Any bids received after the specified deadline will be returned to the vendor.

The City reserves the right to evaluate all bids, to reject any or all bids and re-bid at a later date. The City may waive any irregularities in the bid or negotiate variances from specifications, and make awards that are in the best interests of the City. The City will have final decision in all matters regarding acceptance of bids and issuance of awards.

The City encourages minority and female owned businesses to submit bids on all City purchases.

Leslie Haase, CPA
Finance Director

Publication Date: 07/14/2023

	Bidder Complies	
	Yes	No

INSTRUCTIONS TO BIDDERS

The City of Joplin, Missouri proposes to PURCHASE the following:

Confined Space Rescue Equipment Bid

All bids shall have firm-fixed F.O.B. Joplin; Missouri price and shall be honored for a minimum of ninety (90) days following the bid opening.

All bids shall be exclusive of Federal, State, and City taxes.

It is the intent of the specifications included with this bid document to generally describe the item(s) desired in sufficient detail as to secure bids on comparable items. All parts not specifically mentioned which are necessary in order for the item(s) to perform as intended shall be included. The strength, quality of workmanship, and material shall be in accordance with the best trade practices.

Specification variances, manufacturer's literature and additional information should be attached to the bid form. All blanks on the attached bid specifications shall be filled in completely and accurately. Any bid not meeting this requirement may be considered non-responsive.

Any protest or grievance must be issued in writing and delivered to the office of the Director of Finance within ten (10) days following the bid opening. Any protest filed after this time period has elapsed will not be considered.

The City encourages selection of products manufactured, assembled and/or produced in the United States, as long as the quality and price are comparable with other items bid.

Businesses which are located within the city limits of Joplin may be given preference in the awarding of a bid, providing the bid from the local business does not exceed the lowest bid by more than 3% or $2,500, whichever is less.

The City may give preference to vendors handling products that contain post-consumer recovered materials, providing the bid does not exceed the lowest bid by more than 5% or $2,500, whichever is less.

Once the bids are reviewed and evaluated, the successful vendor will be notified, in writing, and will receive an authorized City of Joplin purchase order. Verbal acknowledgments will not be considered as official notification and will not obligate the City in any way. Delivery or performance should not be completed without the receipt of an authorized purchase order.
Minimum information to be submitted with each bid shall consist of the following:

1. Verification of Bid Specifications (with variances noted)
2. Bid Form

MARK BID ENVELOPES: "BID 2023-03 Confined Space Rescue Equipment Bid 10:00 A.M. Thursday August 17, 2023

	Bidder Complies	
	Yes	No

Questions concerning the specifications and bidding procedures should be directed to Fire Chief Gerald Ezell, Joplin Fire Department at 303 E. 3rd St, Joplin, MO, 64801 or by phoning 417-624-0820x301.

Confined Space Rescue Equipment Bid

The Joplin Fire Department is seeking sealed bids for confined space rescue equipment intended to outfit a new apparatus. The confined space rescue equipment supplied shall meet the minimum specifications attached, and must be current production, new and unused. Bidder shall verify compliance with the attached specifications by so denoting next to each item. Complete printed literature of the proposed thermal imaging camera shall be included with each bid.

This specification covers five (5) specific items, or item kits, in the lot. Specifications include associated hardware and shipping. The confined space rescue equipment delivered to Joplin Fire Department shall meet, exceed, or be substantially similar to the requirements of these specifications.

Warranty:

Warranty specifications shall meet or be substantially similar to the following: The manufacturers shall warrant the equipment free of defects in material and workmanship, under normal use and service, for a period of at least one year from delivery.

Quality:

These devices must meet or exceed the following standards respectively:

- 29CFR1910.146,
- National Fire Protection Association 1983-2017 Standard on Life Safety Rope and Equipment for Emergency Services
- NFPA Class III
- ANSI Z89.1 Type I and Type II Class E
- ANSI Z359.11
- EN 12492
- CSA Z259.10

Equipment List:

		Bidder Complies	
		Yes	No
One (1)	Confined Space Rigging Kit		
	Bags/Packs • Gear Bag – Red • Rope and Equipment Bag – Red • Rope Bag – Red • Rope Bag – Orange Technical Equipment • Tripod, Triskelion • Anchor Plate, Aluminum – Red • (18) Carabiner PS Lock BRT • (2) Pulley, Proswivel 1.5” PMP SS • (5) Web, 1” Tubular – Red 20ft • (4) Web, 1” Tubular – Yellow 12ft • Anchor Strap MD with Fastlink • (4) Sewn Loop Prusik 8mm 18” • Confined Space rescue Manual Patient Packaging • Harness, Lifesaver Victim Chest • Harness, Lifesaver Victim • Harness, Drag N Lift W/Bar Kit Edge Protection • (2) Edge Pad, XL • Anchor Strap Sleeve MD • Entry-Ease Born 13mm Kit • 13mm Clutch • CSR2 Pulley System • 200ft ½” Static-Pro Rope (Orange) • 200ft ½” Static Pro Rope (Blue) • 200ft ½” Static Pro Rope (Yellow)		
Four (4)	Confined Space Personal Entrant Kit		
	One (1) Duffel Bag One (1) ATOM Rescue Harness One (1) Rope Rescue Helmet One (1) Headlamp One (1) Rope Rescue Gloves One (1) CSR Field Guide		
One (1)	Lock Out / Tag Out Kit		
	Three (3) Locks with Red Label Three (3) Long Shackle Locks with Red Label One (1) 1” Multi-Lock Adapter One (1) Multi-Lockout Device Three (3) Wall Switch Lockouts Three (3) Circuit Breaker Lockouts		

		Bidder Complies	
		Yes	No
	Three (3) Plug Lockouts Fifteen (15) Lockout Tags with Ties One (1) Lockout Regulator One (1) Screwdriver One (1) Carrying Case		
One (1)	Aztek ProSeries Kit		
	One (1) Aztek Omni Pulley Set One (1) Pin for Aztek Omni Pulley 50ft of 8mm Hi-Viz Orange Aztek ProSeries Cord with Sewn Eye Termination		
	One (1) ProTech Aluminum Auto Lock Carabiner with removable keeper pin One (1) 9" Aztek Bound Loop Prusik 6mm Orange One (1) 9" Aztek Bound Loop Prusik 6mm Blue One (1) 42" Aztek Bound Loop Purcell 6mm Blue One (1) Maillon Rapide Quick Link – Oval 7mm		
One (1)	CSR Exhaust System		
	One (1) Q – C Cannister with 15' Anti-Static Duct One (1) ATEX Certified Blower 30' Power Cable		

Delivery Procedures

The vendor shall deliver all equipment and all ordered accessories within 45 days or less after receiving the purchase order, or, provide a list of backordered equipment and a projected shipping date.

Bid Page

Bid Price_____

Optional Extended Warranty pricing (If Not Available indicate with N/A)

_____

Expected Delivery Date:_____
(Include the estimated delivery date of the trainer to the Department.)

Additional Notes:

	Bidder Complies	
	Yes	No