FURNITURE SPECIFICATIONS

JOPLIN PUBLIC LIBRARY

OPN PROJECT NO: 14289000
EDA PROJECT NO: 05-79-05345
JOPLIN, MISSOURI
ISSUE DATE: 11/08/16



OPN ARCHITECTS

Joplin Public Library

TABLE OF CONTENTS

UPFRONT SPECIFICATIONS

Section Name	Section
Project Information	1
Instructions to Bidders	2
General Conditions of the Contract	3a
EDA Contracting Provisions for Construction Projects	3b
Supplemental Conditions	4
Proposal	5
Shelving Stack Descriptions	6

FURNITURE SPECIFICATIONS/BID FORMS

Furniture Type(s)	Manufacturer	Section
Display/Tables	3Branch	7
Book Trolley	Anaco	8
Technology Table	Bernhardt Design	9
Recliner	Carolina	10
Lounge Seating	Coalesse	11
Lounge Seating/Chairs/Stools/Tables	Davis	12
Lounge Seating	Decca Elan	13
Cafe Chair	Falcon	14
Microfiche Cabinet	Gaylord Archival	15
Sensory Wall Panels/Infant Mats	Gressco	16
Lounge Seating	Haworth	17
Laptop Tables	HBF	18
Chairs/Task Chairs/Stools/Nesting Tables	Herman Miller, Inc.	19
Lounge Seating	HighTower	20
Rocking Chair	IOA	21
Lounge Seating/Ottomans	Keilhauer, Corp.	22
Chairs/Occassional Tables	Knoll, Inc.	23
Lounge Seating	Krug	24
Outdoor Furniture	Landscape Forms	25
Lounge Seating	Loewenstein	26
Lounge Seating/Ottomans	LogiFlex	27
Computer Tables	Nienkamper	28
Childs Chairs	Palmieri	29
Task Chairs	Steelcase	30
Workstations/Office Typicals	Allsteel	31

OPN ARCHITECTS

Joplin Public Library

TABLE OF CONTENTS

FURNITURE SPECIFICATIONS/BID FORMS CONTINUED

Monitor Arms	32
Lectern	33
Special Upholstery Instructions	34
Standard Product Alternate Form	35

FULL SIZE DRAWINGS

Furniture Plan Area A (Includes Landscape Furniture)
Furniture Plan Area B
Furniture Plan Area C (Includes Landscape Furniture)
Furniture Plan Area D

OPN ARCHITECTS

Joplin Public Library

Section 1
Project Information

OPN ARCHITECTS

Section 1 - Project Information

Project:

Joplin Public Library
Furniture Bid Package
1901 E. 20th Street
Joplin, Missouri 64801

Designer/Specifier:

OPN Architects, Inc.
Contact: Mindy Sorg
200 Fifth Avenue SE, Suite 201
Cedar Rapids, Iowa 52401
Phone: 319.363.6018
Email: msorg@opnarchitects.com

User:

Joplin Public Library
Contact: Jacque Gage
Phone: 417-623-7953
Email: jgage@joplinpubliclibrary.org

Owners Representative:

CarrBaierCrandall, LLC
Contact: Michelle Kaiser
Address: 4706 Broadway, Suite 240 | Kansas City, Missouri 64112
Phone: 816-285-9558 | 913-233-6611
Email: mkaiser@cbcrealestategroup.com

Owner:

The City of Joplin
Attention: Tony W. Robyn
602 S Main St,
4th Floor Planning
Joplin, Missouri 64801
Phone: 417-624-0820 x541

End of Project Information Section

Joplin Public Library

Section 2
Instructions to Bidders

OPN ARCHITECTS

Section 2 – Instructions to Bidders

A. Three (3) copies of the Bids shall be provided on the form(s) attached, shall be signed by the principal of vendor, and shall be sealed in an envelope and marked:

EDA #: 05-79-05345
Joplin Public Library
Furniture Bid Package

Three (3) copies of the Bid must be submitted with EDA# identified on outside of envelope by 11 am on December 8th, 2016.

(2) Bids are to be received by:
City of Joplin
Attention: Tony W. Robyn
602 S Main Street
4th Floor Planning
Joplin, Missouri 64801

(1) Bid to be received by:
OPN Architects
Mindy Sorg
200 5th Avenue SE Suite 201
Cedar Rapids, Iowa 52401

B. Bidders shall carefully read the General Conditions and Supplemental Conditions. In submitting bids, bidders agree to the General Conditions and Supplemental Conditions without exception, and agree that these Conditions form a part thereof.

C. The City of Joplin will make awards on the basis of low and/or qualified bid for each section, but this does not exclude several sections being awarded to one bidder. Bidders should complete the section on which they are bidding in its entirety, including total price, freight, delivery and installation. The City of Joplin will make the award deemed to be in its best interest. All items, within vendor package, must be bid in order for the bid to be considered.

D. Bidders shall submit bids on items exactly as specified. Whenever a material, article, or piece of equipment is identified in the Specification Documents by reference to manufacturers' or vendors' names, trade names, catalogue numbers, etc., it is intended merely to establish a standard. Any material, article, or equipment of other manufacturers and vendors that will perform adequately the duties imposed by the design intent will be considered equally acceptable provided the material, article, or equipment so proposed is, in the opinion of the Designer/Specifier, of equal substance and function. Bidders shall submit a completed Alternate Form will each Alternate to be considered. However, such substitution material, article, or equipment shall not be purchased or installed by the Vendor without the Designer/Owners Representative written approval through completion of the Product Evaluation Criteria Form.

E. Bidders shall NOT contact the City of Joplin or Joplin Public Library. All questions to be submitted via email to OPN Architects, Mindy Sorg msorg@opnarchitects.com. All questions submitted will be answered via Addendum #1 - within 7 days (November 15th, 2016) after bids are issued and via Addendum #2 within 14 days (November 22nd, 2016) after bids are issued.

F. Final Bids shall be reviewed by the City and OPN Architects at a public bid opening on 11 am on December 8th, 2016. Final Bids and Vendor selections will be posted at a later date on the Joplin city website. For any contract over $100,000.00 official approval will need to be given by the

Joplin City Council. The bid contract will not be officially awarded until approval is given at that time.

G. Lump sum totals for each section of the Bid shall be indicated in accordance with the Proposal for Furniture letter format included in Section 5. Bidders must also include an itemized price list showing each product with unit prices, discounts, and extensions as indicated on the Furniture Bid Form. All bids must comply with the requirements of the standard Request for Quotation form to be supplied by the Joplin Public Library. All prices must be Freight on Board (F.O.B.) to the identified job delivery site.

H. In the event of delay of delivery of furniture, and if storage is required, the Owner will pay 50% of invoice value of furniture, not including installation costs, when proof of arrival, Vendor's inspection, storage and certificates of storage have been delivered to Owner.

I. The Owner reserves the right to accept or reject any or all quotes, to waive irregularities or technicalities in any quote, and to accept any quote which the Owner deems to be in its best interest.

J. Upon award of the contract, the selected Vendor shall provide insurance certificate to the Owner of complete and current liability insurance to cover all materials and equipment, Vendor's employees while on the job site, and damages to Owner's properties during delivery, installation and clean-up. The Insurance coverage shall be subject to approval of the Owner, as to adequacy of protection. In the event that the owner requires additional coverage, the Vendor shall be reimbursed, by owner, for the cost of additional coverage required for this package.

K. The Owner reserves the right to order additional specified items for this project at the originally quoted prices for a period of (120) days after the final furniture installation date.

End of Instructions to Bidders Section

Joplin Public Library

Section 3a
General Conditions of the Contract

OPN ARCHITECTS

Section 3a - General Conditions

3.01 Scope of Work

A. This general description for the proposed project shall provide an overview of the project scope. The work includes provision of new furniture in accordance with the Furniture Contract Documents, for Joplin Public Library.

B. The work of the selected furniture Vendor shall include that which is indicated in the Furniture Contract Documents consisting of Bid Package Specifications and Installation Plan Drawings dated November 8th, 2016.

Furniture Plan Drawing List	Furniture Installation Dates
Furniture Plan Area A	March 1, 2017
Furniture Plan Area B	March 1, 2017
Furniture Plan Area C (includes Landscape furniture)	March 1, 2017
Furniture Plan Area D	March 1, 2017

3.02 General Description:

A. The project consists of providing Furniture Bid Package for the Joplin Public Library. The project Delivery Address will be furnished to the selected Vendor(s).

The term "Bidder" shall apply to bidding furniture vendor(s) prior to award of bid.

The term "Vendor" shall apply to the selected furniture Bidder(s) after the award of bid.

B. The Bidder is responsible for pricing the entire scope of furniture / furnishings for the scope of work for their furniture product indicated on the Joplin Public Library Furniture Bid Package Plan Drawings and in the Joplin Public Library Furniture Bid Package Specifications.

C. The Furniture Bid Forms are provided for the Bidder to complete. The Furniture Bid Form shall be executed by an officer of the company authorized to execute contracts and the Bidder's legal name must be fully typed and written.

D. The Bidder, in accordance with the Joplin Public Library Furniture Bid Package Contract Documents, including the Drawings and Specifications, shall be responsible for the furnishing of all materials, labor, supplies, tools, transportation, temporary storage supervision, insurance and other facilities necessary for the full performance and completion of the requirements of said documents.

The parties hereto are independent contractors. Nothing in this agreement shall be construed to create a partnership or joint venture between the parties, and neither party shall be considered the agent or employee of the other for any purpose.

E. The pricing for all specified items shall include the costs of compliance with all national and local codes as applicable to this project.

Section 3a - General Conditions Continued

3.03 Bid Submittal Criteria:

A. The Bidder's written proposal shall include the following Cost and Supplemental information:

1. The Bidder shall include the following information per specified item on The Furniture Bid Form: Quantity, Unit List Cost, Unit Net Cost, Percent Discount, Extended Cost, Total Cost and Delivery / Installation Cost.

2. Bidders shall submit Lead Time for all product required, and identification of products that have lead-time issues or that do not comply with the delivery schedule requirements in the project.

3. Bidders shall submit a list of Project Personnel responsible for the supervision and coordination of order entry, receiving, delivery, installation, and servicing of the project.

4. Bidders shall submit bids on items exactly as specified.

5. Bidders shall be prepared to, upon request of the Owner, submit copies of Manufacturer's Product Literature.

6. Bidders shall be prepared to, upon request of the Owner, submit copies of Manufacturer's Product Warranty.

7. Bidders shall be prepared to, upon request of the owner, submit copies of the manufactures acceptance of COM's as specified in addition to proof of testing of COM's as specified.

B. All submitted pricing should include and list separately packing, freight, delivery, installation costs required deposit/percentage down, and all fees. The Bidder shall list all services included in the final cost.

C. The Bidder may only price an item in one of the categories indicated on the bid form; specified. If the Bidder cannot provide the specified item, the Bidder shall write in (No Bid).

D. The selected Vendor's pricing shall be valid without commitment by Owner for ninety (90) days from the bid date.

E. The selected Vendor's pricing shall remain in effect for one hundred twenty (120) days from date of final installation.

F. The Bidder shall furnish a percentage discount structure per manufacturer to be applicable for all additional furniture ordered within one year from the date of final installation.

G. Delivery and installation shall be during normal working hours of 8:00 am to 5:00 pm, Monday through Friday. In the event that delivery and installation needs to be performed during evenings or Saturdays, it is understood that this work shall be performed at no additional cost to the Owner. All work shall be performed in accordance with the requirements of local labor agreements.

H. Bidder shall submit detail specifications and line drawings representing shelving solutions as specified with submittal of bids/forms.

Section 3a - General Conditions Continued

3.04 Bidder Responsibilities:

A. Each Bidder shall carefully study the Joplin Public Library Furniture Bid Package Contract Documents before submitting its bid. The Bidder shall be responsible for all quantities.

B. By submitting a bid, the Bidder represents that it has satisfied itself as to the conditions under which it will be obliged to operate, including any obstructions or restrictions. The selected Bidder shall schedule site visits, as required, to field verify all site conditions and dimensions before ordering the product. The selected Bidder shall be responsible for verification, and coordination, of all field dimensions to ensure fit for all products as specified; and shall report any discrepancies to the Architect / Owner prior to proceeding with product order and installation.

C. By submitting a bid, the Bidder represents that all work covered by the specifications and drawings, including installation, shall, until completion, be under direct supervision of a project coordinator regularly employed by the Bidder and who shall have adequate experience in all phases of the work covered by these specifications and drawings.

D. By submitting, the Bidder warrants to the Owner that all materials and furniture supplied under this contract will be new, free from faults and defects, and in conformance with the specifications. All items shall be inspected for damage by the Bidder prior to installation.

E. The Bidder shall guarantee in writing to the Owner the furniture supplied for a minimum of one (1) year after completion of delivery, installation and acceptance by the Owner. The guarantee shall cover both product (manufacturer's warranty) and installation (Installer/Dealer warranty). If longer guarantees are available, this shall be stated in the Bidder's proposal.

F. Bidder shall submit detail specifications and line drawings representing shelving solutions as specified with submittal of bid forms.

3.05 Selected Vendor's Responsibilities:

A. The Selected Vendor (Bidder awarded with the project) shall be responsible for final quantities, dimensions, adequate connections and details of all specified items for satisfactory completion of the job. Any discrepancies between plans and specification must be brought to the attention of the Architect.

B. The Selected Vendor shall be prepared to, upon request by the Owner, provide actual samples of the furniture items, representing finishes and materials selections, at the Selected Vendor's expense, including shipping, of all items quoted in the specifications. Upon Owner approval of any sample, it shall be used as a quality control standard for the job, and may be incorporated as part of the work.

Within 7 working days after awarding of Bid, the successful Vendor shall submit (2) sets of all material/finish samples (wood, fabric and/or metal finishes) to the Owner and the Specifier for all furnishings specified herein. All samples shall be signed and approved by the Owner and/or Specifier before Vendor may proceed with placement of order.

Section 3a - General Conditions Continued

3.05 Selected Vendor's Responsibilities:

C. The Selected Vendor shall submit shop drawings of those items shown (as required) in the specification and drawings, in the form of design sketches, within two (2) working weeks after award of the contract from the Owner. These drawings shall be issued to the Specifier via email prior to production.

D. The Specifiers approval stamp on the shop drawings (where required) shall be considered as an approval of the general design appearance only. The approval shall not relieve the Selected Vendor of the responsibility for errors and omissions.

The Selected Vendor shall be responsible for the design and execution of necessary connections and details and for all dimensions on the shop drawings.

The Selected Vendor shall be responsible to correct all details on the drawings and complete work as may hereafter be found to be deficient in strength or faulty workmanship without any claim for extra payment from the Owner.

E. Each and every individual carton or package delivered to the site shall have a packing list stating quantities and items being delivered for review and signature by the Selected Vendors on site project coordinator. A copy shall be furnished to the Owner for invoice verification purposes.

F. The Selected Vendor shall be responsible for properly tagging all packing slips with the correct room number and furniture code (ie. LS10) as indicated on the Joplin Public Library Furniture Bid Package Contract Documents and the Joplin Public Library Furniture Bid Package Specifications prior to delivery and installation.

The Vendor shall be responsible for tagging in a visible place, all specified furniture with their Code Number and Room Number, as listed in the Specifications to insure proper installation and placement.

The Owner may refuse unmarked items at the site. The Selected Vendor is responsible for locating and installing all specified furniture according to the Joplin Public Library Furniture Bid Package Contract Documents. Upon delivery and installation in place of all furniture items, the Vendor shall furnish to the Owner's Representative, verification of exact quantities shipped and received.

G. The Selected Vendor shall provide suitable off-site space for storage of material and all such materials shall be properly protected from weather and theft.

H. The Selected Vendor shall provide appropriate protection for all doorjambs and protection for the flooring (i.e. carpeting) and other finishes and furnishings during installation. The Selected Bidder shall consult with, and be responsible to the Owner, for all aspects of the furniture delivery and installation. The Selected Vendor shall coordinate his/her work with all other trades.

The Vendor shall be held responsible for any damages, dents and marks to the product and the Owner's building, no matter how minor, caused by the movement of his materials labor or installation.

Section 3a - General Conditions Continued

3.05 Selected Vendor's Responsibilities:

I. The Vendor shall be responsible for preparation and protection of room surfaces and furnishings from damage, dust, dirt and other deleterious materials during all operations of the work. The Vendor shall provide complete cleaning of the installation for owner acceptance prior to move in.

J. The Selected Vendor shall ensure that all materials delivered to the site will be delivered on schedule, and with the Owner's prior approval. All materials on site shall be arranged and maintained in a safe and orderly manner. The use of walks, drives, roads, and entrances shall be coordinated and scheduled in accordance with the Owner's approved requirements.

K. Materials delivered to the site shall not at any time be stacked or stored in a manner causing concentrated loads in the building.

L. All unused material, rubbish, and equipment accumulated or required for completion of work shall be removed from the premises at the Vendor's expense on a daily basis.

M. The Vendor shall assign to the Owner a Project Coordinator responsible for expediting, coordinating, and installation of all items. This individual shall be a full time employee of the Vendor, dedicated to the project through completion, and responsible for the following:

1. Replace without additional cost to the Owner the defective unit with a satisfactory product, or
2. Refund the Owner the sum of money paid for the unit found unsatisfactory and to make such disposition of the defective materials without additional cost to the Owner, or
3. Reposition or reinstall any furniture which was not installed in accordance with the plans.

N. The selected Vendor shall provide for and coordinate all low voltage and electrical requirements with the General Contractor and the Construction Schedule.

3.06 Owner Responsibilities:

A. Owner shall inform the Vendor at least 10 working days prior to scheduled installation of any changes in the installation schedule.

B. The Owner will establish the dates of substantial completion and final acceptance, and will review written guarantees and related documents required by the contract and assembled Vendor.

C. Except as otherwise stated, any direction, or approval required by the Joplin Public Library Furniture Bid Package Contract Documents, as related to the intent of the specified furniture product, shall be given by the Architect.

Section 3a - General Conditions Continued

3.07 Designer/Specifier Responsibilities:

A. The Specifier does not guarantee or assume responsibility for the performance of the contract, work, or products of any Vendor or Sub-contractor retained by the Owner.

B. Nothing in the Joplin Public Library Furniture Bid Package Contract Documents shall be construed as giving the Specifier the authority to determine, direct, or supervise construction and/or installation methods, procedures or safety measures for the furniture installation; or responsibility for the Vendor's failure to carry out the work in accordance with the Joplin Public Library Furniture bid Package Contract Documents.

C. The Specifier shall not be responsible for the acts or omissions of the Vendor, their agents, or any other person performing any of the work. In reviewing or approving the quality and progress of the work and submittals received from the Vendor, the Architect is acting solely for the convenience of the Owner and is not acting in capacity of inspector. The Specifier has no responsibility to assist the Vendor in the supervision or performance of the work.

3.08 Miscellaneous Provisions:

A. The Owner is exempt from all local and state sales taxes. Prices quoted by the Vendor shall not include taxes. The awarded bidder will receive tax exemption certificate from the architect.

B. The Vendor shall be responsible for providing a complete furniture punch list, indicating any defects, deficiencies, or damages to the installed product, for review with the Owner's Representative and the Specifier prior to acceptance of the work. Final payment (in the form of a (20) twenty percent retainer) shall be paid to the Vendor subject to completion of all remedial punch list work.

C. Claims, disputes, or other matters in question between the Bidder and the Owner relating to the interpretation of the Joplin Public Library Furniture Bid Package Contract Documents, or the breach thereof, shall be submitted in writing to the other party. All such claims unable to be resolved to the mutual agreement of both parties shall be decided by binding arbitration, in accordance with applicable law.

D. Buy American Provision – "Equipment or products to be purchased with EDA award funds must be American made, to the maximum possible extent possible, in accordance with Public Law 103-121, Sections 606 (a) and (b).

E. Federal Participation Disclosure – "This project will be partially funded with Federal funds from the United States Department of commerce, Economic Development and Administration and therefore is subject to Federal laws and regulations associated with that program.

3.09 Owners General Requirements

A. Qualified craftsmen to be used in each trade. Workmanship shall be of the best standard practice and shall be subject to inspection by the Owner's Representative.

Section 3a - General Conditions Continued

B. The Vendor shall inspect the job site when available and note access, elevators, doorways and openings necessary for complete installation of his part of the work. Site visits shall be scheduled with Owner's Representative. If any conditions are present that would be detrimental to the proper installation of the specified furnishings, the Vendor must notify the Owner's Representative in writing.

C. Any material not conforming to the specifications and approved samples shall be removed from the site of the work and replaced with approved materials at no cost to the Owner.

D. The Vendor shall notify the Owner's Representative, and the General Contractor at least (10) ten working days in advance of starting any installation work in order to provide for inspection.

E. Neither the completion of furniture installation, nor payment shall relieve the Vendor of responsibility for faulty materials or workmanship. Unless otherwise specified, the Vendor shall remedy any defects, which appear within a period of one year from the date of written acceptance.

Furniture damaged during normal course of use shall not be the Vendor's responsibility, providing the product was obtained and installed according to the specifications.

F. The Vendor shall verify all quantities quoted on the plans. The Vendor shall verify all critical dimensions of furniture on the job.

In the event that the Vendor shall discover discrepancies in quantities or dimensions, notification must be given immediately to the Owner's Representative and the total contract cost will be adjusted accordingly by mutual agreement.

G. Items not coded on plans or listed herein are not part of this Contract.

H. The Vendor shall be responsible for any damages incurred in shipment from manufacturer to Vendor's warehousing facility, storage facility, or to the project site location.

I. The Vendor will place in position, each item according to location as shown on the Joplin Public Library Furniture Bid Package Plans ID A111a, ID A111b, ID A111c, and ID A111d. Each item shall be aligned and leveled to the satisfaction of the Owner's Representative and OPN Architects. Installation drawings designating dimensions for shelving locations will be issued to the awarded bidder prior to order entry.

J. Upon completion of furniture installation, all rooms must be cleared of packing materials and other debris resulting from the installation. All items must be cleaned and ready for use by Owner.

K. The Vendor shall not assign the whole or any part of this agreement, or any monies due or to become due hereunder, without written consent of the Owner, and all sureties executing any bonds on behalf of the Vendor in connection with said agreement.

Any assignment made without such consent shall be null and void, and the assignee shall acquire no rights thereby.

Section 3a - General Conditions Continued

3.10 Payments and Completion:

A. If a discrepancy occurs between the unit price and extended price of a furnishings item quoted, the Vendor shall be bound by the unit price amount.

B. The Vendor agrees that the unit price listed on the bid proposal will apply in the event that changes, plus or minus 20% of the total quantities of specified items, are authorized by written change order from the Owner to the Vendor.

3.10 Payments and Completion Continued:

C. Unit List prices are based on providing all furniture products, in accordance with all applicable requirements of the Furniture Contract Documents. Unit Net prices shall indicate Bidders discounts as applicable to the project. Deposit, Delivery, and installation cost shall be separated out from the unit prices. Bidders shall submit a pricing summary including all information as indicated on the Joplin Public Library Furniture Bid Package Bid Form document, included herewith.

D. If the Vendor is delayed at any time in the progress of the work by any act of neglect of the Owner, by labor disputes, fire, unavoidable casualties, or any cause beyond the Vendor's control, or by delay authorized by the Owner, then the substantial completion time shall be extended by written change order for such time as is mutually agreed upon by the Owner and the Vendor.

E. All claims for extension of time for delays not caused by the Owner or any of the above mentioned causes shall be made in writing to the Owner no more than three (3) working days after the occurrence of the delay.

F. The Vendor warrants and guarantees that title to all work and materials covered by final payment will pass to the Owner upon receipt of such payment by the Vendor.

G. Application for payment shall be made based on delivery and installation.

H. Application for final payment shall be made at final acceptance of the work.

I. No payments made to the Vendor shall be construed as an acceptance of any work or material not in accordance with the Furniture Contract Documents.

J. Final acceptance and payments will be made after final review of the project by the Owner and Architect, provided that all requirements of the Joplin Public Library Furniture Bid Package Contract Documents have been completed.

End of General Conditions Section

Joplin Public Library

Section 3b
EDA Contracting Provisions

OPN ARCHITECTS

U. S. DEPARTMENT OF COMMERCE
ECONOMIC DEVELOPMENT ADMINISTRATION

EDA CONTRACTING PROVISIONS
FOR CONSTRUCTION PROJECTS

These EDA Contracting Provisions for Construction Projects (EDA Contracting Provisions) are intended for use by recipients receiving federal assistance from the U. S. Department of Commerce - Economic Development Administration (EDA). They contain provisions specific to EDA and other federal provisions not normally found in non-federal contract documents. The requirements contained herein must be incorporated into all construction contracts and subcontracts funded wholly or in part with federal assistance from EDA.

TABLE OF CONTENTS

1. Definitions
2. Applicability
3. Federally Required Contract Provisions
4. Required Provisions Deemed Inserted
5. Inspection by EDA Representatives
6. Examination and Retention of Contractor's Records
7. Construction Schedule and Periodic Estimates
8. Contractor's Title to Material
9. Inspection and Testing of Materials
10. "OR EQUAL" Clause
11. Patent Fees and Royalties
12. Claims for Extra Costs
13. Contractor's and Subcontractor's Insurance
14. Contract Security Bonds
15. Labor Standards - Davis-Bacon and Related Acts
16. Labor Standards - Contract Work Hours and Safety Standards Act
17. Equal Employment Opportunity
18. Contracting with Small, Minority and Women's Businesses
19. Health, Safety and Accident Prevention
20. Conflict of Interest and Other Prohibited Interests
21. New Restrictions on Lobbying
22. Historical and Archaeological Data Preservation
23. Clean Air and Water
24. Use of Lead-Based Paints on Residential Structures
25. Energy Efficiency
26. Environmental Requirements
27. Debarment, Suspension, Ineligibility and Voluntary Exclusions
28. EDA Project Sign
29. Buy America

1. **DEFINITIONS**

Agreement – The written instrument that is evidence of the agreement between the Owner and the Contractor overseeing the Work.

Architect/Engineer - The person or other entity engaged by the Recipient to perform architectural, engineering, design, and other services related to the work as provided for in the contract.

Contract – The entire and integrated written agreement between the Owner and the Contractor concerning the Work. The Contract supersedes prior negotiations, representations, or agreements, whether written or oral.

Contract Documents – Those items so designated in the Agreement. Only printed or hard copies of the items listed in the Agreement are Contract Documents.

Contractor – The individual or entity with whom the Owner has entered into the Agreement.

Drawings or Plans – That part of the Contract Documents prepared or approved by the Architect/Engineer that graphically shows the scope, extent, and character of the Work to be performed by the Contractor.

EDA - The United States of America acting through the Economic Development Administration of the U.S. Department of Commerce or any other person designated to act on its behalf. EDA has agreed to provide financial assistance to the Owner, which includes assistance in financing the Work to be performed under this Contract. Notwithstanding EDA's role, nothing in this Contract shall be construed to create any contractual relationship between the Contractor and EDA.

Owner – The individual or entity with whom the Contractor has entered into the Agreement and for whom the Work is to be performed.

Project – The total construction of which the Work to be performed under the Contract Documents may be the whole, or a part.

Recipient – A non-Federal entity receiving a Federal financial assistance award directly from EDA to carry out an activity under an EDA program, including any EDA-approved successor to the entity.

Specifications – That part of the Contract Documents consisting of written requirements for materials, equipment, systems, standards, and workmanship as applied to the Work, and certain administrative requirements and procedural matters applicable thereto.

Subcontractor – An individual or entity having direct contract with the Contractor or with any other Subcontractor for the performance of a part of the Work at the Site.

Work – The entire construction or the various separately identifiable parts thereof required to be provided under the Contract Documents. Work includes and is the result of performing or providing all labor, services, and documentation necessary to produce such construction and furnishing, installing, and incorporating all materials and equipment into such construction, all as required by the Contract Documents.

2. APPLICABILITY

The Project to which the construction work covered by this Contract pertains is being assisted by the United States of America through federal assistance provided by the U.S. Department of Commerce - Economic Development Administration (EDA). Neither EDA, nor any of its departments, entities, or employees is a party to this Contract. The following EDA Contracting Provisions are included in this Contract and all subcontracts or related instruments pursuant to the provisions applicable to such federal assistance from EDA.

3. FEDERALLY REQUIRED CONTRACT PROVISIONS

(a) All contracts in excess of the simplified acquisition threshold - currently fixed at $150,000 (*see* 41 U.S.C. §§ 134 and 1908) must address administrative, contractual, or legal remedies in instances where contractors violate or breach contract terms, and provide for such sanctions and penalties as may be appropriate.

(b) All contracts in excess of $10,000 must address termination for cause and for convenience by the Recipient including the manner by which it will be effected and the basis for settlement.

(c) All construction contracts awarded in excess of $10,000 by recipients of federal assistance and their contractors or subcontractors shall contain a provision requiring compliance with Executive Order 11246 of September 24, 1965, *Equal Employment Opportunity*, as amended by Executive Order 11375 of October 13, 1967, and Department of Labor implementing regulations at 41 C.F.R. part 60.

(d) All prime construction contracts in excess of $2,000 awarded by Recipients must include a provision for compliance with the Davis-Bacon Act (40 U.S.C. §§ 3141-3148) as supplemented by Department of Labor regulations at 29 C.F.R. part 5. The contracts must also include a provision for compliance with the Copeland "Anti-Kickback" Act (18 U.S.C. § 874 and 40 U.S.C. § 3145) as supplemented by Department of Labor regulations at 29 C.F.R. part 3.

(e) All contracts awarded by the Recipient in excess of $100,000 that involve the employment of mechanics or laborers must include a provision for compliance with 40 U.S.C. §§ 3702 and 3704 (the Contract Work Hours and Safety Standards Act) as supplemented by Department of Labor regulations at 29 C.F.R. part 5.

(f) All contracts must include EDA requirements and regulations that involve a requirement on the contractor or sub-contractor to report information to EDA, the Recipient or any other federal agency.

(g) All contracts must include EDA requirements and regulations pertaining to patent rights with respect to any discovery or invention which arises or is developed in the course of or under such contract.

(h) All contracts must include EDA requirements and regulations pertaining to copyrights and rights in data.

(i) All contracts and subgrants in excess of $150,000 must contain a provision that requires compliance with all applicable standards, orders, or requirements issued under the Clean Air Act (42 U.S.C. § 7401 *et seq.*) and the Federal Water Pollution Control Act (Clean Water Act) (33 U.S.C. § 1251 *et seq.*), and Executive Order 11738, *Providing for Administration of the Clean Air Act and the Federal Water Pollution Control Act With Respect to Federal Contracts, Grants, or Loans*.

(j) Contracts must contain mandatory standards and policies relating to energy efficiency which are contained in the state energy conservation plan issued in compliance with the Energy Policy and Conservation Act (42 U.S.C.§ 6201).

(k) Contracts must contain a provision ensuring that contracts are not to be made to parties on the government wide Excluded Parties List System in the System for Award Management (SAM), in accordance with the OMB guidelines at 2 C.F.R. part 180.

(l) Contracts must contain a provision ensure compliance with the Byrd Anti-Lobbying Amendment (31 U.S.C. § 1352) under which contractors that apply or bid for an award of $100,000 or more must file the required certification. Each tier certifies to the tier above that it will not and has not used Federal appropriated funds to pay any person or organization for influencing or attempting to influence an officer or employee of any agency, a member of Congress, officer or employee of Congress, or an employee of a member of Congress in connection with obtaining any Federal contract, grant or any other award covered by 31 U.S.C. § 1352. Each tier must also disclose any lobbying with non-Federal funds that takes place in connection with obtaining any Federal award. Such disclosures are forwarded from tier to tier up to the non-Federal award.

(m) If the Recipient is a state agency or agency of a political subdivision of a state, any contract awarded must contain a provision ensuring compliance with section 6002 of the Solid Waste Disposal Act (42 U.S.C. § 6962), as amended by the Resource Conservation and Recovery Act related to the procurement of recovered materials.

4. **REQUIRED PROVISIONS DEEMED INSERTED**

Each and every provision of law and clause required by law to be inserted in this contract shall be deemed to be inserted herein and the contract shall be read and enforced as though it were included herein, and if through mistake or otherwise any such provision is not inserted, or is not correctly inserted, then upon the application of either party the contract shall forthwith be physically amended to make such insertion of correction.

5. INSPECTION BY EDA REPRESENTATIVES

The authorized representatives and agents of EDA shall be permitted to inspect all work, materials, payrolls, personnel records, invoices of materials, and other relevant data and records.

6. EXAMINATION AND RETENTION OF CONTRACTOR'S RECORDS

(a) The Owner, EDA, or the Comptroller General of the United States, or any of their duly authorized representatives shall, generally until three years after final payment under this contract, have access to and the right to examine any of the Contractor's directly pertinent books, documents, papers, or other records involving transactions related to this contract for the purpose of making audit, examination, excerpts, and transcriptions.

(b) The Contractor agrees to include in first-tier subcontracts under this contract a clause substantially the same as paragraph (a) above. "Subcontract," as used in this clause, excludes purchase orders that do not exceed $10,000.

(c) The periods of access and examination in paragraphs (a) and (b) above for records relating to (1) appeals under the disputes clause of this contract, (2) litigation or settlement of claims arising from the performance of this contract, or (3) costs and expenses of this contract to which the Owner, EDA, or Comptroller General or any of their duly authorized representatives has taken exception shall continue until disposition of such appeals, litigation, claims, or exceptions.

7. CONSTRUCTION SCHEDULE AND PERIODIC ESTIMATES

Immediately after execution and delivery of the contract, and before the first partial payment is made, the Contractor shall deliver to the Owner an estimated construction progress schedule in a form satisfactory to the Owner, showing the proposed dates of commencement and completion of each of the various subdivisions of work required under the Contract Documents and the anticipated amount of each monthly payment that will become due to the Contractor in accordance with the progress schedule. The Contractor also shall furnish the Owner (a) a detailed estimate giving a complete breakdown of the contract price and (b) periodic itemized estimates of work done for the purpose of making partial payments thereon. The costs employed in making up any of these schedules will be used only to determine the basis of partial payments and will not be considered as fixing a basis for additions to or deductions from the contract price.

8. CONTRACTOR'S TITLE TO MATERIAL

No materials, supplies, or equipment for the work shall be purchased by the Contractor or by any subcontractor that is subject to any chattel mortgage or under a conditional sale contract or other agreement by which an interest is retained by the seller. The Contractor warrants and guarantees that he/she has good title to all work, materials, and equipment used by him/her in the Work, free and clear of all liens, claims, or encumbrances.

9. INSPECTION AND TESTING OF MATERIALS

All materials and equipment used in the completion of the Work shall be subject to adequate inspection and testing in accordance with accepted standards. The laboratory or inspection agency shall be selected by the Owner. Materials of construction, particularly those upon which the strength and durability of any structure may depend, shall be subject to inspection and testing to establish conformance with specifications and suitability for intended uses.

10. "OR EQUAL" CLAUSE

Whenever a material, article, or piece of equipment is identified in the Contract Documents by reference to manufacturers' or vendors' names, trade names, catalogue numbers, etc., it is intended merely to establish a standard. Any material, article, or equipment of other manufacturers and vendors that will perform adequately the duties imposed by the general design will be considered equally acceptable provided the material, article, or equipment so proposed is, in the opinion of the Architect/Engineer, of equal substance and function. However, such substitution material, article, or equipment shall not be purchased or installed by the Contractor without the Architect/Engineer's written approval.

11. PATENT FEES AND ROYALTIES

(a) Contractor shall pay all license fees and royalties and assume all costs incident to the use in the performance of the Work or the incorporation in the Work of any invention, design, process, product, or device that is the subject of patent rights or copyrights held by others. If a particular invention, design, process, product, or device is specified in the Contract Documents for use in the performance of the Work and if, to the actual knowledge of Owner or Architect/Engineer, its use is subject to patent rights or copyrights calling for the payment of any license fee or royalty to others, the existence of such rights shall be disclosed by the Owner in the Contract Documents.

(b) To the fullest extent permitted by Laws and Regulations, the Contractor shall indemnify and hold harmless the Owner and the Architect/Engineer, and the officers, directors, partners, employees, agents, consultants, and subcontractors of each and any of them from and against all claims, costs, losses, and damages (including but not limited to all fees and charges of engineers, architects, attorneys, and other professionals and all court or arbitration or other dispute resolution costs) arising out of or relating to any infringement of patent rights or copyrights incident to the use in the performance of the Work or resulting from the incorporation in the Work of any invention, design, process, product, or device not specified in the Contract Documents.

12. CLAIMS FOR EXTRA COSTS

No claims for extra work or cost shall be allowed unless the same was done in pursuance of a written order from the Architect/Engineer approved by the Owner.

13. CONTRACTORS AND SUBCONTRACTORS INSURANCE

(a) The Contractor shall not commence work under this Contract until the Contractor has obtained all insurance reasonably required by the Owner, nor shall the Contractor allow any subcontractor to commence work on his/her subcontract until the insurance required of the subcontractor has been so obtained and approved.

(b) Types of insurance normally required are:

(1) Workmen's Compensation
(2) Contractor's Public Liability and Property Damage
(3) Contractor's Vehicle Liability
(4) Subcontractors' Public Liability, Property Damage and Vehicle Liability
(5) Builder's Risk (Fire and Extended Coverage)

(c) **Scope of Insurance and Special Hazards:** The insurance obtained, which is described above, shall provide adequate protection for the Contractor and his/her subcontractors, respectively, against damage claims that may arise from operations under this contract, whether such operations be by the insured or by anyone directly or indirectly employed by him/her and also against any of the special hazards that may be encountered in the performance of this Contract.

(d) **Proof of Carriage of Insurance:** The Contractor shall furnish the Owner with certificates showing the type, amount, class of operations covered, effective dates, and dates of expiration of applicable insurance policies.

14. CONTRACT SECURITY BONDS

(a) If the amount of this Contract exceeds $150,000, the Contractor shall furnish a performance bond in an amount at least equal to one hundred percent (100%) of the Contract price as security for the faithful performance of this Contract and also a payment bond in an amount equal to one hundred percent (100%) of the Contract price or in a penal sum not less than that prescribed by State, Territorial, or local law, as security for the payment of all persons performing labor on the Work under this Contract and furnishing materials in connection with this Contract. The performance bond and the payment bond may be in one or in separate instruments in accordance with local law. Before final acceptance, each bond must be approved by EDA. If the amount of this Contract does not exceed $150,000, the Owner shall specify the amount of the payment and performance bonds.

(b) All bonds shall be in the form prescribed by the Contract Documents except as otherwise provided in applicable laws or regulations, and shall be executed by such sureties as are named in the current list of *Companies Holding Certificates of Authority as Acceptable Sureties on Federal Bonds and as Acceptable Reinsuring Companies* as published in Treasury Circular 570 (amended) by the Financial Management Service, Surety Bond Branch, U.S. Department of the Treasury. All bonds signed by an agent must be accompanied by a certified copy of the agent's

authority to act. Surety companies executing the bonds must also be authorized to transact business in the state where the Work is located.

15. **LABOR STANDARDS - DAVIS-BACON AND RELATED ACTS**
(as required by section 602 of PWEDA)

(a) **Minimum Wages**

(1) All laborers and mechanics employed or working upon the site of the Work in the construction or development of the Project will be paid unconditionally and not less often than once a week, and without subsequent deduction or rebate on any account (except such payroll deductions as are permitted by regulations issued by the Secretary of Labor under the Copeland Act at 29 C.F.R. part 3, the full amount of wages and bona fide fringe benefits (or cash equivalents thereof) due at the time of payment computed at rates not less than those contained in the wage determination of the Secretary of Labor, which is attached hereto and made a part hereof, regardless of any contractual relationship that may be alleged to exist between the Contractor and such laborers and mechanics. Contributions made or costs reasonably anticipated for bona fide fringe benefits under Section 1(b)(2) of the Davis-Bacon Act on behalf of laborers or mechanics are considered wages paid to such laborers or mechanics, subject to the provisions of 29 C.F.R. § 5.5(a)(1)(iv); also, regular contributions made or costs incurred for more than a weekly period (but not less often than quarterly) under plans, funds, or programs, which cover the particular weekly period, are deemed to be constructively made or incurred during such weekly period. Such laborers and mechanics shall be paid the appropriate wage rate and fringe benefits on the wage determination for the classification of work actually performed, without regard to skill, except as provided in 29 C.F.R. § 5.5(a)(4). Laborers or mechanics performing work in more than one classification may be compensated at the rate specified for each classification for the time actually worked therein, provided that the employer's payroll records accurately set forth the time spent in each classification in which work is performed. The wage determination (including any additional classification and wage rates determined under 29 C.F.R. § 5.5(a)(1)(ii) and the Davis-Bacon poster (WH-1321) shall be posted at all times by the contractor and its subcontractors at the site of the work in a prominent and accessible place where it can be easily seen by the workers.

(2) (i) Any class of laborers or mechanics to be employed under the Contract, but not listed in the wage determination, shall be classified in conformance with the wage determination. EDA shall approve an additional classification and wage rate and fringe benefits therefore only when the following criteria have been met:

(A) The work to be performed by the classification requested is not performed by a classification in the wage determination;

(B) The classification is utilized in the area by the construction industry; and

(C) The proposed wage rate, including any bona fide fringe benefits, bears a

reasonable relationship to the wage rates contained in the wage determination.

(ii) If the Contractor and the laborers and mechanics to be employed in the classification (if known), or their representatives, and EDA or its designee agree on the classification and wage rate (including the amount designated for fringe benefits where appropriate), a report of the action taken shall be sent by EDA or its designee to the Administrator of the Wage and Hour Division, Employment Standards Administration, U.S. Department of Labor, Washington, D.C. 20210.

(iii) In the event the Contractor, the laborers or mechanics to be employed in the classification or their representatives, and EDA or its designee do not agree on the proposed classification and wage rate (including the amount designated for fringe benefits, where appropriate), EDA or its designee shall refer the questions, including the views of all interested parties and the recommendation of EDA or its designee, to the Administrator for determination.

(iv) The wage rate (including fringe benefits where appropriate) determined pursuant to paragraphs (a)(2)(ii) or (iii) of this section, shall be paid to all workers performing work in the classification under this contract from the first day on which work is performed in the classification.

(3) Whenever the minimum wage rate prescribed in the contract for a class of laborers or mechanics includes a fringe benefit which is not expressed as an hourly rate, the Contractor shall either pay the benefit as stated in the wage determination or shall pay another bona fide fringe benefit or an hourly cash equivalent thereof.

(4) If the Contractor does not make payments to a trustee or other third person, the Contractor may consider as part of the wages of any laborer or mechanic the amount of any costs reasonably anticipated in providing bona fide fringe benefits under a plan or program, provided, that the Secretary of Labor has found, upon the written request of the Contractor, that the applicable standards of the Davis-Bacon Act have been met. The Secretary of Labor may require the Contractor to set aside in a separate account assets for the meeting of obligations under the plan or program.

(b) **Withholding**

EDA or its designee shall upon its own action or upon written request of an authorized representative of the Department of Labor withhold or cause to be withheld from the Contractor under this Contract or any other federal contract with the same prime Contractor, or any other federally-assisted contract subject to Davis-Bacon prevailing wage requirements, which is held by the same prime contractor so much of the accrued payments or advances as may be considered necessary to pay laborers and mechanics, including apprentices, trainees and helpers, employed by the Contractor or any subcontractor the full amount of wages required by the Contract. In the event of failure to pay any laborer or mechanic, including any apprentice, trainee or helper employed or working on the site of the Work in the construction or development of the Project, all or part of the wages required by the Contract, EDA or its designee may, after written notice to the Contractor, sponsor, applicant, or owner, take such action as may be necessary to cause the suspension of any further payment, advance, or guarantee of funds until such violations

have ceased. EDA or its designee may, after written notice to the Contractor, disburse such amounts withheld for and on account of the Contractor or subcontractor to the respective employees to whom they are due. The Comptroller General shall make such disbursements in the case of direct Davis-Bacon Act contracts.

(c) **Payrolls and basic records**

(1) Payrolls and basic records relating thereto shall be maintained by the Contractor during the course of the Work and preserved for a period of three years thereafter for all laborers and mechanics working at the site of the Work in the construction or development of the Project. Such records shall contain the name, address, and social security number of each such worker, his or her correct classification, hourly rates of wages paid (including rates of contributions or costs anticipated for bona fide fringe benefits or cash equivalents thereof of the types described in section 1(b)(2)(B) of the Davis-Bacon Act), daily and weekly number of hours worked, deductions made and actual wages paid. Whenever the Secretary of Labor has found under 29 C.F.R. § 5.5(a)(1)(iv) that the wages of any laborer or mechanic include the amount of any costs reasonably anticipated in providing benefits under a plan or program described in section 1(b)(2)(B) of the Davis-Bacon Act, the Contractor shall maintain records which show that the commitment to provide such benefits is enforceable, the plan or program is financially responsible, and the plan or program has been communicated in writing to the laborers or mechanics affected, and provide records that show the costs anticipated or the actual cost incurred in providing such benefits. Contractors employing apprentices or trainees under approved programs shall maintain written evidence of the registration of apprenticeship programs and certification of trainee programs, the registration of the apprentices and trainees, and the ratios and wage rates prescribed in the applicable programs.

(2) (i) For each week in which Contract work is performed, the Contractor shall submit a copy of all payrolls to the Owner for transmission to EDA or its designee. The payrolls submitted shall set out accurately and completely all of the information required to be maintained under 29 C.F.R. part 5.5(a)(3)(i). This information may be submitted in any form desired. Optional Form WH-347 is available for this purpose. It may be purchased from the Superintendent of Documents (Federal Stock Number 029-005-00014-1), U.S. Government Printing Office, Washington, D.C. 20402; or downloaded from the U.S. Department of Labor's website at https://www.dol.gov/whd/forms/wh347.pdf. The prime Contractor is responsible for the submission of copies of payrolls by all subcontractors

(ii) Each payroll submitted shall be accompanied by a "Statement of Compliance," signed by the Contractor or subcontractor or his or her agent who pays or supervises the payment of the persons employed under the Contract and shall certify the following:

(A) That the payroll for the payroll period contains the information required to be maintained under 29 C.F.R. § 5.5(a)(3)(i) and that such information is correct and complete;

(B) That each laborer or mechanic (including each helper, apprentice, and trainee) employed on the Contract during the payroll period has been paid the full weekly wages earned, without rebate, either directly or indirectly, and that no deductions have been made either directly or indirectly from the full wages earned, other than permissible deductions as set forth in 29 C.F.R. part 3; and

(C) That each laborer or mechanic has been paid not less than the applicable wage rates and fringe benefits or cash equivalents for the classification of work performed, as specified in the applicable wage determination incorporated into the Contract.

(iii) The weekly submission of a properly executed certification set forth on the reverse side of Optional Form WH-347 shall satisfy the requirement for submission of the "Statement of Compliance" required by paragraph 15(c)(2)(ii) of this section.

(iv) The falsification of any of the above certifications may subject the Contractor or subcontractor to civil or criminal prosecution under section 1001 of Title 18 and section 3729 of Title 31 of the U.S. Code.

(3) The Contractor or subcontractor shall make the records required under paragraph 15(c)(1) of this section available for inspection, copying, or transcription by authorized representatives of EDA or its designee or the Department of Labor, and shall permit such representatives to interview employees during working hours on the job. If the Contractor or subcontractor fails to submit the required records or to make them available, EDA or its designee may, after written notice to the Contractor or Owner, take such action as may be necessary to cause the suspension of any further payment, advance, or guarantee of funds. Furthermore, failure to submit the required records upon request or to make such records available may be grounds for debarment action pursuant to 29 C.F.R. § 5.12.

(d) **Apprentices and Trainees**.

(1) **Apprentices**. Apprentices will be permitted to work at less than the predetermined rate for the work they performed when they are employed pursuant to and individually registered in a bona fide apprenticeship program registered with the U.S. Department of Labor, Employment and Training Administration, Bureau of Apprenticeship and Training (Bureau), or with a State Apprenticeship Agency recognized by the Bureau, or if a person is employed in his or her first 90 days of probationary employment as an apprentice in such an apprenticeship program, who is not individually registered in the program, but who has been certified by the Bureau of Apprenticeship and Training or a State Apprenticeship Agency (where appropriate) to be eligible for probationary employment as an apprentice. The allowable ratio of apprentices to journeymen on the job site in any craft classification shall not be greater than the ratio permitted to the Contractor as to the entire work force under the registered program. Any worker listed on a payroll at an apprentice wage rate who is not registered or otherwise employed as stated above, shall be paid not less than the applicable wage rate on the wage determination for the classification of work actually performed. In addition, any

apprentice performing work on the job site in excess of the ratio permitted under the registered program shall be paid not less than the applicable wage rate on the wage determination for the work actually performed. Where a Contractor is performing construction on a Project in a locality other than that in which its program is registered, the ratios and wage rates (expressed in percentages of the journeyman's hourly rate) specified in the Contractor's or subcontractor's registered program shall be observed. Every apprentice must be paid at not less than the rate specified in the registered program for the apprentice's level of progress, expressed as a percentage of the journeymen hourly rate specified in the applicable wage determination. Apprentices shall be paid fringe benefits in accordance with the provisions of the apprenticeship program. If the apprenticeship program does not specify fringe benefits, apprentices must be paid the full amount of fringe benefits listed on the wage determination for the applicable classification. If the Administrator determines that a different practice prevails for the applicable apprentice classification, fringes shall be paid in accordance with that determination. In the event the Bureau of Apprenticeship and Training, or a State Apprenticeship Agency recognized by the Bureau, withdraws approval of an apprenticeship program, the Contractor will no longer be permitted to utilize apprentices at less than the applicable predetermined rate for the work performed until an acceptable program is approved.

(2) **Trainees**. Except as provided in 29 C.F.R. § 5.16, trainees will not be permitted to work at less than the predetermined rate for the work performed unless they are employed pursuant to and individually registered in a program that has received prior approval, evidenced by formal certification by the U.S. Department of Labor, Employment and Training Administration. The ratio of trainees to journeymen on the job site shall not be greater than permitted under the plan approved by the Employment and Training Administration. Every trainee must be paid at not less than the rate specified in the approved program for the trainee's level of progress, expressed as a percentage of the journeyman's hourly rate specified in the applicable wage determination. Trainees shall be paid fringe benefits in accordance with the provisions of the trainee program. If the trainee program does not mention fringe benefits, trainees shall be paid the full amount of fringe benefits listed on the wage determination unless the Administrator of the Wage and Hour Division determines that there is an apprenticeship program associated with the corresponding journeyman wage rate on the wage determination which provides for less than full fringe benefits for apprentices. Any employee listed on the payroll at a trainee rate who is not registered and participating in a training plan approved by the Employment and Training Administration shall be paid not less than the applicable wage rate on the wage determination for the classification of work actually performed. In addition, any trainee performing work on the job site in excess of the ratio permitted under the registered program shall be paid not less than the applicable wage rate on the wage determination for the work actually performed. In the event the Employment and Training Administration withdraws approval of a training program, the Contractor will no longer be permitted to utilize trainees at less than the applicable predetermined rate for the work performed until an acceptable program is approved.

(3) **Equal employment opportunity**. The utilization of apprentices, trainees and journeymen under this part shall be in conformity with the equal employment opportunity

requirements of Executive Order 11246, *Equal Employment Opportunity*, as amended, and 29 C.F.R. part 30.

(e) **Compliance with Copeland Anti-Kickback Act Requirements**. The Contractor shall comply with the Copeland Anti-Kickback Act (18 U.S.C. § 874 and 40 U.S.C. § 3145) as supplemented by Department of Labor regulations (29 C.F.R. part 3, "Contractors and Subcontractors on Public Buildings or Public Works Financed in Whole or in Part by Loans or Grants of the United States"). The Act provides that the Contractor and any subcontractors shall be prohibited from inducing, by any means, any person employed in the construction, completion, or repair of public work, to give up any part of the compensation to which they are otherwise entitled. The Owner shall report all suspected or reported violations to EDA.

(f) **Subcontracts**. The Contractor and any subcontractors will insert in any subcontracts the clauses contained in 29 C.F.R. §§ 5.5(a)(1) through (10) and such other clauses as EDA or its designee may require, and also a clause requiring the subcontractors to include these clauses in any lower tier subcontracts. The prime Contractor shall be responsible for the compliance by any subcontractor or lower tier subcontractor with all the contract clauses in 29 C.F.R. § 5.5.

(g) **Contract termination; debarment**. The breach of the contract clauses in 29 C.F.R. § 5.5 may be grounds for termination of the contract, and for debarment as a Contractor and a subcontractor as provided in 29 C.F.R. § 5.12.

(h) **Compliance with Davis-Bacon and Related Act Requirements**. All rulings and interpretations of the Davis-Bacon and Related Acts contained in 29 C.F.R. parts 1, 3, and 5 are herein incorporated by reference in this contract.

(i) **Disputes concerning labor standards**. Disputes arising out of the labor standards provisions of this Contract shall not be subject to the general disputes clause of this Contract. Such disputes shall be resolved in accordance with the procedures of the Department of Labor set forth in 29 C.F.R. parts 5, 6, and 7. Disputes within the meaning of this clause include disputes between the contractor (or any of its subcontractors) and EDA or its designee, the U.S. Department of Labor, or the employees or their representatives.

(j) **Certification of Eligibility**.

(1)By entering into this Contract, the Contractor certifies that neither it nor any person or firm that has an interest in the Contractor's firm is a person or firm ineligible to be awarded Government contracts by virtue of section 3(a) of the Davis-Bacon Act or 29 C.F.R. § 5.12(a)(1).

(2) No part of this Contract shall be subcontracted to any person or firm ineligible for award of a Government contract by virtue of section 3(a) of the Davis-Bacon Act or 29 C.F.R. § 5.12(a)(1).

(3) The penalty for making false statements is prescribed in the U.S. Criminal Code, 18 U.S.C. § 1001.

16. **LABOR STANDARDS - CONTRACT WORK HOURS AND SAFETY STANDARDS ACT**

As used in this paragraph, the terms "laborers" and "mechanics" include watchmen and guards.

(a) **Overtime requirements**. No Contractor or subcontractor contracting for any part of the Contract work, which may require or involve the employment of laborers or mechanics, shall require or permit any such laborer or mechanic in any workweek in which that person is employed on such work to work in excess of forty hours in such workweek unless such laborer or mechanic receives compensation at a rate not less than one and one-half times the basic rate of pay for all hours worked in excess of forty hours in such workweek.

(b) **Violation; liability for unpaid wages, liquidated damages**. In the event of any violation of the clause set forth in paragraph (a) of this section, the Contractor and any subcontractor responsible therefore shall be liable for the unpaid wages. In addition, such Contractor and subcontractor shall be liable to the United States (in the case of work done under contract for the District of Columbia or a territory, to such District or to such territory), for liquidated damages. Such liquidated damages shall be computed with respect to each individual laborer or mechanic, including watchmen and guards, employed in violation of the clause set forth in paragraph (a) of this section, in the sum of $10 for each calendar day on which such individual was required or permitted to work in excess of the standard workweek of forty hours without payment of the overtime wages required by the clause set forth in paragraph (a) of this section.

(c) **Withholding for unpaid wages and liquidated damages**. EDA or its designee shall upon its own action or upon written request of an authorized representative of the Department of Labor withhold or cause to be withheld, from any monies payable on account of work performed by the Contractor or subcontractor under any such Contract or any other federal contract with the same prime Contractor, or any other federally-assisted contract subject to the Contract Work Hours and Safety Standards Act, which is held by the same prime Contractor such sums as may be determined to be necessary to satisfy any liabilities of such Contractor or subcontractor for unpaid wages and liquidated damages as provided in the clause set forth in paragraph (b) of this section.

(d) **Subcontracts**. The Contractor or subcontractor shall insert in any subcontracts the clauses set forth in paragraphs (a) through (c) of this section and also a clause requiring the subcontractors to include these clauses in any lower tier subcontracts. The prime Contractor shall be responsible for compliance by any subcontractor or lower tier subcontractor with the clauses set forth in paragraphs (a) through (c) of this section.

17. **EQUAL EMPLOYMENT OPPORTUNITY**

(a) The Recipient hereby agrees that it will incorporate or cause to be incorporated into any contract for construction work, or modification thereof, as defined in the regulations of the Secretary of Labor at 41 C.F.R. chapter 60, which is paid for in whole or in part with funds obtained from EDA, the following equal opportunity clause:

During the performance of this contract, the Contractor agrees as follows:

(1) The Contractor will not discriminate against any employee or applicant for employment because of race, color, religion, sex, sexual orientation, gender identity, or national origin. The Contractor will take affirmative action to ensure that applicants are employed, and that employees are treated during employment without regard to their race, color, religion, sex, sexual orientation, gender identity, or national origin. Such action shall include, but not be limited to the following: Employment, upgrading, demotion, or transfer; recruitment or recruitment advertising; layoff or termination; rates of pay or other forms of compensation; and selection for training including apprenticeship. The Contractor agrees to post in conspicuous places available to employees and applicants for employment notices to be provided setting forth the provisions of this nondiscrimination clause.

(2) The Contractor will, in all solicitations or advertisements for employees placed by or on behalf of the Contractor state that all qualified applicants will receive consideration for employment without regard to race, color, religion, sex, sexual orientation, gender identity, or national origin.

(3) The contractor will not discharge or in any other manner discriminate against any employee or applicant for employment because such employee or applicant has inquired about, discussed, or disclosed the compensation of the employee or applicant or another employee or applicant. This provision shall not apply to instances in which an employee who has access to the compensation information of other employees or applicants as a part of such employee's essential job functions discloses the compensation of such other employees or applicants to individuals who do not otherwise have access to such information, unless such disclosure is in response to a formal complaint or charge, in furtherance of an investigation, proceeding, hearing, or action, including an investigation conducted by the employer, or is consistent with the contractor's legal duty to furnish information.

(4) The Contractor will send to each labor union or representative of workers with which it has a collective bargaining agreement or other contract or understanding, a notice to be provided advising the said labor union or workers representatives of the Contractor's commitments hereunder, and shall post copies of the notice in conspicuous places available to employees and applicants for employment.

(5) The Contractor will comply with all provisions of Executive Order 11246 of September 24, 1965 and of the rules, regulations, and relevant orders of the Secretary of Labor.

(6) The Contractor will furnish all information and reports required by Executive Order 11246 of September 24, 1965, and by rules, regulations, and orders of the Secretary of Labor, or pursuant thereto, and will permit access to its books, records, and accounts by EDA and the Secretary of Labor for purposes of investigation to ascertain compliance with such rules, regulations, and orders.

(7) In the event of the Contractor's noncompliance with the nondiscrimination clauses of

this Contract or with any of the said rules, regulations, or orders, this Contract may be canceled, terminated, or suspended in whole or in part and the Contractor may be declared ineligible for further Government contracts or federally-assisted construction contracts in accordance with procedures authorized in Executive Order 11246 of September 24, 1965, and such other sanctions may be imposed and remedies invoked as provided in Executive Order 11246 of September 24, 1965, or by rule, regulation or order of the Secretary of Labor, or as otherwise provided by law.

(8) The Contractor will include the portion of the sentence immediately preceding paragraph 17(a)(1) and the provisions of paragraphs 17(a)(1) through (8) in every subcontract or purchase order unless exempted by rules, regulations, or orders of the Secretary of Labor issued pursuant to section 204 of Executive Order 11246 of September 24, 1965, so that such provisions will be binding upon each subcontractor or vendor. The Contractor will take such action with respect to any subcontract or purchase order as EDA or the Secretary of Labor may direct as a means of enforcing such provisions, including sanctions for noncompliance. Provided, however, that in the event the Contractor becomes involved in or is threatened with litigation with a subcontractor or vendor as a result of such direction by EDA or the Secretary of Labor, the Contractor may request the United States to enter into such litigation to protect the interests of the United States.

(9) The Recipient further agrees that it will be bound by the above equal opportunity clause with respect to its own employment practices when it participates in federally-assisted construction work. Provided, however, that if the Recipient so participating is a State or local government, the above equal opportunity clause is not applicable to any agency, instrumentality, or subdivision of such government that does not participate in work on or under the Contract.

(10)The Recipient agrees that it will assist and cooperate actively with EDA and the Secretary of Labor in obtaining the compliance of contractors and subcontractors with the equal opportunity clause and the rules, regulations, and relevant orders of the Secretary of Labor, that it will furnish EDA and the Secretary of Labor such information as they may require for the supervision of such compliance, and that it will otherwise assist EDA in the discharge of the EDA's primary responsibility for securing compliance.

(11) The Recipient further agrees that it will refrain from entering into any contract or contract modification subject to Executive Order 11246 of September 24, 1965, with a Contractor debarred from, or who has not demonstrated eligibility for, Government contracts and federally assisted construction contracts pursuant to the Executive Order and will carry out such sanctions and penalties for violation of the equal opportunity clause as may be imposed upon contractors and subcontractors by EDA or the Secretary of Labor pursuant to Part II, Subpart D of the Executive Order. In addition, the Recipient agrees that if it fails or refuses to comply with these undertakings, EDA may take any or all of the following actions: Cancel, terminate, or suspend in whole or in part this EDA financial assistance; refrain from extending any further assistance to the applicant under the program with respect to which the failure or refund occurred until satisfactory assurance of future compliance has been received from such applicant; and refer the case

to the Department of Justice for appropriate legal proceedings.

(b) Exemptions to Above Equal Opportunity Clause (41 C.F.R. chapter 60):

(1) Contracts and subcontracts not exceeding $10,000 (other than Government bills of lading, and other than contracts and subcontracts with depositories of Federal funds in any amount and with financial institutions which are issuing and paying agents for U.S. savings bonds and savings notes) are exempt. The amount of the Contract, rather than the amount of the federal financial assistance, shall govern in determining the applicability of this exemption.

(2) Except in the case of subcontractors for the performance of construction work at the site of construction, the clause shall not be required to be inserted in subcontracts below the second tier.

(3) Contracts and subcontracts not exceeding $10,000 for standard commercial supplies or raw materials are exempt.

18. CONTRACTING WITH SMALL, MINORITY AND WOMEN'S BUSINESSES

(a) If the Contractor intends to let any subcontracts for a portion of the work, the Contractor shall take affirmative steps to assure that small, minority and women's businesses are used when possible as sources of supplies, equipment, construction, and services.

(b) Affirmative steps shall consist of:

(1) Placing qualified small and minority businesses and women's business enterprises on solicitation lists;

(2) Ensuring that small and minority businesses and women's business enterprises are solicited whenever they are potential sources;

(3) Dividing total requirements, when economically feasible, into smaller tasks or quantities to permit maximum participation by small and minority businesses and women's business enterprises;

(4) Establishing delivery schedules, where the requirements of the contract permit, which encourage participation by small and minority businesses and women's business enterprises;

(5) Using the services and assistance of the U.S. Small Business Administration, the Minority Business Development Agency of the U.S. Department of Commerce, and State and local governmental small business agencies;

(6) Requiring each party to a subcontract to take the affirmative steps of this section; and

(7) The Contractor is encouraged to procure goods and services from labor surplus area firms.

19. **HEALTH, SAFETY, AND ACCIDENT PREVENTION**

(a) In performing this contract, the Contractor shall:

(1) Ensure that no laborer or mechanic shall be required to work in surroundings or under working conditions which are unsanitary, hazardous, or dangerous to their health and/or safety as determined under construction safety and health standards promulgated by the Secretary of Labor by regulation;

(2) Protect the lives, health, and safety of other persons;

(3) Prevent damage to property, materials, supplies, and equipment; and

(4) Avoid work interruptions.

(b) For these purposes, the Contractor shall:

(1) Comply with regulations and standards issued by the Secretary of Labor at 29 C.F.R. part 1926. Failure to comply may result in imposition of sanctions pursuant to the Contract Work Hours and Safety Standards Act (40 U.S.C. §§ 3701 – 3708); and

(2) Include the terms of this clause in every subcontract so that such terms will be binding on each subcontractor.

(c) The Contractor shall maintain an accurate record of exposure data on all accidents incident to work performed under this Contract resulting in death, traumatic injury, occupational disease, or damage to property, materials, supplies, or equipment, and shall report this data in the manner prescribed by 29 C.F.R. part 1904.

(d) The Owner shall notify the Contractor of any noncompliance with these requirements and of the corrective action required. This notice, when delivered to the Contractor or the Contractor's representative at the site of the Work, shall be deemed sufficient notice of the noncompliance and corrective action required. After receiving the notice, the Contractor shall immediately take corrective action. If the Contractor fails or refuses to take corrective action promptly, the Owner may issue an order stopping all or part of the Work until satisfactory corrective action has been taken. The Contractor shall not base any claim or request for equitable adjustment for additional time or money on any stop order issued under these circumstances.

(e) The Contractor shall be responsible for its subcontractors' compliance with the provisions of this clause. The Contractor shall take such action with respect to any subcontract as EDA, or the Secretary of Labor shall direct as a means of enforcing such provisions.

20. CONFLICT OF INTEREST AND OTHER PROHIBITED INTERESTS

(a) No official of the Owner who is authorized in such capacity and on behalf of the Owner to negotiate, make, accept, or approve, or to take part in negotiating, making, accepting, or approving any architectural, engineering, inspection, construction or material supply contract or any subcontract in connection with the construction of the Project, shall become directly or indirectly interested personally in this Contract or in any part hereof.

(b) No officer, employee, architect, attorney, engineer, or inspector of or for the Owner who is authorized in such capacity and on behalf of the Owner to exercise any legislative, executive, supervisory or other similar functions in connection with the construction of the Project, shall become directly or indirectly interested personally in this Contract or in any part thereof, any material supply contract, subcontract, insurance contract, or any other contract pertaining to the Project.

(c) The Contractor may not knowingly contract with a supplier or manufacturer if the individual or entity who prepared the Contract Documents has a corporate or financial affiliation with the supplier or manufacturer.

(d) The Owner's officers, employees, or agents shall not engage in the award or administration of this Contract if a conflict of interest, real or apparent, may be involved. Such a conflict may arise when: (i) the employee, officer or agent; (ii) any member of their immediate family; (iii) their partner or (iv) an organization that employs, or is about to employ, any of the above, has a financial interest in the Contractor. The Owner's officers, employees, or agents shall neither solicit nor accept gratuities, favors, or anything of monetary value from the Contractor or subcontractors.

(e) If the Owner finds after a notice and hearing that the Contractor, or any of the Contractor's agents or representatives, offered or gave gratuities (in the form of entertainment, gifts, or otherwise) to any official, employee, or agent of the Owner or EDA in an attempt to secure this Contract or favorable treatment in awarding, amending, or making any determinations related to the performance of this Contract, the Owner may, by written notice to the Contractor, terminate this Contract. The Owner may also pursue other rights and remedies that the law or this Contract provides. However, the existence of the facts on which the Owner bases such findings shall be an issue and may be reviewed in proceedings under the dispute resolution provisions of this Contract.

(f) In the event this Contract is terminated as provided in paragraph (e) of this section, the Owner may pursue the same remedies against the Contractor as it could pursue in the event of a breach of this Contract by the Contractor. As a penalty, in addition to any other damages to which it may be entitled by law, the Owner may pursue exemplary damages in an amount (as determined by the Owner) which shall not be less than three nor more than ten times the costs the Contractor incurs in providing any such gratuities to any such officer or employee.

21. RESTRICTIONS ON LOBBYING

(a) This Contract, or subcontract is subject to 31 U.S.C. § 1352, regarding lobbying restrictions. The section is explained in the common rule, 15 C.F.R. part 28 (55 FR 6736-6748, February 26, 1990). Each bidder under this Contract or subcontract is generally prohibited from using federal funds for lobbying the Executive or Legislative Branches of the Federal Government in connection with this EDA Award.

(b) **Contract Clause Threshold**: This Contract Clause regarding lobbying must be included in each bid for a contract or subcontract exceeding $100,000 of federal funds at any tier under the EDA Award.

(c) **Certification and Disclosure**: Each bidder of a contract or subcontract exceeding $100,000 of federal funds at any tier under the federal Award must file Form CD-512, *Certification Regarding Lobbying – Lower Tier Covered Transactions*, and, if applicable, Standard Form-LLL, *Disclosure of Lobbying Activities*, regarding the use of any nonfederal funds for lobbying. Certifications shall be retained by the Contractor or subcontractor at the next higher tier. All disclosure forms, however, shall be forwarded from tier to tier until received by the Recipient of the EDA Award, who shall forward all disclosure forms to EDA.

(d) **Continuing Disclosure Requirement**: Each Contractor or subcontractor that is subject to the Certification and Disclosure provision of this Contract Clause is required to file a disclosure form at the end of each calendar quarter in which there occurs any event that requires disclosure or that materially affects the accuracy of the information contained in any disclosure form previously filed by such person. Disclosure forms shall be forwarded from tier to tier until received by the Recipient of the EDA Award, who shall forward all disclosure forms to EDA.

(e) **Indian Tribes, Tribal Organizations, or Other Indian Organizations**: Indian tribes, tribal organizations, or any other Indian organizations, including Alaskan Native organizations, are excluded from the above lobbying restrictions and reporting requirements, but only with respect to expenditures that are by such tribes or organizations for lobbying activities permitted by other federal law. An Indian tribe or organization that is seeking an exclusion from Certification and Disclosure requirements must provide EDA with the citation of the provision or provisions of federal law upon which it relies to conduct lobbying activities that would otherwise be subject to the prohibitions in and to the Certification and Disclosure requirements of 31 U.S.C. § 1352, preferably through an attorney's opinion. Note, also, that a non-Indian subrecipient, contractor, or subcontractor under an award to an Indian tribe, for example, is subject to the restrictions and reporting requirements.

22. HISTORICAL AND ARCHAEOLOGICAL DATA PRESERVATION

The Contractor agrees to facilitate the preservation and enhancement of structures and objects of historical, architectural or archaeological significance and when such items are found and/or unearthed during the course of project construction. Any excavation by the Contractor that uncovers an historical or archaeological artifact shall be immediately reported to the Owner and a representative of EDA. Construction shall be temporarily halted pending the notification process and further directions issued by EDA after consultation with the State Historic

Preservation Officer (SHPO) for recovery of the items. *See* the National Historic Preservation Act of 1966 (54 U.S.C. § 300101 *et seq.*, formerly at 16 U.S.C. § 470 *et seq.*) and Executive Order No. 11593 of May 31, 1971.

23. **CLEAN AIR AND WATER**

Applicable to Contracts in Excess of $150,000

(a) **Definition**. "Facility" means any building, plant, installation, structure, mine, vessel, or other floating craft, location, or site of operations, owned, leased, or supervised by the Contractor or any subcontractor, used in the performance of the Contract or any subcontract. When a location or site of operations includes more than one building, plant, installation, or structure, the entire location or site shall be deemed a facility except when the Administrator, or a designee, of the United States Environmental Protection Agency (EPA) determines that independent facilities are collocated in one geographical area.

(b) In compliance with regulations issued by the EPA, 2 C.F.R. part 1532, pursuant to the Clean Air Act, as amended (42 U.S.C. § 7401 *et seq*.); the Federal Water Pollution Control Act, as amended (33 U.S.C. § 1251 *et seq*.); and Executive Order 11738, the Contractor agrees to:

(1) Not utilize any facility in the performance of this contract or any subcontract which is listed on the Excluded Parties List System, part of the System for Award Management (SAM), pursuant to 2 C.F.R. part 1532 for the duration of time that the facility remains on the list;

(2) Promptly notify the Owner if a facility the Contractor intends to use in the performance of this contract is on the Excluded Parties List System or the Contractor knows that it has been recommended to be placed on the List;

(3) Comply with all requirements of the Clean Air Act and the Federal Water Pollution Control Act, including the requirements of section 114 of the Clean Air Act and section 308 of the Federal Water Pollution Control Act, and all applicable clean air and clean water standards; and

(4) Include or cause to be included the provisions of this clause in every subcontract and take such action as EDA may direct as a means of enforcing such provisions.

24. **USE OF LEAD-BASED PAINTS ON RESIDENTIAL STRUCTURES**

(a) If the work under this Contract involves construction or rehabilitation of residential structures over $5,000, the Contractor shall comply with the Lead-based Paint Poisoning Prevention Act (42 U.S.C. § 4831). The Contractor shall assure that paint or other surface coatings used in a residential property does not contain lead equal to or in excess of 1.0 milligram per square centimeter or 0.5 percent by weight or 5,000 parts per million (ppm) by weight. For purposes of this section, "residential property" means a dwelling unit, common areas, building exterior surfaces, and any surrounding land, including outbuildings, fences and play equipment affixed to the land, belonging to an owner and available for use by residents, but not

including land used for agricultural, commercial, industrial or other non-residential purposes, and not including paint on the pavement of parking lots, garages, or roadways.

(b) As a condition to receiving assistance under PWEDA, recipients shall assure that the restriction against the use of lead-based paint is included in all contracts and subcontracts involving the use of federal funds.

25. ENERGY EFFICIENCY

The Contractor shall comply with all standards and policies relating to energy efficiency which are contained in the energy conservation plan issued in compliance with the Energy Policy and Conservation Act (42 U.S.C. § 6201) for the State in which the Work under the Contract is performed.

26. ENVIRONMENTAL REQUIREMENTS

When constructing a Project involving trenching and/or other related earth excavations, the Contractor shall comply with the following environmental constraints:

(1) **Wetlands**. When disposing of excess, spoil, or other construction materials on public or private property, the Contractor shall not fill in or otherwise convert wetlands.

(2) **Floodplains**. When disposing of excess, spoil, or other construction materials on public or private property, the Contractor shall not fill in or otherwise convert 100 year floodplain areas delineated on the latest Federal Emergency Management Agency (FEMA) Floodplain Maps, or other appropriate maps, i.e., alluvial soils on Natural Resource Conservation Service (NRCS) Soil Survey Maps.

(3) **Endangered Species**. The Contractor shall comply with the Endangered Species Act, which provides for the protection of endangered and/or threatened species and critical habitat. Should any evidence of the presence of endangered and/or threatened species or their critical habitat be brought to the attention of the Contractor, the Contractor will immediately report this evidence to the Owner and a representative of EDA. Construction shall be temporarily halted pending the notification process and further directions issued by EDA after consultation with the U.S. Fish and Wildlife Service.

27. DEBARMENT, SUSPENSION, INELIGIBILITY, AND VOLUNTARY EXCLUSIONS

As required by Executive Orders 12549 and 12689, *Debarment and Suspension,* 2 C.F.R. Part 180 and implemented by the Department of Commerce at 2 C.F.R. part 1326, for prospective participants in lower tier covered transactions (except subcontracts for goods or services under the $25,000 small purchase threshold unless the subrecipient will have a critical influence on or substantive control over the award), the Contractor agrees that:

(1) By entering into this Contract, the Contractor and subcontractors certify, that neither it nor its principals is presently debarred, suspended, proposed for debarment, declared

ineligible, or voluntarily excluded from participation in this Contract by any federal department or agency.

(2) Where the Contractor or subcontractors are unable to certify to any of the statements in this certification, the Contractor or subcontractors shall attach an explanation to this bid.

See also 2 C.F.R. part 180 and 2 C.F.R. § 200.342.

28. **EDA PROJECT SIGN**

The Contractor shall supply, erect, and maintain in good condition a Project sign according to the specifications provided by EDA. To the extent practical, the sign should be a free standing sign. Project signs shall not be located on public highway rights-of-way. Location and height of signs will be coordinated with the local agency responsible for highway or street safety in the Project area, if any possibility exists for obstructing vehicular traffic line of sight. Whenever the EDA site sign specifications conflict with State law or local ordinances, the EDA Regional Director will permit such conflicting specifications to be modified so as to comply with State law or local ordinance.

29. **BUY AMERICA**

To the greatest extent practicable, contractors are encouraged to purchase American-made equipment and products with funding provided under EDA financial assistance awards.

Joplin Public Library

Section 4
Supplemental Conditions

OPN ARCHITECTS

Section 4 - Supplemental Conditions

Construction Facilities and Temporary Controls:

A. Temporary Electricity: Connect to existing power service. Power consumption shall not disrupt Owner's need for continuous service. Owner will pay cost of energy used.

B. Temporary Heat: Owner will pay cost of energy used. Exercise measures to conserve energy.

C. Temporary Ventilation: Ventilate enclosed areas to assist cure of materials, to dissipate humidity, and to prevent accumulation of dust, fumes, vapors, or gases.

D. Temporary Lighting: Permanent building lighting may be utilized during construction.

E. Temporary Water Service: Owner will pay cost of water used. Exercise measures to conserve water.

F. Temporary Sanitary Facilities: Existing designated facilities may be used during construction operations. Maintain daily in clean and sanitary condition. Coordinate with Owner's Representative.

G. Parking: To be coordinated with general contractor.

H. Progress Cleaning: Maintain areas free of waste materials, debris and rubbish. Maintain site in a clean and orderly fashion.

I. Final Cleaning: The Vendor shall provide complete cleaning of the installation for Owner approval prior to final acceptance and move in.

End of Supplemental Conditions Section

Joplin Public Library

Section 5
Proposal

OPN ARCHITECTS

Section 5 - Proposal for Joplin Public Library Furniture Bid Package

Bidder Information

Incorporated in the State of:

Contact:

Name:

Address:

Telephone:

Date:

The Undersigned, having carefully studied the plans, specifications and the Joplin Public Library Furniture Bid Package Contract Documents prepared by OPN Architects, Inc., do hereby offer to perform the work required for the Joplin Public Library Furniture Bid Package in accordance with the Furniture Bid Package Contract March 1, 2017 including all addenda issued prior to date of opening of proposals which is / are hereby acknowledged.

1. Furniture Bid Forms:

The Undersigned shall have broken down all bids on an item-by-item basis and by building location per the provided Joplin Public Library Furniture Bid Package Bid Forms in accordance with the bid submittal criteria and direction given in the Instructions to Bidders, the General Conditions, and the Supplemental Conditions.

The Undersigned shall have listed all Furniture Codes, Furniture Types, Quantities, Discount Information, Unit List cost, Unit Net Cost, Extended Costs, Delivery / Installation Charges, Deposit Requirements, Lead Time and Schedule Information, and the lump sum total bid in the Joplin Public Library Furniture Bid Package Bid Forms section of the specifications.

2. Schedule of Unit Costs:

The Undersigned agrees that the Unit Costs listed on the Joplin Public Library Furniture Bid Package Bid Form will apply in the event that changes, up to plus or minus 20% of the total quantities in the work to be performed under the Contract, are authorized by written order from the Owner to the Undersigned.

The Undersigned further agrees to support the Unit Costs listed herein and modifications thereto for the duration of the project phasing to provide a complete and finished product.

The Unit Costs are based on providing all work complete in place and in accordance with all applicable requirements of the Joplin Public Library Furniture Bid Package Contract Documents, and include all of the Undersigned's Costs.

Section 5 - Proposal for Joplin Public Library Furniture Bid Package Continued

3. Acceptance of Bids

The Undersigned agrees that the Owner may hold this bid for a period not exceeding (120) one hundred twenty days from the date of receipt. All prices must be quoted delivered FOB Joplin Public Library. Forty-eight (48) hour notice prior to any delivery of merchandise is required. Notice shall be given to the Owners Representative and coordinated through the construction manager: Clint Walton, RE Smith Construction Company.

It is understood and agreed that Owner reserves the right to award the contract according to his/her best interest, to reject any or all bids, and to waive any formalities in bidding.

The Owner may accept or reject any or all of the unit prices prior to the execution of the contract.

4. Time for Completion of Work

The Undersigned agrees, if awarded this contract, to commence and complete the work in accordance with the dates established in the Installation Schedule, and in accordance with the move schedule to be agreed upon with the Owner upon award of the bid.

5. Coordination of Work

The Undersigned agrees to cooperate with the Construction Manager of the building to anticipate when specific areas of concern under this Contract will become available in the schedule of completion with all other contractors and utility companies to assure proper coordination of the work.

6. Bid Submission

The Undersigned shall submit the bid, including the itemized breakdown and unit prices on the Joplin Public Library Furniture Bid Package Bid Forms as supplied with the specifications, and in the spaces provided on this Bid Request Form.

Section 5 - Proposal for Joplin Public Library Furniture Bid Package

The Undersigned acknowledges all Bids must be signed and submitted by the indicated due date and time to the Joplin Public Library. Please submit envelope addressed as follows:

EDA#
Joplin Public Library
City of Joplin
Attention: Tony W. Robyn
602 S Main
4th Floor Planning
Joplin, Missouri 64801

Submitted by:

Firm's Name

Incorporated in the State of:

By:

Title:

End of Proposal for Furniture Section

Joplin Public Library

Section 6
Shelving Stack Descriptions

OPN ARCHITECTS

Section 6 – Cantilevered Metal Shelving Stack Description

A. Basis of Design: Biblomodel Shelving and Display – System Forte' or Equal

B. Warranty

A. Manufacturer's standard form in which manufacturer agrees to repair and / or replace shelving components, for a period of 5 years from time of installation.
   i. Said warranty shall replace or repair any component that fails its intended use under normal usage and/or develops finish problems under standard use.

C. Shelving Components

A. Shelving to be cantilevered metal shelving, modular style.
B. Shelving shall have only one upright between shelving units and shall be bolted together using crossbars with bolting plates welded to each end. Uprights shall be a minimum of #14 gauge cold-rolled steel tube. The vertical column of the upright shall have adjustability increments every 1". The base of the upright shall have two rivnut threaded fasteners at each end with a 2" diameter adjustable leveling glide.
C. The crossbars shall be a minimum of #14 gauge folded steel. The crossbars shall bolt onto the shelving column. The profile of the crossbars shall be designed to ensure that a back of intermediate fabric, steel, wood, or laminate panel can be mounted between the crossbars without the use of fittings or tools.
D. Shelving base plates shall be a minimum of #20 gauge folded steel suspended between two column feet. The closed base shall be detachable without the use of tools. These base plates shall be removable without affecting the stability of the system to provide either an open or a closed condition.
E. Book shelves are to be a minimum of #20 gauge steel. Shelves shall be 1" 90 degree tri-fold front edge and shall be supplied with a minimum 2" high integral back edge. The shelf shall have a raceway fold to receive a sliding book support. Maximum shelf deflection with 50 pounds per square foot load is not to exceed 1/8".
F. Book Support shall be a minimum of ¼" diameter polyester powdered wire mounted on a nylon runner and shall be round.

D. Specialty Shelving Components:

A. Newspaper Display
   i. Standard flat shelves to be used in conjunction with the magbox™ in standard newspaper size.

E. Materials and Finishes
A. Galvanized Steel Tubing
B. Shelving finish shall be electrostatically applied, thermo hardened epoxy/polyester power with 60-80 microns thick. It shall be smooth and uniform in appearance, without runs, wrinkles grit or "orange peel" effects. Paint finish to be: Artic White: 04DK 411-03
C. Shelving system shall withstand at least 500 hours of salt spray chamber test.

F. Submittals must include product data for each type of product indicated, shop drawings including layouts, elevations representing shelving components, shelf construction, and (2) samples each of the veneer, plastic laminate and resin material.

A. Installer and Bidder Qualifications: All bidders are required to submit a minimum of (3) three shelving projects that have been installed within the last (5) years that are comparable in size and scope; proof of installation shall include contact names, contact phone numbers, project bid amount, and shelving brand. Factory-trained installers shall be certified and approved by the selected shelving manufacturer for delivery and installation of the shelving to the Joplin

Public Library. By using factory trained installers, all factory warranties are valid. Failure to use factory trained installers would void the factory product warranty. Additionally, bidder shall warrant proper installation or will return to make corrections from faulty installations.

6.01 Radius Metal Shelving Product Description

A. Basis of Design: Biblomodel Curved Shelving, 18 and 26 Degrees
(SH-5a, SH-5b)

SH1.0 General

SH1.0.1 All finished surfaces shall be free of scratches, marks, dents or blemishes, and exhibit no flaking, cracking or loss or adhesion.

SH1.0.2 Shelving shall have smooth finishes with no hazardous projections, sharp corners or detail which can be hazardous and cause personal injury or damage to clothing.

SH1.1 Specific

SH1.1 Steel shelving shall be of a cantilever design with structural units in the form of welded tubular columns and base feet providing maximum column rigidity and minimizing stack movement.

SH1.1.2 In addition to any warranty implied by fact or law, the Bidder expressly warrants all items to be new, free from defects in design, materials and workmanship, and be fit and sufficient for intended purpose. Any sample or model that is submitted shall create an express warranty that the whole of the goods shall conform to the sample or model.

SH1.1.3 All steel components shall be rendered residue-free and covered with an electrostatically applied, thermo-hardened, epoxy powder paint that is 50 – 60 microns thick.

SH1.1.4 All steel components shall be available in eighteen standard colors, 160 non-standard colors and custom color match by NCS color system.

SH1.1.5 Finish test results shall be submitted for evaluation.

SH1.1.6 The use of transverse top-tie bracing, floor anchors, wall mounts, sway bracing, or any other added structural apparatus is prohibited, unless noted otherwise.

SH1.1.7 All of the following specified components shall be available as standard products and shall either be required upon initial delivery or shall be added once the initial installation has been complete.

SH1.2 System 90 Tubular Vertical Columns

SH1.2.1 Upright tubular columns shall be formed of not less than #14 gauge rectangular tubular steel with a cross section of 1-3/16" x 2-3/8" and have a single row of shelf mounting holes at 1 inch intervals.

SH1.2.2 Upright column shall include provision for addition of a 12" extender for installation of one or two additional shelves. Column extenders must be capable of being installed without use of tools or any dismantling of pre-installed components.

SH1.2.3 Upright columns shall accept a wood end panel attached by Biblomodel or others with end panel fittings that integrate into the existing crossbar placement slots and/or suspended from the canopy bracket on the exposed end(s) of the range.

SH1.2.4 Code 2 upright columns shall be produced from 14 gauge steel tube, measuring 1-3/16" x 3-3/16” and have a single row of shelf mounting holes at 1-inch intervals. This particular column size meets zone 3 seismic requirements with the use of floor and wall anchors only. All other specifications listed above are applicable.

SH1.2.5 Regarding lateral deflection, the uprights with one side under shelf load of 150 pounds per shelf at 90” high should not exceed 28/64” end deflection and center deflection not exceeding 40/64”. When both sides are loaded with the end deflection shall be 0 and maximum center deflection of 8/64”.

SH1.2.6 Regarding longitudinal deflection of the upright under horizontal pull, the deflection at 48” from the finished floor shall not exceed 6/64”.

SH1.3 System 90 Tubular Horizontal Upright Column

SH1.3.1 Tubular base feet shall be formed of not less than #14 gauge rectangular tubular steel with a cross section of 1-3/16" x 2-3/8". Base foot shall be welded to upright column with a full 5-1/8" bead.

SH1.3.2 Each foot shall be fitted with two, 2" diameter leveling glides shall also accept a 4" caster allowing some range to be converted to a mobile shelving unit.

SH1.3.3 The end openings in the base feet are to be fitted with a removable plastic cap matching the paint finish.

SH1.3.4 Base feet are to be fully finished, allowing for the removal of the base shelf and use of the stack as an open base unit.

SH1.3.5 Code 2 tubular base feet shall be formed of not less than #11 gauge rectangular tubular steel with a cross section of 1-3/16" x 3-3/16". Base foot shall be welded to upright column with a full 8-5/8" bead. This particular column size meets zone 3 seismic requirements with the use of floor and wall anchors only. All other specifications listed above are applicable.

SH1.4 Base Plates - 26° Radius and 18° Radius

SH1.4.1 Base plates shall be enamel painted MDF core, 2-3/8" x 9/16". Removal of the base plate shall not adversely affect the finished appearance of the unit from which it is removed, or adjacent units.

SH1.4.2 Installation or removal of the base plate shall not require tools, nor shall it require replacement of existing parts.

SH1.4.3 Base plates shall be available as a standard product to accommodate (1.3/16” x

3.3/16”) upright foot. SH1.5 System 90 Crossbars - 26° Radius and 18° Radius

SH1.5.1 Crossbars shall be constructed from 16-gauge, cold-rolled, steel plate. The profile of the crossbar, consisting of two pieces of steel, makes a complete tube with ten 90-degree bends and measures 1-5/8" x 3- 7/8". Crossbars are formed to a 26 degree radius or 18 degree radius.

SH1.5.2 Four self-locking clips, which insert into the upright slots, are supplied at each end of the crossbar.

SH1.5.3 All double-faced stack units, if 84" or higher, shall be supplied with three crossbars per section. All crossbar bracing shall be in the same horizontal plane as the shelves. No diagonal bracing is acceptable.

SH1.5.4 All crossbar profiles shall allow for the installation of intermediate panels without the use of tools.

SH1.5.5 No modification or deviation to center crossbar model vs. standard top/bottom crossbar Model shall not be accepted, nor shall any of the crossbars be turned 180 degrees to accept Intermediate panels

SH1.6 Shelf Brackets

SH1.6.1 All component brackets shall be constructed of 16-gauge steel. Flush brackets shall be available to allow for the creation of unobstructed flat shelves.

SH1.6.2 Shelf brackets shall have a minimum of three integral bonnets with a maximum of six integral bonnets.

SH1.6.3 Standard brackets shall be formed to 1" high, with 180 degree bending to support shelf end flange.

SH1.6.4 Single-sided shelf brackets shall be free from unnecessary embossments and adornments and shall have no holes or perforations that shall preclude exposing the brackets as a finished product.

SH1.6.5 Shelf brackets for reference shelving shall be single-sided, 8" high.

SH1.6.6 Shelf brackets for pullout reference shelving shall be 3” high x 9” or 12”, completely flat.

SH1.6.7 Shelf brackets for paperback shelving shall be 8"high x 8" deep, completely flat.

SH1.6.8 Shelf brackets for standard shelves with back edge shall be either 8" high or 6" high and the desired depth.

SH1.6.9 Compact Disc shelf brackets shall be 6" high x 8" deep.

SH1.8 Standard Shelves - 26° Radius and 18° Radius

SH1.8.1 Shelves shall be of #19 gauge steel plate. All shelves shall support book loads of 150 pounds per square foot without deflection in excess of 8/64".

SH1.8.2 All shelf dimensions specified are actual and not nominal. Shelves are formed to a 26 degree radius.

SH1.8.3 The front edge of the shelf shall be a box formation with a 1" high, tri-fold 90-degree bend. The rear edge of all standard shelves shall be upturned 2", forming a built-in shelf backstop, which has a 180-degree bend.

SH1.8.4 The upper edge of the shelf backstop shall be formed with a 3/8" high hemmed rail designed to accept a sliding, chrome back edge book support.

SH1.8.5 The backstop 2" upturn shall be continuous without any cutouts at either end.

SH1.8.6 All standard shelves shall be equipped with one sliding back edge book supports.

SH1.8.7 Shelf ends shall be formed down 11/16" to engage shelf plate brackets.

SH1.8.8 A transparent acrylic label holder measuring 1" high x 9" wide shall be offered optionally as an individual shelf sign

SH1.9 Back Edge Book Support

SH1.9.1 Back edge book supports shall be produced with 1/4" diameter chrome plated wire, with an attached highly durable, self-locking nylon fitting that connects to the 2" high shelf back lip.

SH1.9.3 Available dimensions shall be as follows:
6" high x 9" deep, 6" high x 12" deep and 10" high x 12" deep.

SH1.10 Front Edge Book Support

SH1.10.1 The front edge book support shall constructed from a powder coated steel band that measures 1/2", with an attached highly durable, rubberized fitting that glides along the tri-bend front edge of any shelf.

SH1.10.2 Available dimensions shall be as follows:
12" high x 9" deep, and 12" high x 12" deep.

SH1.11 Right-Angle Book Support

SH1.11.1 The right-angle book support shall be constructed from a powder coated, 18-gauge steel plate bend at a 90-degree angle.

SH1.11.2 Available dimensions shall be as follows:
6" high x 6" wide x 6" deep.

SH1.12 Universal Shelf

SH1.12.1 Shelves shall be of #19 gauge steel plate with perforated holes and thumbnut and bolts for easy repositioning of adjustable back edge.

SH1.12.2 All shelf dimensions specified are actual and not nominal.

SH1.12.3 The front edge of the shelf shall be a box formation with a 1" high, tri-fold 90-

degree bend. The rear edge of all universal shelves shall be upturned 2", forming a built-in shelf backstop, which has a 180- degree bend. The additional back edge strip can be adjusted for different size media.

SH1.12.4 The additional back edge strip can be adjusted for different size media varying from 5", 6", 7", 8", 10", and 11".

SH1.12.5 The upper edge of the shelf backstop shall be formed with a 3/8" high hemmed rail designed to accept sliding, chromium plated, 1/4" diameter wire book support consisting of a nylon runner assembly and a 1/4" diameter chrome wire support.

SH1.12.6 Shelf ends shall be formed down 11/16" to engage shelf plate brackets.

SH1.12.7 A transparent acrylic label holder measuring 1" high x 9" wide shall be offered optionally as an individual shelf sign.

SH1.12.8 Available depths shall be 9" and 12”.

6.02 Custom Components

Custom Components Integrated With Shelving

SHCC-1 Shelving Tunnels

Custom tunnels to be the equivalence of one section of SH-1 shelving, or 34"Dx36"Wx48"H. Material shall be 1" thick Acrylic Lightblocks, color "Dry Ice". Joints shall have miter-fold to join top with sides. Sides of tunnel must be secured to shelving sections on both sides to maintain stability. No fasteners are to be visible from inside of tunnel. See specification sheet SHCC-1 for details.

SHCC-2 Puppet Theatre

Custom radius theatre to be the equivalence of two sections of radius shelving, or 59.75" inside x 74.25" outside x 48"H. The theatre should be a free-standing unit with sides, stage about 20" off the ground, curtain rod, fascia on front to hide curtain rod, and knee ledge below stage. Upholstered pad to be provided to match the contour of the bottom knee ledge. See specification of fabric. Construction to be HDPL with finished edges. HDPL color to be Nevamar Chalk White. The item will have an 18 degree radius to match the radius of the shelving. See specification sheet SHCC-2 for details.

SHCC-3 Play Pegboard

Custom peg board to be the equivalence of two sections of SH-1 shelving, or 36"W x 48"H. Peg board should be made of 3/4" thick homogenous white plastic Sintra Board with a matte finish. A 1" white wood frame shall surround the board in order to secure it to adjacent shelving units. This custom peg board should be compatible with the Gressco Haba Play items listed above. The manufacturer shall be responsible for the purchase of these play items and the coordination of the peg hole sizes and spacing. See specification sheet SHCC-3 for details.

SHCC-4 Storage Closet

Custom radius storage closet to be the equivalence of one section of radius shelving, or 30.2" inside x 38" outside x 48" high. The storage closet will have hinging doors and three adjustable shelves inside. Hardware style and finish to be submitted to designer for approval. Construction to be HDPL with finished edges. HDPL color to be Nevamar Chalk White. The item will have an 18 degree radius to match the adjacent radius shelving. See specification sheet SHCC-4 for details.

Joplin Public Library

SH-1
ITEM CODE

FURNITURE SPECIFICATIONS

JOPLIN PUBLIC LIBRARY

PROJECT NO: 14289000
JOPLIN, MISSOURI
ISSUE DATE:11/08/2016

FF&E BASIS OF DESIGN
Shelving

Manufacturer listed as basis of design only. Equal alternates can be submitted for review.

ITEM INFORMATION:

Type Mark	Collection	Count	6" Acrylic Signage	Width	Shelving Depth	Height
SH-1	Children's Early Learners	19	Yes	36"	15.75"/15.75"	48"


BOTH SIDES:

Base	15" D Browsing Bin
Row 2	12" D Browsing Bin
Row 3	Face Out Display Shelf

OTHER:

White Mats

See Section 6.02 Custom Components, SHCC-1 Shelving Tunnels



OPN ARCHITECTS

Joplin Public Library

SH-2
ITEM CODE

FURNITURE SPECIFICATIONS

JOPLIN PUBLIC LIBRARY

PROJECT NO: 14289000
JOPLIN, MISSOURI
ISSUE DATE:11/08/2016

FF&E BASIS OF DESIGN
Shelving

Manufacturer listed as basis of design only. Equal alternates can be submitted for review.

ITEM INFORMATION:

Type Mark	Collection	Count	6" Acrylic Signage	Width	Shelving Depth	Height
SH-2	Children's Early Learners	4	Yes	36"	15.75"/OPEN	48"

SIDE ONE:


Base 15" D Browsing Bin
Row 2 12" D Browsing Bin
Row 3 Face Out Display Shelf

SIDE TWO:

See Section 6.02 Custom Components, SHCC-3 Play Pegboard

OTHER:

White Mats



OPN ARCHITECTS

Joplin Public Library

SH-3
ITEM CODE

FURNITURE SPECIFICATIONS

JOPLIN PUBLIC LIBRARY

PROJECT NO: 14289000
JOPLIN, MISSOURI
ISSUE DATE:11/08/2016

FF&E BASIS OF DESIGN
Shelving

Manufacturer listed as basis of design only. Equal alternates can be submitted for review.

ITEM INFORMATION:


Type Mark	Collection	Count	6" Acrylic Signage	Width	Shelving Depth	Height
SH-3	Children's Audio/DVD	2	Yes	36"	10"/10"	48"

SIDE ONE:

Base	10" D Sloped Display Shelf, 30 Degree
Row 2	10" D Sloped Display Shelf, 10 Degree
Row 3	10" D Flat Shelf with Book Stop
Row 4	10" D Flat Shelf with Book Stop

SIDE TWO:

Rows 1-4 10" D MD Browser Shelf w/ 6 Compartments



OPN ARCHITECTS

Joplin Public Library

SH-4a
ITEM CODE

FURNITURE SPECIFICATIONS

JOPLIN PUBLIC LIBRARY

PROJECT NO: 14289000
JOPLIN, MISSOURI
ISSUE DATE:11/08/2016

FF&E BASIS OF DESIGN
Shelving

Manufacturer listed as basis of design only. Equal alternates can be submitted for review.

ITEM INFORMATION:


Type Mark	Collection	Count	6" Acrylic Signage	Width	Shelving Depth	Height
SH-4a	Children's Easy Readers	21	Yes	36"	10"/10"	48"

SIDE ONE:

Base	10" D Sloped Display Shelf, 30 Degree
Row 2	10" D Sloped Display Shelf, 10 Degree
Row 3	10" D Flat Shelf with Book Stop

SIDE TWO:

Base	10" D Sloped Display Shelf, 30 Degree
Row 2	10" D Sloped Display Shelf, 10 Degree
Row 3	MD Zig Zag Shelf with Front Lip, 4 Compartments



OPN ARCHITECTS

Joplin Public Library

SH-4b
ITEM CODE

FURNITURE SPECIFICATIONS

JOPLIN PUBLIC LIBRARY

PROJECT NO: 14289000
JOPLIN, MISSOURI
ISSUE DATE:11/08/2016

FF&E BASIS OF DESIGN
Shelving

Manufacturer listed as basis of design only. Equal alternates can be submitted for review.

ITEM INFORMATION:


Type Mark	Collection	Count	6" Acrylic Signage	Width	Shelving Depth	Height
SH-4b	Children's Juvenile	51	Yes	36"	10"/10"	60"

SIDE ONE:

Base	10" D Sloped Display Shelf, 30 Degree
Row 2	10" D Sloped Display Shelf, 10 Degree
Rows 3,4,5	10" D Flat Shelf with Book Stop

SIDE TWO:

Base	10" D Sloped Display Shelf, 30 Degree
Row 2	10" D Sloped Display Shelf, 10 Degree
Rows 3,4	10" D Flat Shelf with Book Stop
Row 5	MD Zig Zag Shelf with Front Lip, 4 Compartments



OPN ARCHITECTS

Joplin Public Library

SH-5a
ITEM CODE

FURNITURE SPECIFICATIONS

JOPLIN PUBLIC LIBRARY

PROJECT NO: 14289000
JOPLIN, MISSOURI
ISSUE DATE:11/08/2016

FF&E BASIS OF DESIGN
Shelving

Manufacturer listed as basis of design only. Equal alternates can be submitted for review.

ITEM INFORMATION:


Type Mark	Collection	Count	6" Acrylic Signage	Width	Shelving Depth	Height
SH-5a	18 Degree Curved	7	No	36"	12"/12"	48"

BOTH SIDES:

Rows 1,2,3 12" D Flat Shelf with Book Stop

OTHER:

See Section 6.02 Custom Components, SHCC-2 Puppet Theatre
See Section 6.02 Custom Components, SHCC-4 Storage Closet



OPN ARCHITECTS

Joplin Public Library

SH-5b
ITEM CODE

FURNITURE SPECIFICATIONS

JOPLIN PUBLIC LIBRARY

PROJECT NO: 14289000
JOPLIN, MISSOURI
ISSUE DATE:11/08/2016

FF&E BASIS OF DESIGN
Shelving


Manufacturer listed as basis of design only. Equal alternates can be submitted for review.

ITEM INFORMATION:

Type Mark	Collection	Count	6" Acrylic Signage	Width	Shelving Depth	Height
SH-5b	26 Degree Curved	15	No	36"	10"/10"	48"

BOTH SIDES:

Rows 1,2,3 10" D Flat Shelf with Book Stop



OPN ARCHITECTS

Joplin Public Library

SH-6
ITEM CODE

FURNITURE SPECIFICATIONS

JOPLIN PUBLIC LIBRARY

PROJECT NO: 14289000
JOPLIN, MISSOURI
ISSUE DATE:11/08/2016

FF&E BASIS OF DESIGN
Shelving


Manufacturer listed as basis of design only. Equal alternates can be submitted for review.

ITEM INFORMATION:

Type Mark	Collection	Count	6" Acrylic Signage	Width	Shelving Depth	Height
SH-6	Children's DVD	7	Yes	36"	10"/10"	48"

BOTH SIDES:

Rows 1-4 10" D MD Browser Shelf with 6 Compartments



OPN ARCHITECTS

Joplin Public Library

SH-7a
ITEM CODE

FURNITURE SPECIFICATIONS

JOPLIN PUBLIC LIBRARY

PROJECT NO: 14289000
JOPLIN, MISSOURI
ISSUE DATE:11/08/2016

FF&E BASIS OF DESIGN
Shelving

Manufacturer listed as basis of design only. Equal alternates can be submitted for review.


ITEM INFORMATION:

Type Mark	Collection	Count	6" Acrylic Signage	Width	Shelving Depth	Height
SH-7a	Adult CDs - Mobile	6	No	36"	10"/10"	48"

BOTH SIDES:

Rows 1-4 10" D MD Browser Shelf with 6 Compartments

Casters



OPN ARCHITECTS

Joplin Public Library

SH-7b
ITEM CODE

FURNITURE SPECIFICATIONS

JOPLIN PUBLIC LIBRARY

PROJECT NO: 14289000
JOPLIN, MISSOURI
ISSUE DATE:11/08/2016

FF&E BASIS OF DESIGN
Shelving

Manufacturer listed as basis of design only. Equal alternates can be submitted for review.


ITEM INFORMATION:

Type Mark	Collection	Count	6" Acrylic Signage	Width	Shelving Depth	Height
SH-7b	Book Sales - Mobile	6	No	36"	10"/10"	48"

BOTH SIDES:

Base	10" D Sloped Display Shelf, 30 Degree
Row 2	10" D Sloped Display Shelf, 10 Degree
Row 3	10" D Flat Shelf with Book Stop

Casters



OPN ARCHITECTS

Joplin Public Library

SH-8
ITEM CODE

FURNITURE SPECIFICATIONS

JOPLIN PUBLIC LIBRARY

PROJECT NO: 14289000
JOPLIN, MISSOURI
ISSUE DATE:11/08/2016

FF&E BASIS OF DESIGN
Shelving

Manufacturer listed as basis of design only. Equal alternates can be submitted for review.

ITEM INFORMATION:

Type Mark	Collection	Count	6" Acrylic Signage	Width	Shelving Depth	Height
SH-8	New Books - Mobile	12	No	36"	10"/10"	48"

SIDE ONE:


Base 10" D Sloped Display Shelf, 30 Degree
Row 2 10" D Sloped Display Shelf, 10 Degree
Row 3 10" D Flat Shelf with Book Stop

Casters

SIDE TWO:

Base 10" D Sloped Display Shelf, 30 Degree
Row 2 10" D Sloped Display Shelf, 10 Degree
Row 3 MD Zig Zag Shelf with Lip, 4 Compartments

Casters



OPN ARCHITECTS

Joplin Public Library

SH-9
ITEM CODE

FURNITURE SPECIFICATIONS

JOPLIN PUBLIC LIBRARY

PROJECT NO: 14289000
JOPLIN, MISSOURI
ISSUE DATE:11/08/2016

FF&E BASIS OF DESIGN
Shelving


Manufacturer listed as basis of design only. Equal alternates can be submitted for review.

ITEM INFORMATION:

Type Mark	Collection	Count	6" Acrylic Signage	Width	Shelving Depth	Height
SH-9	Local History, Large Print, Adult Fiction	106	Yes	36"	10"/10"	66"

BOTH SIDES:

Base	10" D Sloped Display Shelf, 30 Degree
Row 2	10" D Sloped Display Shelf, 10 Degree
Rows 3,4,5	10" D Flat Shelf with Book Stop



OPN ARCHITECTS

Joplin Public Library

SH-10
ITEM CODE

FURNITURE SPECIFICATIONS

JOPLIN PUBLIC LIBRARY

PROJECT NO: 14289000
JOPLIN, MISSOURI
ISSUE DATE:11/08/2016

FF&E BASIS OF DESIGN
Shelving


Manufacturer listed as basis of design only. Equal alternates can be submitted for review.

ITEM INFORMATION:

Type Mark	Collection	Count	6" Acrylic Signage	Width	Shelving Depth	Height
SH-10	Local History	4	Yes	36"	10"/10"	66"

BOTH SIDES:

Base	10" D Sloped Display Shelf, 30 Degree
Row 2	10" D Sloped Display Shelf, 10 Degree
Rows 3,4	10" D Flat Shelf with Book Stop
Row 5	Face Out Display Shelf



OPN ARCHITECTS

Joplin Public Library

SH-11
ITEM CODE

FURNITURE SPECIFICATIONS

JOPLIN PUBLIC LIBRARY

PROJECT NO: 14289000
JOPLIN, MISSOURI
ISSUE DATE:11/08/2016

FF&E BASIS OF DESIGN
Shelving

Manufacturer listed as basis of design only. Equal alternates can be submitted for review.

ITEM INFORMATION:


Type Mark	Collection	Count	6" Acrylic Signage	Width	Shelving Depth	Height
SH-11	Post	4	Yes	36"	10"/10"	66"

SIDE ONE:

Base	10" D Sloped Display Shelf, 30 Degree
Row 2	10" D Sloped Display Shelf, 10 Degree
Row 3	10" D Flat Shelf with Book Stop
Rows 4,5	Face Out Display Shelf

SIDE TWO:

Rows 1-4	12" D Periodical Old Style Hinged Shelf
Row 5	MD Zig Zag Shelf with Lip, 3 Compartments



ROW 4 SHALL BE FACE OUT DISPLAY SHELF

OPN ARCHITECTS

Joplin Public Library

SH-12
ITEM CODE

FURNITURE SPECIFICATIONS

JOPLIN PUBLIC LIBRARY

PROJECT NO: 14289000
JOPLIN, MISSOURI
ISSUE DATE:11/08/2016

FF&E BASIS OF DESIGN
Shelving


Manufacturer listed as basis of design only. Equal alternates can be submitted for review.

ITEM INFORMATION:

Type Mark	Collection	Count	6" Acrylic Signage	Width	Shelving Depth	Height
SH-12	Architectural Recesses	8	No	36"	SF 10"	78"

BOTH SIDES:

Base	10" D Sloped Display Shelf, 30 Degree
Row 2	10" D Sloped Display Shelf, 10 Degree
Rows 3-6	10" D Flat Shelf with Book Stop



OPN ARCHITECTS

Joplin Public Library

SH-13
ITEM CODE

FURNITURE SPECIFICATIONS

JOPLIN PUBLIC LIBRARY

PROJECT NO: 14289000
JOPLIN, MISSOURI
ISSUE DATE:11/08/2016

FF&E BASIS OF DESIGN
Shelving


Manufacturer listed as basis of design only. Equal alternates can be submitted for review.

ITEM INFORMATION:

Type Mark	Collection	Count	6" Acrylic Signage	Width	Shelving Depth	Height
SH-13	Architectural Recesses	3	No	36"	SF 12"	78"

SIDE ONE:

Rows 1-5 12"D Periodical Old Style Hinged Shelf



OPN ARCHITECTS

Joplin Public Library

SH-14
ITEM CODE

FURNITURE SPECIFICATIONS

JOPLIN PUBLIC LIBRARY

PROJECT NO: 14289000
JOPLIN, MISSOURI
ISSUE DATE:11/08/2016

FF&E BASIS OF DESIGN
Shelving


Manufacturer listed as basis of design only. Equal alternates can be submitted for review.

ITEM INFORMATION:

Type Mark	Collection	Count	6" Acrylic Signage	Width	Shelving Depth	Height
SH-14	Periodical Shelving	9	Yes	36"	12"/12"	66"

BOTH SIDES:

Rows 1-5 12"D Periodical Old Style Hinged Shelf



OPN ARCHITECTS

Joplin Public Library

SH-15a
ITEM CODE

FURNITURE SPECIFICATIONS

JOPLIN PUBLIC LIBRARY

PROJECT NO: 14289000
JOPLIN, MISSOURI
ISSUE DATE:11/08/2016

FF&E BASIS OF DESIGN
Shelving

Manufacturer listed as basis of design only. Equal alternates can be submitted for review.

ITEM INFORMATION:


Type Mark	Collection	Count	6" Acrylic Signage	Width	Shelving Depth	Height
SH-15a	Adult Large Print	26	Yes	36"	10"/10"	66"

SIDE ONE:

Base	10" D Sloped Display Shelf, 30 degree
Row 2	10" D Sloped Display Shelf, 10 degree
Rows 3,4,5	10" D Flat Shelf with Book Stop

SIDE TWO:

Base	10" D Sloped Display Shelf, 30 degree
Row 2	10" D Sloped Display Shelf, 10 degree
Rows 3,4	10" D Flat Shelf with Book Stop
Row 5	MD Zig Zag Shelf with Lip, 3 Compartments



OPN ARCHITECTS

Joplin Public Library

SH-15b
ITEM CODE

FURNITURE SPECIFICATIONS

JOPLIN PUBLIC LIBRARY

PROJECT NO: 14289000
JOPLIN, MISSOURI
ISSUE DATE:11/08/2016

FF&E BASIS OF DESIGN
Shelving

Manufacturer listed as basis of design only. Equal alternates can be submitted for review.

ITEM INFORMATION:


Type Mark	Collection	Count	6" Acrylic Signage	Width	Shelving Depth	Height
SH-15b	Adult Audio, Adult Fiction	101	Yes	36"	10"/10"	66"

SIDE ONE:

Base	10" D Sloped Display Shelf, 30 degree
Row 2	10" D Sloped Display Shelf, 10 degree
Rows 3,4,5	10" D Flat Shelf with Book Stop

SIDE TWO:

Base	10" D Sloped Display Shelf, 30 degree
Row 2	10" D Sloped Display Shelf, 10 degree
Rows 3,4	10" D Flat Shelf with Book Stop
Row 5	MD Zig Zag Shelf with Lip, 4 Compartments



OPN ARCHITECTS

Joplin Public Library

SH-16
ITEM CODE

FURNITURE SPECIFICATIONS

JOPLIN PUBLIC LIBRARY

PROJECT NO: 14289000
JOPLIN, MISSOURI
ISSUE DATE:11/08/2016

FF&E BASIS OF DESIGN
Shelving

Manufacturer listed as basis of design only. Equal alternates can be submitted for review.

ITEM INFORMATION:


Type Mark	Collection	Count	6" Acrylic Signage	Width	Shelving Depth	Height
SH-16	Newspaper Display	3	No	36"	SF 10"	66"

SIDE ONE:

Rows 1-4 10" D Flat Shelf with Book Stop

OTHER:

Shelves to have Magboxes. See AC-2 specification sheet.



OPN ARCHITECTS

Joplin Public Library

SH-17
ITEM CODE

FURNITURE SPECIFICATIONS

JOPLIN PUBLIC LIBRARY

PROJECT NO: 14289000
JOPLIN, MISSOURI
ISSUE DATE:11/08/2016

FF&E BASIS OF DESIGN
Shelving

Manufacturer listed as basis of design only. Equal alternates can be submitted for review.

ITEM INFORMATION:


Type Mark	Collection	Count	6" Acrylic Signage	Width	Shelving Depth	Height
SH-17	Teen	9	Yes	36"	10"/10"	66"

SIDE ONE:

Base	10" D Sloped Display Shelf, 30 degree
Row 2	10" D Sloped Display Shelf, 10 degree
Rows 3,4,5	10" D Flat Shelf with Book Stop

SIDE TWO:

Base	10" D Sloped Display Shelf, 30 degree
Row 2	10" D Sloped Display Shelf, 10 degree
Rows 3,4	10" D Flat Shelf with Book Stop
Row 5	MD Zig Zag Shelf with Lip, 4 Compartments



OPN ARCHITECTS

Joplin Public Library

SH-18
ITEM CODE

FURNITURE SPECIFICATIONS

JOPLIN PUBLIC LIBRARY

PROJECT NO: 14289000
JOPLIN, MISSOURI
ISSUE DATE:11/08/2016

FF&E BASIS OF DESIGN
Shelving


Manufacturer listed as basis of design only. Equal alternates can be submitted for review.

ITEM INFORMATION:

Type Mark	Collection	Count	6" Acrylic Signage	Width	Shelving Depth	Height
SH-18	Teen	8	Yes	36"	10"/10"	66"

BOTH SIDES:

Base	10" D Sloped Display Shelf, 30 degree
Row 2	10" D Sloped Display Shelf, 10 degree
Rows 3,4,5	10" D Flat Shelf with Book Stop



OPN ARCHITECTS

Joplin Public Library

SH-19
ITEM CODE

FURNITURE SPECIFICATIONS

JOPLIN PUBLIC LIBRARY

PROJECT NO: 14289000
JOPLIN, MISSOURI
ISSUE DATE:11/08/2016

FF&E BASIS OF DESIGN
Shelving

Manufacturer listed as basis of design only. Equal alternates can be submitted for review.

ITEM INFORMATION:


Type Mark	Collection	Count	6" Acrylic Signage	Width	Shelving Depth	Height
SH-19	Print Reference	8	Yes	36"	10"/10"	48"

SIDE ONE:

Base	10" D Sloped Display Shelf, 30 degree
Row 2	10" D Sloped Display Shelf, 10 degree
Row 3	10" D Flat Shelf with Book Stop

SIDE TWO:

Base	10" D Sloped Display Shelf, 30 degree
Row 2	10" D Sloped Display Shelf, 10 degree
Row 3	MD Zig Zag Shelf with Lip, 3 Compartments



OPN ARCHITECTS

Joplin Public Library

SH-20
ITEM CODE

FURNITURE SPECIFICATIONS

JOPLIN PUBLIC LIBRARY

PROJECT NO: 14289000
JOPLIN, MISSOURI
ISSUE DATE:11/08/2016

FF&E BASIS OF DESIGN
Shelving


Manufacturer listed as basis of design only. Equal alternates can be submitted for review.

ITEM INFORMATION:

Type Mark	Collection	Count	6" Acrylic Signage	Width	Shelving Depth	Height
SH-20	Print Reference	6	Yes	36"	10"/10"	48"

BOTH SIDES:

Base	10" D Sloped Display Shelf, 30 degree
Row 2	10" D Sloped Display Shelf, 10 degree
Row 3	10" D Flat Shelf with Book Stop



OPN ARCHITECTS

Joplin Public Library

SH-21
ITEM CODE

FURNITURE SPECIFICATIONS

JOPLIN PUBLIC LIBRARY

PROJECT NO: 14289000
JOPLIN, MISSOURI
ISSUE DATE:11/08/2016

FF&E BASIS OF DESIGN
Shelving


Manufacturer listed as basis of design only. Equal alternates can be submitted for review.

ITEM INFORMATION:

Type Mark	Collection	Count	6" Acrylic Signage	Width	Shelving Depth	Height
SH-21	Adult DVD	21	Yes	36"	10"/10"	66"

BOTH SIDES:

Rows 1-5 10"D MD Browser Shelf with 6 Compartments



OPN ARCHITECTS

Joplin Public Library

SH-22
ITEM CODE

FURNITURE SPECIFICATIONS

JOPLIN PUBLIC LIBRARY

PROJECT NO: 14289000
JOPLIN, MISSOURI
ISSUE DATE:11/08/2016

FF&E BASIS OF DESIGN
Shelving


Manufacturer listed as basis of design only. Equal alternates can be submitted for review.

ITEM INFORMATION:

Type Mark	Collection	Count	6" Acrylic Signage	Width	Shelving Depth	Height
SH-22	Adult Fiction	4	Yes	30"	10"/10"	66"

BOTH SIDES:

Base	10" D Sloped Display Shelf, 30 degree
Row 2	10" D Sloped Display Shelf, 10 degree
Rows 3,4,5	10" D Flat Shelf with Book Stop



OPN ARCHITECTS

Joplin Public Library

SH-23
ITEM CODE

FURNITURE SPECIFICATIONS

JOPLIN PUBLIC LIBRARY

PROJECT NO: 14289000
JOPLIN, MISSOURI
ISSUE DATE:11/08/2016

FF&E BASIS OF DESIGN
Shelving


Manufacturer listed as basis of design only. Equal alternates can be submitted for review.

ITEM INFORMATION:

Type Mark	Collection	Count	6" Acrylic Signage	Width	Shelving Depth	Height
SH-23	Adult Fiction	4	No	36"	SF 10"	66"

SIDE ONE:

Base	10" D Sloped Display Shelf, 30 degree
Row 2	10" D Sloped Display Shelf, 10 degree
Rows 3-5	10" D Flat Shelf with Book Stop



OPN ARCHITECTS

Joplin Public Library

SH-24
ITEM CODE

FURNITURE SPECIFICATIONS

JOPLIN PUBLIC LIBRARY

PROJECT NO: 14289000
JOPLIN, MISSOURI
ISSUE DATE:11/08/2016

FF&E BASIS OF DESIGN
Shelving


Manufacturer listed as basis of design only. Equal alternates can be submitted for review.

ITEM INFORMATION:

Type Mark	Collection	Count	6" Acrylic Signage	Width	Shelving Depth	Height
SH-24	Adult Fiction	2	No	30"	SF 10"	66"

SIDE ONE:

Base	10" D Sloped Display Shelf, 30 degree
Row 2	10" D Sloped Display Shelf, 10 degree
Rows 3,4,5	10" D Flat Shelf with Book Stop



OPN ARCHITECTS

Joplin Public Library

SH-25
ITEM CODE

FURNITURE SPECIFICATIONS

JOPLIN PUBLIC LIBRARY

PROJECT NO: 14289000
JOPLIN, MISSOURI
ISSUE DATE:11/08/2016

FF&E BASIS OF DESIGN
Shelving

Manufacturer listed as basis of design only. Equal alternates can be submitted for review.

ITEM INFORMATION:


Type Mark	Collection	Count	6" Acrylic Signage	Width	Shelving Depth	Height
SH-25	Adult Non-Fiction	52	Yes	36"	12"/12"	66"

SIDE ONE:

Rows 1,2 12" D Sloped Display Shelf, 10 degree
Rows 3,4,5 12" D Flat Shelf with Book Stop

SIDE TWO:

Rows 1,2 12" D Sloped Display Shelf, 10 degree
Rows 3,4 12" D Flat Shelf with Book Stop
Row 5 MD Zig Zag Shelf with Lip, 3 Compartments



OPN ARCHITECTS

Joplin Public Library

SH-26
ITEM CODE

FURNITURE SPECIFICATIONS

JOPLIN PUBLIC LIBRARY

PROJECT NO: 14289000
JOPLIN, MISSOURI
ISSUE DATE:11/08/2016

FF&E BASIS OF DESIGN
Shelving


Manufacturer listed as basis of design only. Equal alternates can be submitted for review.

ITEM INFORMATION:

Type Mark	Collection	Count	6" Acrylic Signage	Width	Shelving Depth	Height
SH-26	Adult Non-Fiction	34	Yes	36"	12"/12"	66"

BOTH SIDES:

Rows 1,2 12" D Sloped Display Shelf, 10 degree
Rows 3,4,5 12" D Flat Shelf with Book Stop



OPN ARCHITECTS

Joplin Public Library

SH-27
ITEM CODE

FURNITURE SPECIFICATIONS

JOPLIN PUBLIC LIBRARY

PROJECT NO: 14289000
JOPLIN, MISSOURI
ISSUE DATE:11/08/2016

FF&E BASIS OF DESIGN
Shelving

Manufacturer listed as basis of design only. Equal alternates can be submitted for review.

ITEM INFORMATION:


Type Mark	Collection	Count	6" Acrylic Signage	Width	Shelving Depth	Height
SH-27	Adult Non-Fiction	13	Yes	36"	12"/12"	66"

SIDE ONE:

Rows 1,2 12" D Sloped Display Shelf, 10 degree
Rows 3,4,5 12" D Flat Shelf with Book Stop

SIDE TWO:

Rows 1,2 12" D Sloped Display Shelf, 10 degree
Row 3 12"D Pull Out Reference Shelf
Rows 4,5 12" D Flat Shelf with Book Stop



OPN ARCHITECTS

Joplin Public Library

SH-28a
ITEM CODE

FURNITURE SPECIFICATIONS

JOPLIN PUBLIC LIBRARY

PROJECT NO: 14289000
JOPLIN, MISSOURI
ISSUE DATE:11/08/2016

FF&E BASIS OF DESIGN
Shelving


Manufacturer listed as basis of design only. Equal alternates can be submitted for review.

ITEM INFORMATION:

Type Mark	Collection	Count	6" Acrylic Signage	Width	Shelving Depth	Height
SH-28a	Teen Feature Wall	7	No	36"	SF 10"	42"

SIDE ONE:

Base	10" D Sloped Display Shelf, 30 degree
Row 2	10" D Sloped Display Shelf, 10 degree
Row 3	MD Zig Zag Shelf with Lip, 4 Compartments



OPN ARCHITECTS

Joplin Public Library

SH-28b
ITEM CODE

FURNITURE SPECIFICATIONS

JOPLIN PUBLIC LIBRARY

PROJECT NO: 14289000
JOPLIN, MISSOURI
ISSUE DATE:11/08/2016

FF&E BASIS OF DESIGN
Shelving


Manufacturer listed as basis of design only. Equal alternates can be submitted for review.

ITEM INFORMATION:

Type Mark	Collection	Count	6" Acrylic Signage	Width	Shelving Depth	Height
SH-28b	Non-Fiction Feature Wall	7	No	36"	SF 10"	42"

SIDE ONE:

Base	10" D Sloped Display Shelf, 30 degree
Row 2	10" D Sloped Display Shelf, 10 degree
Row 3	MD Zig Zag Shelf with Lip, 3 Compartments



ROW 3 SHALL HAVE 3 COMPARTMENTS (NOT SHOWN)

OPN ARCHITECTS

Joplin Public Library

SH-29
ITEM CODE

FURNITURE SPECIFICATIONS

JOPLIN PUBLIC LIBRARY

PROJECT NO: 14289000
JOPLIN, MISSOURI
ISSUE DATE:11/08/2016

FF&E BASIS OF DESIGN
Shelving


Manufacturer listed as basis of design only. Equal alternates can be submitted for review.

ITEM INFORMATION:

Type Mark	Collection	Count	6" Acrylic Signage	Width	Shelving Depth	Height
SH-29	Adult Non-Fiction	4	Yes	30"	12"/12"	66"

BOTH SIDES:

Rows 1,2 12" D Sloped Display Shelf, 10 degree
Rows 3,4,5 12" D Flat Shelf with Book Stop



OPN ARCHITECTS

Joplin Public Library

SH-30
ITEM CODE

FURNITURE SPECIFICATIONS

JOPLIN PUBLIC LIBRARY

PROJECT NO: 14289000
JOPLIN, MISSOURI
ISSUE DATE:11/08/2016

FF&E BASIS OF DESIGN
Shelving


Manufacturer listed as basis of design only. Equal alternates can be submitted for review.

ITEM INFORMATION:

Type Mark	Collection	Count	6" Acrylic Signage	Width	Shelving Depth	Height
SH-30	Adult Non-Fiction	4	No	36"	SF 12"	66"

SIDE ONE:

Rows 1,2 12" D Sloped Display Shelf, 10 degree
Rows 3,4,5 12" D Flat Shelf with Book Stop



OPN ARCHITECTS

Joplin Public Library

SH-31
ITEM CODE

FURNITURE SPECIFICATIONS

JOPLIN PUBLIC LIBRARY

PROJECT NO: 14289000
JOPLIN, MISSOURI
ISSUE DATE:11/08/2016

FF&E BASIS OF DESIGN
Shelving


Manufacturer listed as basis of design only. Equal alternates can be submitted for review.

ITEM INFORMATION:

Type Mark	Collection	Count	6" Acrylic Signage	Width	Shelving Depth	Height
SH-31	Adult Non-Fiction	2	No	30"	SF 12"	66"

SIDE ONE:

Rows 1,2 12" D Sloped Display Shelf, 10 degree
Rows 3,4,5 12" D Flat Shelf with Book Stop



OPN ARCHITECTS

Joplin Public Library

SHCC-1
ITEM CODE

FURNITURE SPECIFICATIONS

JOPLIN PUBLIC LIBRARY


PROJECT NO: 14289000
JOPLIN, MISSOURI
ISSUE DATE:11/08/2016

FF&E BASIS OF DESIGN
Shelving Custom Components

Manufacturer listed as basis of design only. Equal alternates can be submitted for review.

ITEM INFORMATION:

Type Mark	Custom Component Type	Count	Width	Height	Depth	Thickness
SHCC-1	Shelving Tunnel	4	36"	48"	34"	1"



NOTE:
Custom tunnels to be the equivalence of one section of SH-1 shelving, or 34"Dx36"Wx48"H. Material shall be 1" thick Acrylic Lightblocks, color "Dry Ice". Joints shall have miter-fold to join top with sides. Sides of tunnel must be secured to shelving sections on both sides to maintain stability. No fasteners are to be visible from inside of tunnel.

OPN ARCHITECTS

Joplin Public Library

SHCC-2
ITEM CODE

FURNITURE SPECIFICATIONS

JOPLIN PUBLIC LIBRARY


PROJECT NO: 14289000
JOPLIN, MISSOURI
ISSUE DATE:11/08/2016

FF&E BASIS OF DESIGN
Shelving Custom Components

Manufacturer listed as basis of design only. Equal alternates can be submitted for review.

ITEM INFORMATION:

Type Mark	Custom Component Type	Count	Inside Width	Outside Width	Height
SHCC-2	Puppet Theatre	1	59.75"	74.25"	48"



Curtain Fabric
Manufacturer: Designtex
Pattern: Clerkenwell 3562-904
Color: Spruce

Upholstered Pad
Manufacturer: Designtex
Pattern: Hint 3776-302
Color: Russet
Backing: Durablock

NOTE:
Custom radius theatre to be the equivalence of two sections of radius shelving, or 59.75" inside x 74.25" outside x 48"H. The theatre should be a free-standing unit with sides, stage about 20" off the ground, curtain rod, fascia on front to hide curtain rod, and knee ledge below stage. Upholstered pad to be provided to match the contour of the bottom knee ledge. See specification of fabric. Construction to be HDPL with finished edges. HDPL color to be Nevamar Chalk White. The item will have an 18 degree radius to match the radius of the shelving.

OPN ARCHITECTS

Joplin Public Library

SHCC-3
ITEM CODE

FURNITURE SPECIFICATIONS

JOPLIN PUBLIC LIBRARY

PROJECT NO: 14289000
JOPLIN, MISSOURI
ISSUE DATE:11/08/2016


FF&E BASIS OF DESIGN
Shelving Custom Components

Manufacturer listed as basis of design only. Equal alternates can be submitted for review.

ITEM INFORMATION:

Type Mark	Custom Component Type	Count	Width	Height	Thickness
SHCC-3	Play Pegboard	2	72.5"	48"	.75"

Play Components
(1) Sink Attachment for Pegboard Wall Panels by HABA 473759
(1) Stove Attachment for Pegboard Wall Panels by HABA 473758
(1) Wall-Hanging Counter for Pegboard Wall Panels by HABA 473760
(1) Wood Spoons Hanging Rack for Pegboard Wall Panels by HABA 473763
(6) Wide Wall-Hanging Box for Pegboard Wall Panels by HABA 473767



NOTE:
Custom peg board to be the equivalence of two sections of SH-1 shelving, or 72.5"W x 48"H. Peg board should be made of 3/4" thick homogenous white plastic Sintra Board with a matte finish. A 1" white wood frame shall surround the board in order to secure it to adjacent shelving units. This custom peg board should be compatible with the Gressco Haba Play items listed above. The manufacturer shall be responsible for the purchase of these play items and the coordination of the peg hole sizes and spacing.

OPN ARCHITECTS

Joplin Public Library

SHCC-4
ITEM CODE

FURNITURE SPECIFICATIONS

JOPLIN PUBLIC LIBRARY


PROJECT NO: 14289000
JOPLIN, MISSOURI
ISSUE DATE:11/08/2016

FF&E BASIS OF DESIGN
Shelving Custom Components

Manufacturer listed as basis of design only. Equal alternates can be submitted for review.

ITEM INFORMATION:

Type Mark	Custom Component Type	Count	Inside Width	Outside Width	Height
SHCC-4	Storage Closet	1	30.2"	38"	48"



NOTE:
Custom radius storage closet to be the equivalence of one section of radius shelving, or 30.2" inside x 38" outside x 48" high. The storage closet will have hinging doors and three adjustable shelves inside. Hardware style and finish to be submitted to designer for approval. Construction to be HDPL with finished edges. HDPL color to be Nevamar Chalk White. The item will have an 18 degree radius to match the adjacent radius shelving.

OPN ARCHITECTS

Section 6 - Bid Tab 1 of 2
Shelving Stack Descriptions

JOPLIN PUBLIC LIBRARY

OPN PROJECT NO: 14289000
EDA PROJECT NO: 05-79-05345
JOPLIN, MISSOURI
ISSUE DATE:11/08/2016

Type Mark	Manufacturer & Product	Count	% Discount	Unit List Cost	Unit Net Cost	Extended Cost	Delivery & Install	Total
SH-1		19						
SH-2		4						
SH-3		2						
SH-4a		21						
SH-4b		51						
SH-5a		7						
SH-5b		15						
SH-6		7						
SH-7a		6						
SH-7b		6						
SH-8		12						
SH-9		106						
SH-10		4						
SH-11		4						
SH-12		8						
SH-13		3						
SH-14		9						
SH-15a		26						
SH-15b		101						
SH-16		3						
SH-17		9						
SH-18		8						
SH-19		8						
SH-20		6						
SH-21		21						
SH-22		4						
SH-23		4						

Section 6 - Bid Tab 2 of 2
Shelving Stack Descriptions

JOPLIN PUBLIC LIBRARY

OPN PROJECT NO: 14289000
EDA PROJECT NO: 05-79-05345
JOPLIN, MISSOURI
ISSUE DATE:11/08/2016

Type Mark	Manufacturer & Product	Count	% Discount	Unit List Cost	Unit Net Cost	Extended Cost	Delivery & Install	Total
SH-24		2						
SH-25		52						
SH-26		34						
SH-27		13						
SH-28a		7						
SH-28b		7						
SH-29		4						
SH-30		4						
SH-31		2						
SHCC-1		4						
SHCC-2		1						
SHCC-3		2						
SHCC-4		1						

GRAND TOTAL:

Joplin Public Library

Section 7
3Branch

OPN ARCHITECTS

Joplin Public Library

AC-2
ITEM CODE

FURNITURE SPECIFICATIONS

JOPLIN PUBLIC LIBRARY

PROJECT NO: 14289000
JOPLIN, MISSOURI
ISSUE DATE:11/08/2016

FF&E BASIS OF DESIGN
Accessories

Manufacturer listed as basis of design only. Equal alternates can be submitted for review.

ITEM INFORMATION:

Type Mark	Count	Item	Manufacturer	Model	Model Number
AC-2	24	Newspaper Display	3Branch	Magbox Newspaper	3524

Description	Size	Material
Newspaper display and storage.	8"D 13.5"W 9.25"H	Clear Cast Acrylic



OPN ARCHITECTS

Joplin Public Library

AC-5
ITEM CODE

FURNITURE SPECIFICATIONS

JOPLIN PUBLIC LIBRARY

PROJECT NO: 14289000
JOPLIN, MISSOURI
ISSUE DATE:11/08/2016


FF&E BASIS OF DESIGN
Accessories

Manufacturer listed as basis of design only. Equal alternates can be submitted for review.

ITEM INFORMATION:

Type Mark	Count	Item	Manufacturer	Model	Size
AC-5	2	Book Display Unit	3Branch	Cube	33"W 33"L 42"H

Description	Casters	Material
Four-sided movable book display unit on casters with (2) adjustable shelves per side.	Concealed	Laminate - Nevamar Chalk White



OPN ARCHITECTS

Joplin Public Library

OT-1a
ITEM CODE

FURNITURE SPECIFICATIONS

JOPLIN PUBLIC LIBRARY

PROJECT NO: 14289000
JOPLIN, MISSOURI
ISSUE DATE:11/08/2016

FF&E BASIS OF DESIGN
Occassional Table

Manufacturer listed as basis of design only. Equal alternates can be submitted for review.


ITEM INFORMATION:

Type Mark	Count	Item	Manufacturer	Model	Height
OT-1a	3	Occassional Table	3Branch	Skware	24"

Description	Size	Base Style	Base Finish
Stainless steel framed occassional table with quartz top.	20" Diameter	Square Flush	Stainless Steel

Table Top Finish	Special Instructions
Quartz - Cambria Fieldstone	NA





TOP
Manufacturer: Cambria
Pattern: Fieldstone

OPN ARCHITECTS

Joplin Public Library

OT-1b
ITEM CODE

FURNITURE SPECIFICATIONS

JOPLIN PUBLIC LIBRARY

PROJECT NO: 14289000
JOPLIN, MISSOURI
ISSUE DATE:11/08/2016

FF&E BASIS OF DESIGN
Occassional Table

Manufacturer listed as basis of design only. Equal alternates can be submitted for review.


ITEM INFORMATION:

Type Mark	Count	Item	Manufacturer	Model	Height
OT-1b	6	Occassional Table	3Branch	Skware	18"

Description	Size	Base Style	Base Finish
Stainless steel framed occasional table with quartz top.	30" Diameter	Square Flush	Stainless Steel

Table Top Finish	Special Instructions
Quartz - Cambria Fieldstone	NA





TOP
Manufacturer: Cambria
Pattern: Fieldstone

OPN ARCHITECTS

Joplin Public Library

OT-1c
ITEM CODE

FURNITURE SPECIFICATIONS

JOPLIN PUBLIC LIBRARY

PROJECT NO: 14289000
JOPLIN, MISSOURI
ISSUE DATE:11/08/2016

FF&E BASIS OF DESIGN
Occassional Table

Manufacturer listed as basis of design only. Equal alternates can be submitted for review.


ITEM INFORMATION:

Type Mark	Count	Item	Manufacturer	Model	Height
OT-1c	14	Occassional Table	3Branch	Skware	18"

Description	Size	Base Style	Base Finish
Stainless steel framed table with quartz top.	32" Diameter	Square Flush	Stainless Steel

Table Top Finish	Special Instructions
Quartz - Cambria Fieldstone	NA





TOP
Manufacturer: Cambria
Pattern: Fieldstone

OPN ARCHITECTS

Joplin Public Library

OT-1d
ITEM CODE

FURNITURE SPECIFICATIONS

JOPLIN PUBLIC LIBRARY

PROJECT NO: 14289000
JOPLIN, MISSOURI
ISSUE DATE:11/08/2016

FF&E BASIS OF DESIGN
Occassional Table

Manufacturer listed as basis of design only. Equal alternates can be submitted for review.

ITEM INFORMATION:

Type Mark	Count	Item	Manufacturer	Model	Height
OT-1d	1	Occassional Table	3Branch	Skware	24"

Description	Size	Base Style	Base Finish
Stainless steel framed occassional table with laminate top.	30" Diameter	Square Flush	Stainless Steel

Table Top Finish	Special Instructions
Laminate - Nevamar Chalk White	NA



OPN ARCHITECTS

Joplin Public Library

OT-1e
ITEM CODE

FURNITURE SPECIFICATIONS

JOPLIN PUBLIC LIBRARY

PROJECT NO: 14289000
JOPLIN, MISSOURI
ISSUE DATE:11/08/2016

FF&E BASIS OF DESIGN
Occassional Table

Manufacturer listed as basis of design only. Equal alternates can be submitted for review.


ITEM INFORMATION:

Type Mark	Count	Item	Manufacturer	Model	Height
OT-1e	1	Table	3Branch	Skware	24"

Description	Size	Base Style	Base Finish
Stainless steel framed table with quartz top.	36" Diameter	Square Flush	Stainless Steel

Table Top Finish	Special Instructions
Quartz - Cambria Fieldstone	NA





Top
Manufacturer: Cambria
Pattern: Fieldstone

OPN ARCHITECTS

Joplin Public Library

TA-1a
ITEM CODE

FURNITURE SPECIFICATIONS

JOPLIN PUBLIC LIBRARY

PROJECT NO: 14289000
JOPLIN, MISSOURI
ISSUE DATE:11/08/2016

FF&E BASIS OF DESIGN
Table

Manufacturer listed as basis of design only. Equal alternates can be submitted for review.


ITEM INFORMATION:

Type Mark	Count	Item	Manufacturer	Model	Height
TA-1a	21	Table	3Branch	Skware	30"

Description	Size	Base Style	Base Finish
Stainless steel framed table with quartz top.	42" X 42"	Square Flush	Stainless Steel

Table Top Finish	Special Instructions
Quartz - Cambria Fieldstone	NA





TOP
Manufacturer: Cambria
Pattern: Fieldstone

OPN ARCHITECTS

Joplin Public Library

TA-1b
ITEM CODE

FURNITURE SPECIFICATIONS

JOPLIN PUBLIC LIBRARY

PROJECT NO: 14289000
JOPLIN, MISSOURI
ISSUE DATE:11/08/2016

FF&E BASIS OF DESIGN
Table

Manufacturer listed as basis of design only. Equal alternates can be submitted for review.


ITEM INFORMATION:

Type Mark	Count	Item	Manufacturer	Model	Height
TA-1b	3	Table	3Branch	Skware	30"

Description	Size	Base Style	Base Finish
Stainless steel framed table with quartz top.	42" X 84"	Square Flush	Stainless Steel

Table Top Finish	Special Instructions
Quartz - Cambria Fieldstone	NA





TOP
Manufacturer: Cambria
Pattern: Fieldstone

OPN ARCHITECTS

Joplin Public Library

TA-2
ITEM CODE

FURNITURE SPECIFICATIONS

JOPLIN PUBLIC LIBRARY

PROJECT NO: 14289000
JOPLIN, MISSOURI
ISSUE DATE:11/08/2016

FF&E BASIS OF DESIGN
Table

Manufacturer listed as basis of design only. Equal alternates can be submitted for review.


ITEM INFORMATION:


Type Mark	Count	Item	Manufacturer	Model	Activity Tops
TA-2	2	Play Table	3Branch	Discovery	Include Lego + Train Track Top for Each Unit

Description	Size	Storage Style	Base Finish
Modular plastic laminate activity table with built-in lockable storage drawer.	65" X 32"	Floating Bin	Plastic Laminate - Nevamar Chalk White

Acrylic Inserts	Top Finish
Custom removable acrylic inserts for the removable floating bins shall be provided for easy removal and sanitation of toys.	Wilsonart laminate - Dove grey







OPN ARCHITECTS

Section 7 - Bid Tab
3Branch

JOPLIN PUBLIC LIBRARY

OPN PROJECT NO: 14289000
EDA PROJECT NO: 05-79-05345
JOPLIN, MISSOURI
ISSUE DATE:11/08/2016

Type Mark	Manufacturer & Product	Count	% Discount	Unit List Cost	Unit Net Cost	Extended Cost	Delivery & Install	Total
AC-2		24						
AC-5		2						
OT-1a		3						
OT-1b		6						
OT-1c		14						
OT-1d		1						
OT-1e		1						
TA-1a		21						
TA-1b		3						
TA-2		2						

GRAND TOTAL:

ARE ALL SPECIFIED COM'S READILY AVAILABLE? **Y** ☐ **N** ☐ **N/A** ☐

IF ANSWERED "NO", PLEASE EXPLAIN:

_____

_____

_____

Type Mark	Lead Time	Warranty
AC-2		
AC-5		
OT-1a		
OT-1b		
OT-1c		
OT-1d		
OT-1e		
TA-1a		
TA-1b		
TA-2		

OPN ARCHITECTS

Joplin Public Library

Section 8
Anaco

OPN ARCHITECTS

Joplin Public Library

AC-4
ITEM CODE

FURNITURE SPECIFICATIONS

JOPLIN PUBLIC LIBRARY

PROJECT NO: 14289000
JOPLIN, MISSOURI
ISSUE DATE:11/08/2016

FF&E BASIS OF DESIGN
Accessories

Manufacturer listed as basis of design only. Equal alternates can be submitted for review.

ITEM INFORMATION:

Type Mark	Count	Item	Manufacturer	Model	Model Number
AC-4	16	Book Trolley	Anaco	Book Trolley Oblique	4450 Red

Description	Size
Painted steel tubing frame with end pieces, back, and shelves in foil-finished MDF.	24"W 21.25"D 55"H



OPN ARCHITECTS

Section 8 - Bid Tab
Anaco

JOPLIN PUBLIC LIBRARY

OPN PROJECT NO: 14289000
EDA PROJECT NO: 05-79-05345
JOPLIN, MISSOURI
ISSUE DATE:11/08/2016

Type Mark	Manufacturer & Product	Count	% Discount	Unit List Cost	Unit Net Cost	Extended Cost	Delivery & Install	Total
AC-4		16						

GRAND TOTAL:

ARE ALL SPECIFIED COM'S READILY AVAILABLE? **Y** ☐ **N** ☐ **N/A** ☐

IF ANSWERED "NO", PLEASE EXPLAIN:

_____

_____

_____

Type Mark	Lead Time	Warranty
AC-4		

OPN ARCHITECTS

Joplin Public Library

Section 9
Bernhardt

OPN ARCHITECTS

Joplin Public Library

TA-8
ITEM CODE

FURNITURE SPECIFICATIONS

JOPLIN PUBLIC LIBRARY

PROJECT NO: 14289000
JOPLIN, MISSOURI
ISSUE DATE:11/08/2016

FF&E BASIS OF DESIGN
Table

Manufacturer listed as basis of design only. Equal alternates can be submitted for review.

ITEM INFORMATION:

Type Mark	Count	Item	Manufacturer	Model	Model Number
TA-8	1	Technology Table	Bernhardt Design	Concierge	Wall Unit: F-ICC-9-T-1-866 WS: Q-MBI-9-8-F-T-8 Base: F-Y3Y-9-X-4-866

Description	Wall Unit Size	Worksurface Size	Base Style
Wall surface unit with bar height work surface.	48"W x 86"H x 4"D	42"W x 84"L x 1.25"D	Ovation Style T Base

Table Top Finish	Wood Finish
Solid Surface Corian Glacier White	Walnut 866



TELEADAPT MODULE: CENTERED AT TOP OF LOWER WALL PANEL ABOVE WORK SURFACE. INCLUDES (2) POWER OUTLETS AND (2) USB OUTLETS.



OPN ARCHITECTS

Section 9 - Bid Tab
Bernhardt

JOPLIN PUBLIC LIBRARY

OPN PROJECT NO: 14289000
EDA PROJECT NO: 05-79-05345
JOPLIN, MISSOURI
ISSUE DATE:11/08/2016

Type Mark	Count	Lead Time	% Discount	Unit List Cost	Unit Net Cost	Extended Cost	Delivery & Installation	Total
TA-8	1							

GRAND TOTAL:

ARE ALL SPECIFIED COM'S READILY AVAILABLE? **Y** ☐ **N** ☐ **N/A** ☐

IF ANSWERED "NO", PLEASE EXPLAIN:

_____

_____

_____

Type Mark	Lead Time	Warranty
TA-8		

Joplin Public Library

Section 10
Carolina

OPN ARCHITECTS

Joplin Public Library

LS-19
ITEM CODE

FURNITURE SPECIFICATIONS

JOPLIN PUBLIC LIBRARY

PROJECT NO: 14289000
JOPLIN, MISSOURI
ISSUE DATE:11/08/2016

FF&E BASIS OF DESIGN
Lounge Seat

Manufacturer listed as basis of design only. Equal alternates can be submitted for review.


ITEM INFORMATION:

Type Mark	Count	Item	Manufacturer	Model	Model Number
LS-19	1	Reclining Chair	Carolina	Amenity Panel Arm Recliner	1377

Description	Size	Base Finish
Fully upholstered three position closed arm reclining chair with built-in clean-out space.	26.5"W 34"D 43"H	MSO Espresso Oak

Upholstery	Special Instructions
Maharam Lariat	NA





Upholstery:
Manufacturer: Maharam
Pattern: Lariat 440401
Color: 034 Macaw
Finish: Protective Topcoat
Backing: Polyester

OPN ARCHITECTS

Section 10 - Bid Tab
Carolina

JOPLIN PUBLIC LIBRARY

OPN PROJECT NO: 14289000
EDA PROJECT NO: 05-79-05345
JOPLIN, MISSOURI
ISSUE DATE:11/08/2016

Type Mark	Count	Lead Time	% Discount	Unit List Cost	Unit Net Cost	Extended Cost	Delivery & Installation	Total
LS-19	1							

GRAND TOTAL:

ARE ALL SPECIFIED COM'S READILY AVAILABLE? **Y** ☐ **N** ☐ **N/A** ☐

IF ANSWERED "NO", PLEASE EXPLAIN:

_____

_____

_____

Type Mark	Lead Time	Warranty
LS-19		

Joplin Public Library

Section 11
Coalesse

OPN ARCHITECTS

Joplin Public Library

LS-1a
ITEM CODE

FURNITURE SPECIFICATIONS

Joplin Public Library

PROJECT NO: 14289000
JOPLIN, MISSOURI
ISSUE DATE:11/08/2016

FF&E BASIS OF DESIGN
Lounge Seat

Manufacturer listed as basis of design only. Equal alternates can be submitted for review.


ITEM INFORMATION:

Type Mark	Count	Item	Manufacturer	Model	Model Number
LS-1a	3	Lounge Seat	Coalesse	Joel	COWK100K

Description	Size	Base Style	Base Finish
Swivel lounge chair with steel and plywood framing and molded rigid foam construction.	29"D 30.25"W 27.5"H	Auto Swivel Return	Chrome Plated Steel

Upholstery	Special Instructions
Back: Carnegie Maze / Seat: Designtex Billiard Cloth	Random repeat.





Back
Manufacturer: Carnegie
Pattern: Maze 6550
Color: 38
Finish: Nanotex
Backing: Durablock



Seat
Manufacturer: Designtex
Pattern: Billiard Cloth 3549
Color: Mallard 401
Finish: Crypton
Backing: Fluid Barrier

OPN ARCHITECTS

Joplin Public Library

LS-1b
ITEM CODE

FURNITURE SPECIFICATIONS

Joplin Public Library

PROJECT NO: 14289000
JOPLIN, MISSOURI
ISSUE DATE:11/08/2016

FF&E BASIS OF DESIGN
Lounge Seat

Manufacturer listed as basis of design only. Equal alternates can be submitted for review.


ITEM INFORMATION:

Type Mark	Count	Item	Manufacturer	Model	Model Number
LS-1b	7	Lounge Seat	Coalesse	Joel	COWK100

Description	Size	Base Style	Base Finish
Swivel lounge chair with steel and plywood framing and molded rigid foam construction.	29"D 30.25"W 27.5"H	Auto Swivel Return	Chrome Plated Steel

Upholstery	Special Instructions
Back & Seat: Designtex Westside	NA





Seat & Back
Manufacturer: Designtex
Pattern: Westside 3303
Color: Newstand 801
Finish: Nanosphere
Backing: Durablock

OPN ARCHITECTS

Joplin Public Library

LS-6
ITEM CODE

FURNITURE SPECIFICATIONS

Joplin Public Library

PROJECT NO: 14289000
JOPLIN, MISSOURI
ISSUE DATE:11/08/2016

FF&E BASIS OF DESIGN
Lounge Seat

Manufacturer listed as basis of design only. Equal alternates can be submitted for review.


ITEM INFORMATION:

Type Mark	Count	Item	Manufacturer	Model	Model Number
LS-6	1	Lounge Seat	Coalesse	Hosu	COURQL

Description	Size
Upholstered floor lounge chair with lumbar pillow.	35"H 34"W 35"D

Upholstery	Special Instructions
Lounge chair: HBF Woodblock / Pillow: HBF Woodstock	NA





Chair:
Manufacturer: HBF
Pattern: Woodblock
Color: Lacquer Red 920-44
Finish: Greenshield
Backing: Light Acrylic



***FABRIC TO BE RAILROADED ON PILLOW**

Pillow
Manufacturer: HBF
Pattern: Woodblock
Color: Warm black 920-89
Finish: Greenshield
Backing: Light Acrylic

OPN ARCHITECTS

Joplin Public Library

LS-10a
ITEM CODE

FURNITURE SPECIFICATIONS

Joplin Public Library

PROJECT NO: 14289000
JOPLIN, MISSOURI
ISSUE DATE:11/08/2016

FF&E BASIS OF DESIGN
Lounge Seat

Manufacturer listed as basis of design only. Equal alternates can be submitted for review.

ITEM INFORMATION:

Type Mark	Count	Item	Manufacturer	Model	Model Number
LS-10a	1	Lounge Seat	Coalesse	Wing Chair	CH445

Description	Size	Base Style	Base Finish
Lounge chair constructed of internal beech wood framing with stainless steel legs and high density foam.	38.25"D 35.5"W 40.5"H	Four leg metal base	Stainless Steel

Upholstery	Special Instructions
Knoll Diva	NA





Upholstery:
Manufacturer: Knoll
Pattern: Diva K2051
Color: 7 Lagoon
Finish: Nanotex
Backing: Durablock

OPN ARCHITECTS

Joplin Public Library

LS-10b
ITEM CODE

FURNITURE SPECIFICATIONS

Joplin Public Library

PROJECT NO: 14289000
JOPLIN, MISSOURI
ISSUE DATE:11/08/2016

FF&E BASIS OF DESIGN
Lounge Seat

Manufacturer listed as basis of design only. Equal alternates can be submitted for review.

ITEM INFORMATION:

Type Mark	Count	Item	Manufacturer	Model	Model Number
LS-10b	5	Lounge Seat	Coalesse	Wing Chair	CH445

Description	Size	Base Style	Base Finish
Lounge chair constructed of internal beech wood framing with stainless steel legs and high density foam.	38.25"D 35.5"W 40.5"H	Four leg metal base	Stainless Steel

Upholstery	Special Instructions
Arc Com Delphi	NA





Upholstery
Manufacturer: Arc Com
Pattern: Delphi 61325
Color: Fire 6
Finish: Stain Repellant
Backing: Durablock

OPN ARCHITECTS

Section 11 - Bid Tab
Coalesse

Joplin Public Library

OPN PROJECT NO: 14289000
EDA PROJECT NO: 05-79-05345
JOPLIN, MISSOURI
ISSUE DATE:11/08/2016

Type Mark	Count	Lead Time	% Discount	Unit List Cost	Unit Net Cost	Extended Cost	Delivery & Installation	Total
LS-1a	3							
LS-1b	7							
LS-6	1							
LS-10a	1							
LS-10b	5							

GRAND TOTAL:

ARE ALL SPECIFIED COM'S READILY AVAILABLE? **Y** ☐ **N** ☐ **N/A** ☐

IF ANSWERED "NO", PLEASE EXPLAIN:

Type Mark	Lead Time	Warranty
LS-1a		
LS-1b		
LS-6		
LS-10a		
LS-10b		

OPN ARCHITECTS

Joplin Public Library

Section 12
Davis

OPN ARCHITECTS

Joplin Public Library

CH-4
ITEM CODE

FURNITURE SPECIFICATIONS

Joplin Public Library

PROJECT NO: 14289000
JOPLIN, MISSOURI
ISSUE DATE:11/08/2016

FF&E BASIS OF DESIGN
Chair

Manufacturer listed as basis of design only. Equal alternates can be submitted for review.


ITEM INFORMATION:

Type Mark	Count	Item	Manufacturer	Model	Model Number
CH-4	16	Chair	Davis	Lipse	LI-5120-WW-CH

Description	Size	Base Style	Base Finish
Upholstered interior seat and back in molded veneer shell on pedestal base.	24.5"W 22.75"D 30.25"H	Pedestal Base	Chrome

Shell / Upholstery	Special Instructions
Exterior: Walnut Veneer / Interior: Arc-Com Shimmer	NA





Seat
Manufacturer: Arc Com
Pattern: Shimmer AC-69232
Color: Charcoal 23
Finish: Silverguard, Permablok
Backing: Polyester



Custom stain to match designer's sample

OPN ARCHITECTS

Joplin Public Library

LS-4
ITEM CODE

FURNITURE SPECIFICATIONS

Joplin Public Library

PROJECT NO: 14289000
JOPLIN, MISSOURI
ISSUE DATE:11/08/2016

FF&E BASIS OF DESIGN
Lounge Seat

Manufacturer listed as basis of design only. Equal alternates can be submitted for review.

ITEM INFORMATION:

Type Mark	Count	Item	Manufacturer	Model	Model Number
LS-4	6	Lounge Seat	Davis	Rox	RX-1002


Description	Size	Base/Back Style	Base Finish
Rocker constructed of tubular steel with plywood and webbing interior seat covered in multi-density foam.	24.25"W 29.75"D 32"H	Rocker Base/Webbing Back	Chrome

Upholstery	Special Instructions
Seat: HE-5002 Grey / Back: WB-Grey	NA





WB - Grey



HE-5002 Grey

OPN ARCHITECTS

Joplin Public Library

ST-1
ITEM CODE

FURNITURE SPECIFICATIONS

Joplin Public Library

PROJECT NO: 14289000
JOPLIN, MISSOURI
ISSUE DATE:11/08/2016

FF&E BASIS OF DESIGN
Stool

Manufacturer listed as basis of design only. Equal alternates can be submitted for review.


ITEM INFORMATION:

Type Mark	Count	Item	Manufacturer	Model	Model Number
ST-1	4	Stool	Davis	Lipse	LI-5320-WW-CH


Description	Size	Base Style	Base Finish
Bar height stool with upholstered interior and veneer shell on 4-leg base.	23"W 20.5"D 42.5"H	Tubular Steel with Plastic Glides	Chrome

Shell / Upholstery	Special Instructions
Exterior: Walnut Veneer / Interior: Arc Com Great Wall	NA





Manufacturer: Arc-com
Pattern: Great Wall AC-62212
Color: Fog - 3
Finish: Nanotex
Backing: Durablock



Exterior: 9000 Walnut

OPN ARCHITECTS

Joplin Public Library

TA-6
ITEM CODE

FURNITURE SPECIFICATIONS

Joplin Public Library

PROJECT NO: 14289000
JOPLIN, MISSOURI
ISSUE DATE:11/08/2016

FF&E BASIS OF DESIGN
Table

Manufacturer listed as basis of design only. Equal alternates can be submitted for review.

ITEM INFORMATION:

Type Mark	Count	Item	Manufacturer	Model	Model Number
TA-6	9	Table	Davis	Mez	MZ-1042-R-LAM-CH

Description	Size	Base Style	Base Finish
42" Round top on column and 4-leg base.	42" D 29"H	Column and 4-Leg Base	Chrome

Table Top Finish	Special Instructions
Laminate - Designer White	Standard Adjustable Glides



OPN ARCHITECTS

Section 12 - Bid Tab
Davis

Joplin Public Library

OPN PROJECT NO: 14289000
EDA PROJECT NO: 05-79-05345
JOPLIN, MISSOURI
ISSUE DATE:11/08/2016

Type Mark	Count	Lead Time	% Discount	Unit List Cost	Unit Net Cost	Extended Cost	Delivery & Installation	Total
CH-4	16							
LS-4	6							
ST-1	4							
TA-6	9							

GRAND TOTAL:

ARE ALL SPECIFIED COM'S READILY AVAILABLE? **Y** ☐ **N** ☐ **N/A** ☐

IF ANSWERED "NO", PLEASE EXPLAIN:

_____

_____

_____

Type Mark	Lead Time	Warranty
CH-4		
LS-4		
ST-1		
TA-6		

OPN ARCHITECTS

Joplin Public Library

Section 13
Decca Elan

OPN ARCHITECTS

Joplin Public Library

LS-8a
ITEM CODE

FURNITURE SPECIFICATIONS

Joplin Public Library

PROJECT NO: 14289000
JOPLIN, MISSOURI
ISSUE DATE:11/08/2016

FF&E BASIS OF DESIGN
Lounge Seat

Manufacturer listed as basis of design only. Equal alternates can be submitted for review.

ITEM INFORMATION:

Type Mark	Count	Item	Manufacturer	Model	Model Number
LS-8a	4	Lounge Seat	Decca Elan	Bing Mid Back Luxe	FT-TC335

Description	Size	Base Style	Base Finish
Lounge chair with stainless steel frame and plywood framing and molded rigid foam construction.	37"W 32"D 33"H	Tubular Base	Polished Stainless Steel

Upholstery	Special Instructions
Designtex Tessellate	Match pattern at seams.





Upholstery:
Manufacturer: DesignTex
Pattern: Tessellate 3379
Color: Rhubarb 301
Finish: Nanotex
Backing: Acrylic

OPN ARCHITECTS

Joplin Public Library

LS-8b
ITEM CODE

FURNITURE SPECIFICATIONS

Joplin Public Library

PROJECT NO: 14289000
JOPLIN, MISSOURI
ISSUE DATE:11/08/2016

FF&E BASIS OF DESIGN
Lounge Seat

Manufacturer listed as basis of design only. Equal alternates can be submitted for review.

ITEM INFORMATION:

Type Mark	Count	Item	Manufacturer	Model	Model Number
LS-8b	11	Lounge Seat	Decca Elan	Bing Mid Back Luxe	FT-TC335

Description	Size	Base Style	Base Finish
Lounge chair with stainless steel frame and plywood framing and molded rigid foam construction.	37"W 32"D 33"H	Tubular Base	Polished Stainless Steel

Upholstery	Special Instructions
Knoll Woodland	NA





Upholstery:
Manufacturer: Knoll
Pattern: Woodland K2049
Color: 4 Red Pine
Finish: Nanotex
Backing: Durablock

OPN ARCHITECTS

Joplin Public Library

LS-8c
ITEM CODE

FURNITURE SPECIFICATIONS

Joplin Public Library

PROJECT NO: 14289000
JOPLIN, MISSOURI
ISSUE DATE:11/08/2016

FF&E BASIS OF DESIGN
Lounge Seat

Manufacturer listed as basis of design only. Equal alternates can be submitted for review.

ITEM INFORMATION:

Type Mark	Count	Item	Manufacturer	Model	Model Number
LS-8c	12	Lounge Seat	Decca Elan	Bing Mid Back Luxe	FT-TC335

Description	Size	Base Style	Base Finish
Lounge chair with stainless steel frame and plywood framing and molded rigid foam construction.	37"W 32"D 33"H	Tubular Base	Polished Stainless Steel

Upholstery	Special Instructions
Carnegie Pebble	NA



DESIGNTEX - BARKCLOTH - TURQOISE



Upholstery
Manufacturer: Carnegie
Pattern: Pebble 6076
Color: 55
Finish: Crypton Green

OPN ARCHITECTS

Joplin Public Library

LS-8d
ITEM CODE

FURNITURE SPECIFICATIONS

Joplin Public Library

PROJECT NO: 14289000
JOPLIN, MISSOURI
ISSUE DATE:11/08/2016

FF&E BASIS OF DESIGN
Lounge Seat

Manufacturer listed as basis of design only. Equal alternates can be submitted for review.

ITEM INFORMATION:

Type Mark	Count	Item	Manufacturer	Model	Model Number
LS-8d	4	Lounge Seat	Decca Elan	Bing Mid Back Luxe	FT-TC335

Description	Size	Base Style	Base Finish
Lounge chair with stainless steel frame and plywood framing and molded rigid foam construction.	37"W 32"D 33"H	Tubular Base	Polished Stainless Steel

Upholstery	Special Instructions
Designtex Tessellate	Match pattern at seams.





Upholstery
Manufacturer: Designtex
Pattern: Tesselate 3379
Color: Tuxedo 801
Finish: Nanotex
Backing: Acrylic

OPN ARCHITECTS

Section 13 - Bid Tab
Decca Elan

Joplin Public Library

OPN PROJECT NO: 14289000
EDA PROJECT NO: 05-79-05345
JOPLIN, MISSOURI
ISSUE DATE:11/08/2016

Type Mark	Count	Lead Time	% Discount	Unit List Cost	Unit Net Cost	Extended Cost	Delivery & Installation	Total
LS-8a	4							
LS-8b	11							
LS-8c	12							
LS-8d	4							

GRAND TOTAL:

ARE ALL SPECIFIED COM'S READILY AVAILABLE? **Y** ☐ **N** ☐ **N/A** ☐

IF ANSWERED "NO", PLEASE EXPLAIN:

_____

_____

_____

Type Mark	Lead Time	Warranty
LS-8a		
LS-8b		
LS-8c		
LS-8d		

OPN ARCHITECTS

Joplin Public Library

Section 14
Falcon

OPN ARCHITECTS

Joplin Public Library

CH-5
ITEM CODE

FURNITURE SPECIFICATIONS

JOPLIN PUBLIC LIBRARY

PROJECT NO: 14289000
JOPLIN, MISSOURI
ISSUE DATE:11/08/2016

FF&E BASIS OF DESIGN
Chair

Manufacturer listed as basis of design only. Equal alternates can be submitted for review.

ITEM INFORMATION:

Type Mark	Count	Item	Manufacturer	Model	Model Number
CH-5	27	Cafe Chair	Falcon	Lucky 4-Leg Chair	GT702

Description	Size	Base Style	Base Finish
Stacking metal 4-leg chair with polypropylene shell.	30.75"H 21.5"W 20.75"D, 18" Seat	4-Leg Base with Swivel Chrome Glides	Chrome

Poly Color	Special Instructions
Exterior: Red / Interior: White	Swivel Chrome Glides



OPN ARCHITECTS

Section 14 - Bid Tab
Falcon

JOPLIN PUBLIC LIBRARY

OPN PROJECT NO: 14289000
EDA PROJECT NO: 05-79-05345
JOPLIN, MISSOURI
ISSUE DATE:11/08/2016

Type Mark	Count	Lead Time	% Discount	Unit List Cost	Unit Net Cost	Extended Cost	Delivery & Installation	Total
CH-5	27							

GRAND TOTAL:

ARE ALL SPECIFIED COM'S READILY AVAILABLE? **Y** ☐ **N** ☐ **N/A** ☐

IF ANSWERED "NO", PLEASE EXPLAIN:

_____

_____

_____

Type Mark	Lead Time	Warranty
CH-5		

Joplin Public Library

Section 15
Gaylord Archival

OPN ARCHITECTS

Joplin Public Library

AC-3
ITEM CODE

FURNITURE SPECIFICATIONS

JOPLIN PUBLIC LIBRARY

PROJECT NO: 14289000
JOPLIN, MISSOURI
ISSUE DATE:11/08/2016

FF&E BASIS OF DESIGN
Accessories

Manufacturer listed as basis of design only. Equal alternates can be submitted for review.

ITEM INFORMATION:

Type Mark	Count	Item	Manufacturer	Color	Model Number
AC-3	8	Microfiche Cabinet	Gaylord Archival	09 Dark Grey	GB415L

Description	Size
9-Drawer locking vertical micofiche cabinet.	14.875"W 28.625"D



OPN ARCHITECTS

Section 15 - Bid Tab
Gaylord Archival

JOPLIN PUBLIC LIBRARY

OPN PROJECT NO: 14289000
EDA PROJECT NO: 05-79-05345
JOPLIN, MISSOURI
ISSUE DATE:11/08/2016

Type Mark	Count	Lead Time	% Discount	Unit List Cost	Unit Net Cost	Extended Cost	Delivery & Installation	Total
AC-3	8							

GRAND TOTAL:

ARE ALL SPECIFIED COM'S READILY AVAILABLE? **Y** ☐ **N** ☐ **N/A** ☐

IF ANSWERED "NO", PLEASE EXPLAIN:

_____

_____

_____

Type Mark	Lead Time	Warranty
AC-3		

Joplin Public Library

Section 16
Gressco

OPN ARCHITECTS

Joplin Public Library

LS-3
ITEM CODE

FURNITURE SPECIFICATIONS

JOPLIN PUBLIC LIBRARY

PROJECT NO: 14289000
JOPLIN, MISSOURI
ISSUE DATE:11/08/2016

FF&E BASIS OF DESIGN
Lounge Seat


Manufacturer listed as basis of design only. Equal alternates can be submitted for review.

ITEM INFORMATION:

Type Mark	Count	Item	Manufacturer	Model	Model Number
LS-3	2	Infant Mat	Gressco	Infant Mat	023355

Description	Size
Movable square infant mat.	36"W 36"D 2.5"H

Upholstery	Special Instructions
Synthetic Leather - Poppy Red - K151	NA





K151 Poppy Red (Standard Color)

OPN ARCHITECTS

Joplin Public Library

SP-1
ITEM CODE

FURNITURE SPECIFICATIONS

JOPLIN PUBLIC LIBRARY

PROJECT NO: 14289000
JOPLIN, MISSOURI
ISSUE DATE:11/08/2016

FF&E BASIS OF DESIGN
Sensory Panels

Manufacturer listed as basis of design only. Equal alternates can be submitted for review.

ITEM INFORMATION:

Type Mark	Count	Manufacturer	Model	Size
SP-1	1	Gressco	HABA Acrylic Gears Sensory Panel, 120394	16"W 17"H



OPN ARCHITECTS

Joplin Public Library

SP-2
ITEM CODE

FURNITURE SPECIFICATIONS

JOPLIN PUBLIC LIBRARY


PROJECT NO: 14289000
JOPLIN, MISSOURI
ISSUE DATE:11/08/2016

FF&E BASIS OF DESIGN
Sensory Panels

Manufacturer listed as basis of design only. Equal alternates can be submitted for review.

ITEM INFORMATION:

Type Mark	Count	Manufacturer	Model	Size
SP-2	1	Gressco	HABA Closures Sensory Panel, 120370	16"W 17"H



OPN ARCHITECTS

Joplin Public Library

SP-3
ITEM CODE

FURNITURE SPECIFICATIONS

JOPLIN PUBLIC LIBRARY


PROJECT NO: 14289000
JOPLIN, MISSOURI
ISSUE DATE:11/08/2016

FF&E BASIS OF DESIGN
Sensory Panels

Manufacturer listed as basis of design only. Equal alternates can be submitted for review.

ITEM INFORMATION:

Type Mark	Count	Manufacturer	Model	Size
SP-3	1	Gressco	HABA Brushes, Balls and Mirrors Sensory Panel, 120369	16"W 17"H



OPN ARCHITECTS

Joplin Public Library

SP-4
ITEM CODE

FURNITURE SPECIFICATIONS

JOPLIN PUBLIC LIBRARY

PROJECT NO: 14289000
JOPLIN, MISSOURI
ISSUE DATE:11/08/2016

FF&E BASIS OF DESIGN
Sensory Panels

Manufacturer listed as basis of design only. Equal alternates can be submitted for review.

ITEM INFORMATION:

Type Mark	Count	Manufacturer	Model	Size
SP-4	1	Gressco	HABA Glitter Rods Sensory Panel, 120371	16"W 17"H



OPN ARCHITECTS

Joplin Public Library

SP-5
ITEM CODE

FURNITURE SPECIFICATIONS

JOPLIN PUBLIC LIBRARY


PROJECT NO: 14289000
JOPLIN, MISSOURI
ISSUE DATE:11/08/2016

FF&E BASIS OF DESIGN
Sensory Panels

Manufacturer listed as basis of design only. Equal alternates can be submitted for review.

ITEM INFORMATION:

Type Mark	Count	Manufacturer	Model	Size
SP-5	1	Gressco	HABA Rainmaker Sensory Panel, 120373	16"W 17"H



OPN ARCHITECTS

Joplin Public Library

SP-6
ITEM CODE

FURNITURE SPECIFICATIONS

JOPLIN PUBLIC LIBRARY

PROJECT NO: 14289000
JOPLIN, MISSOURI
ISSUE DATE:11/08/2016

FF&E BASIS OF DESIGN
Sensory Panels

Manufacturer listed as basis of design only. Equal alternates can be submitted for review.

ITEM INFORMATION:

Type Mark	Count	Manufacturer	Model	Size
SP-6	1	Gressco	HABA Glibber Water Fun Sensory Wall Panel, 120374	16"W 17"H



OPN ARCHITECTS

Joplin Public Library

SP-7
ITEM CODE

FURNITURE SPECIFICATIONS

JOPLIN PUBLIC LIBRARY


PROJECT NO: 14289000
JOPLIN, MISSOURI
ISSUE DATE:11/08/2016

FF&E BASIS OF DESIGN
Sensory Panels

Manufacturer listed as basis of design only. Equal alternates can be submitted for review.

ITEM INFORMATION:

Type Mark	Count	Model	Manufacturer	Size
SP-7	1	Gressco	HABA Weaving Sensory Panel, 120398	16"W 17"H



OPN ARCHITECTS

Section 16 - Bid Tab
Gressco

JOPLIN PUBLIC LIBRARY

OPN PROJECT NO: 14289000
EDA PROJECT NO: 05-79-05345
JOPLIN, MISSOURI
ISSUE DATE:11/08/2016

Type Mark	Count	Lead Time	% Discount	Unit List Cost	Unit Net Cost	Extended Cost	Delivery & Installation	Total
LS-3	2							
SP-1	1							
SP-2	1							
SP-3	1							
SP-4	1							
SP-5	1							
SP-6	1							
SP-7	1							

GRAND TOTAL:

ARE ALL SPECIFIED COM'S READILY AVAILABLE? **Y** ☐ **N** ☐ **N/A** ☐

IF ANSWERED "NO", PLEASE EXPLAIN:

_____

_____

_____

Type Mark	Lead Time	Warranty
LS-3		
SP-1		
SP-2		
SP-3		
SP-4		
SP-5		
SP-6		
SP-7		

OPN ARCHITECTS

Joplin Public Library

Section 17
Haworth

OPN ARCHITECTS

Joplin Public Library

LS-14
ITEM CODE

FURNITURE SPECIFICATIONS

JOPLIN PUBLIC LIBRARY

PROJECT NO: 14289000
JOPLIN, MISSOURI
ISSUE DATE:11/08/2016

FF&E BASIS OF DESIGN
Lounge Seat

Manufacturer listed as basis of design only. Equal alternates can be submitted for review.


ITEM INFORMATION:

Type Mark	Count	Item	Manufacturer	Model	Model Number
LS-14	4	Lounge Seat	Haworth	Windowseat	HCCL-WIND-C

Description	Size	Trim Color/Base	Base Finish
Upholstered lounge chair over a foam padded, rigid, molded, canopy frame on x base	30"W 31"D 54"H	Swivel self-return made of steel.	Charcoal

Upholstery	Special Instructions
Maharam Divina by Kvadrat	Black Plastic Glides





Upholstery
Manufacturer: Maharam
Pattern: Divina by Kvadrat 460730
Color: 584
Finish: Nanotex with Durablock
Backing: None

OPN ARCHITECTS

Section 17 - Bid Tab
Haworth

JOPLIN PUBLIC LIBRARY

OPN PROJECT NO: 14289000
EDA PROJECT NO: 05-79-05345
JOPLIN, MISSOURI
ISSUE DATE:11/08/2016

Type Mark	Count	Lead Time	% Discount	Unit List Cost	Unit Net Cost	Extended Cost	Delivery & Installation	Total
LS-14	4							

GRAND TOTAL:

ARE ALL SPECIFIED COM'S READILY AVAILABLE? **Y** ☐ **N** ☐ **N/A** ☐

IF ANSWERED "NO", PLEASE EXPLAIN:

_____

_____

_____

Type Mark	Lead Time	Warranty
LS-14		

Joplin Public Library

Section 18
HBF

OPN ARCHITECTS

Joplin Public Library

OT-4
ITEM CODE

FURNITURE SPECIFICATIONS

JOPLIN PUBLIC LIBRARY

PROJECT NO: 14289000
JOPLIN, MISSOURI
ISSUE DATE:11/08/2016

FF&E BASIS OF DESIGN
Occassional Table

Manufacturer listed as basis of design only. Equal alternates can be submitted for review.

ITEM INFORMATION:

Type Mark	Count	Item	Manufacturer	Model	Model Number
OT-4	12	Laptop Table	HBF	Logicmeet	HTL60601R-2420

Description	Size	Base Style	Base Finish
Canitlevered round laptop table on offset four leg metal base	20"D 24.75"H	Four leg metal base	Satin Pewter-SP

Table Top Finish	Special Instructions
Solid Surface SDW Designer White	NA



OPN ARCHITECTS

Section 18 - Bid Tab
HBF

JOPLIN PUBLIC LIBRARY

OPN PROJECT NO: 14289000
EDA PROJECT NO: 05-79-05345
JOPLIN, MISSOURI
ISSUE DATE:11/08/2016

Type Mark	Count	Lead Time	% Discount	Unit List Cost	Unit Net Cost	Extended Cost	Delivery & Installation	Total
OT-4	12							

GRAND TOTAL:

ARE ALL SPECIFIED COM'S READILY AVAILABLE? **Y** ☐ **N** ☐ **N/A** ☐

IF ANSWERED "NO", PLEASE EXPLAIN:

_____

_____

_____

Type Mark	Lead Time	Warranty
OT-4		

Joplin Public Library

Section 19
Herman Miller, Inc.

OPN ARCHITECTS

Joplin Public Library

AC-1
ITEM CODE

FURNITURE SPECIFICATIONS

JOPLIN PUBLIC LIBRARY

PROJECT NO: 14289000
JOPLIN, MISSOURI
ISSUE DATE:11/08/2016

FF&E BASIS OF DESIGN
Accessories

Manufacturer listed as basis of design only. Equal alternates can be submitted for review.

ITEM INFORMATION:

Type Mark	Count	Item	Manufacturer	Model	Model Number
AC-1	8	Stacking Chair Cart	Herman Miller, Inc.	Caper Cart	WC904

Description	Size
Single piece mobile cart on heavy casters. Transports and stores up to 15 caper stack chairs (CH-2a, CH-2b, Ch-2c, CH-2d).	42"W 28"D 17"H (4" Diameter Casters)



OPN ARCHITECTS

Joplin Public Library

CH-1
ITEM CODE

FURNITURE SPECIFICATIONS

JOPLIN PUBLIC LIBRARY

PROJECT NO: 14289000
JOPLIN, MISSOURI
ISSUE DATE:11/08/2016

FF&E BASIS OF DESIGN
Chair

Manufacturer listed as basis of design only. Equal alternates can be submitted for review.

ITEM INFORMATION:

Type Mark	Count	Item	Manufacturer	Model	Model Number
CH-1	48	Chair	Herman Miller, Inc.	Molded Plastic Eames Chair	DSR47ZFE8

Description	Size	Base Style	Base Finish
Side Chair Molded Plastic 4-Leg Base	18"W 21.5"D 31.5" H	Wire base	Trivalent chrome

Shell	Special Instructions
White ZF	Standard glides



OPN ARCHITECTS

Joplin Public Library

CH-2a
ITEM CODE

FURNITURE SPECIFICATIONS

JOPLIN PUBLIC LIBRARY

PROJECT NO: 14289000
JOPLIN, MISSOURI
ISSUE DATE:11/08/2016

FF&E BASIS OF DESIGN
Chair

Manufacturer listed as basis of design only. Equal alternates can be submitted for review.

ITEM INFORMATION:

Type Mark	Count	Item	Manufacturer	Model	Model Number
CH-2a	259	Stacking Chair	Herman Miller, Inc.	Caper	WC420PBKBKU4BK

Description	Size	Arm Style	Frame Finish
Stacking chair with tubular steel frame, molded back that is perforated and contoured,flex-net seat, and a 4-leg base with casters.	32.5"H 24.25"W 18.5"D	Arms	Black

Seat/Back/Arm Finish	Casters
Molded Plastic Back: Black / "Flex Net" Mesh Seat: Black / Arms: Black	U4 Carpet Casters, Color Black



OPN ARCHITECTS

Joplin Public Library

CH-2b
ITEM CODE

FURNITURE SPECIFICATIONS

JOPLIN PUBLIC LIBRARY

PROJECT NO: 14289000
JOPLIN, MISSOURI
ISSUE DATE:11/08/2016

FF&E BASIS OF DESIGN
Chair

Manufacturer listed as basis of design only. Equal alternates can be submitted for review.

ITEM INFORMATION:

Type Mark	Count	Item	Manufacturer	Model	Model Number
CH-2b	30	Stacking Chair	Herman Miller, Inc.	Caper	WC420NBKBKU4

Description	Size	Arm Style	Frame Finish
Stacking chair with tubular steel frame, molded back that is perforated and contoured, flex-net seat, and a 4-leg base with casters.	32.5"H 21.5"W 18.5"D	No Arms	Black

Seat/Back Finish	Casters
Molded Plast Back: Black / "Flex Net" Mesh Seat: Black	U4 Carpet Casters, Color Black



OPN ARCHITECTS

Joplin Public Library

CH-2c
ITEM CODE

FURNITURE SPECIFICATIONS

JOPLIN PUBLIC LIBRARY

PROJECT NO: 14289000
JOPLIN, MISSOURI
ISSUE DATE:11/08/2016

FF&E BASIS OF DESIGN
Chair

Manufacturer listed as basis of design only. Equal alternates can be submitted for review.

ITEM INFORMATION:

Type Mark	Count	Item	Manufacturer	Model	Model Number
CH-2c	32	Stacking Chair	Herman Miller, Inc.	Caper	WC410PMSROY7SY

Description	Size	Arm Style	Frame Finish
Stacking chair with tubular steel frame, molded back that is perforated and contoured, molded seat, and a 4-leg base with glides.	32.5"H 24.25"W 18.5"D	Arms	Metallic Silver

Seat/Back/Arm Finish	Glides
Molded Plastic Back: Red / Molded Plastic Seat: Red / Arm: Silver Grey	Y7 Acetal Carpet Glide



OPN ARCHITECTS

Joplin Public Library

CH-2d
ITEM CODE

FURNITURE SPECIFICATIONS

JOPLIN PUBLIC LIBRARY

PROJECT NO: 14289000
JOPLIN, MISSOURI
ISSUE DATE:11/08/2016

FF&E BASIS OF DESIGN
Chair

Manufacturer listed as basis of design only. Equal alternates can be submitted for review.

ITEM INFORMATION:

Type Mark	Count	Item	Manufacturer	Model	Model Number
CH-2d	6	Stacking Chair	Herman Miller, Inc.	Caper	WC420PBKBKYXBK

Description	Size	Arm Style	Frame Finish
Stacking chair with tubular steel frame, molded plastic back that is perforated and contoured, flex-net seat, and a 4-leg base with glides.	32.5"H 24.25"W 18.5"D	Arms	Black

Seat/Back/Arm Finish	Glides
Molded Plastic Back: Black / "Flex Net" Mesh Seat: Black / Arms: Black	YX Floor Saver Glide Insert



Glides - NOT Casters as shown; see specs above

OPN ARCHITECTS

Joplin Public Library

CH-3a
ITEM CODE

FURNITURE SPECIFICATIONS

JOPLIN PUBLIC LIBRARY

PROJECT NO: 14289000
JOPLIN, MISSOURI
ISSUE DATE:11/08/2016

FF&E BASIS OF DESIGN
Chair

Manufacturer listed as basis of design only. Equal alternates can be submitted for review.

ITEM INFORMATION:

Type Mark	Count	Item	Manufacturer	Model	Model Number
CH-3a	20	Task Chair	Herman Miller, Inc.	Aeron Work	AE111HWBAJN2G1G1 C7

Description	Size	Base Style	Base Finish
Chair includes height adjustment, standard tilt mechanism, height adjustable arms, adjustable lumbar support and casters for carpet or hard surface floors.	Size B: 27"W 17"D 42"H	5-Star metal base	Graphite (G1)

Upholstery	Special Instructions
Back & Seat: Pellicle Material Mesh	NA



OPN ARCHITECTS

Joplin Public Library

CH-3b
ITEM CODE

FURNITURE SPECIFICATIONS

Joplin Public Library

PROJECT NO: 14289000
JOPLIN, MISSOURI
ISSUE DATE: 11/08/2016

FF&E BASIS OF DESIGN
Chair

Manufacturer listed as basis of design only. Equal alternates can be submitted for review.

ITEM INFORMATION:

Type Mark	Count	Item	Manufacturer	Model	Model Number
CH-3b	8	Task Chair	Herman Miller, Inc.	Aeron Work	AE111HWCAJN2G1G1 C7

Description	Size	Base Style	Base Finish
Chair includes height adjustment, standard tilt mechanism, height adjustable arms, adjustable lumbar support and casters for carpet or hard surface floors.	Size C: 28.25"W 18.5"D 45"H	5-Star Metal Base	Graphite (G1)

Upholstery	Special Instructions
Back & Seat: Pellicle Material Mesh	NA



OPN ARCHITECTS

Joplin Public Library

ST-2a
ITEM CODE

FURNITURE SPECIFICATIONS

JOPLIN PUBLIC LIBRARY

PROJECT NO: 14289000
JOPLIN, MISSOURI
ISSUE DATE:11/08/2016

FF&E BASIS OF DESIGN
Stool

Manufacturer listed as basis of design only. Equal alternates can be submitted for review.

ITEM INFORMATION:

Type Mark	Count	Item	Manufacturer	Model	Model Number
ST-2a	4	Bar Stool	Herman Miller, Inc.	Eames Molded Plastic Stool	DSHBX.47ZFE8

Description	Size	Base Style	Base Finish
One piece molded plastic back and seat with flexible back.	45.25"H 21.25"D 18"W 31"SH	Four leg metal base	Trivalent chrome

Shell Finish	Special Instructions
White ZF	Standard glides



OPN ARCHITECTS

Joplin Public Library

ST-2b
ITEM CODE

FURNITURE SPECIFICATIONS

JOPLIN PUBLIC LIBRARY

PROJECT NO: 14289000
JOPLIN, MISSOURI
ISSUE DATE:11/08/2016

FF&E BASIS OF DESIGN
Stool

Manufacturer listed as basis of design only. Equal alternates can be submitted for review.

ITEM INFORMATION:

Type Mark	Count	Item	Manufacturer	Model	Model Number
ST-2b	2	Counter Stool	Herman Miller, Inc.	Eames Molded Plastic Stool	DSHCX.47ZFE8

Description	Size	Base Style	Base Finish
One piece molded plastic back and seat with flexible back.	40.25"H 20.75"D 18"W 25.75"SH	Four leg metal base	Trivalent chrome

Shell Finish	Special Instructions
White ZF	Standard glides



OPN ARCHITECTS

Joplin Public Library

ST-3
ITEM CODE

FURNITURE SPECIFICATIONS

JOPLIN PUBLIC LIBRARY

PROJECT NO: 14289000
JOPLIN, MISSOURI
ISSUE DATE:11/08/2016

FF&E BASIS OF DESIGN
Stool

Manufacturer listed as basis of design only. Equal alternates can be submitted for review.

ITEM INFORMATION:

Type Mark	Count	Item	Manufacturer	Model	Model Number
ST-3	3	Work Stool	Herman Miller, Inc.	Aeron Work Stool	AE721PWBG1N2NNC7 BK

Description	Size	Base Style	Base Finish
Work stool with mesh back and seat with adjustable height, standard tilt mechanism, fixed arms and 5 star metal base with casters for carpet or hard surface floors	27"W 52-57"H Seat: 17"D 20.25"W	5-Star metal base	Graphite (G1)

Shell / Upholstery	Special Instructions
Back & Seat: Pellicle Material Mesh	NA



OPN ARCHITECTS

Joplin Public Library

TA-4
ITEM CODE

FURNITURE SPECIFICATIONS

JOPLIN PUBLIC LIBRARY

PROJECT NO: 14289000
JOPLIN, MISSOURI
ISSUE DATE:11/08/2016

FF&E BASIS OF DESIGN
Table

Manufacturer listed as basis of design only. Equal alternates can be submitted for review.

ITEM INFORMATION:

Type Mark	Count	Item	Manufacturer	Model	Model Number
TA-4	2	Table	Herman Miller, Inc.	Intersect Square Foldaway Table	CP311.42L91

Description	Size	Base Style	Base Finish
Laminate square fold away table with 2 folding sides, a center opening for wire management, and 4 painted legs with 2 locking and 2 non-locking black casters.	42"W 29"H	4 Legs with Casters	Metallic Silver

Table Top Finish	Special Instructions
91 White	NA



OPN ARCHITECTS

Joplin Public Library

TA-5a
ITEM CODE

FURNITURE SPECIFICATIONS

JOPLIN PUBLIC LIBRARY

PROJECT NO: 14289000
JOPLIN, MISSOURI
ISSUE DATE:11/08/2016

FF&E BASIS OF DESIGN
Table

Manufacturer listed as basis of design only. Equal alternates can be submitted for review.

ITEM INFORMATION:

Type Mark	Count	Item	Manufacturer	Model	Model Number
TA-5a	32	Nesting Table	Herman Miller, Inc.	Everywhere	DT5AS.2472LT98MS20NTG

Description	Size	Base Style	Base Finish
Flip top nesting table with t-leg on casters	72W 24D	T-leg with Casters	Metallic Silver

Table Top Finish	Special Instructions
Studio White #98 with matching thermoplastic edgeband.	In nested position, first table requires 23" of floor space - additional tables require 9" of floor space. 2 paddle mechanism allows table top to flip down. Includes (2) locking and (2) non-locking casters.



OPN ARCHITECTS

Joplin Public Library

TA-5b
ITEM CODE

FURNITURE SPECIFICATIONS

JOPLIN PUBLIC LIBRARY

PROJECT NO: 14289000
JOPLIN, MISSOURI
ISSUE DATE:11/08/2016

FF&E BASIS OF DESIGN
Table

Manufacturer listed as basis of design only. Equal alternates can be submitted for review.

ITEM INFORMATION:

Type Mark	Count	Item	Manufacturer	Model	Model Number
TA-5b	18	Nesting table	Herman Miller, Inc.	Everywhere	DT5AS.3072LT98MS20NTG

Description	Size	Base Style	Base Finish
Flip top nesting table with t-leg on casters	72W 30D	T-leg with Casters	Metallic Silver

Table Top Finish	Special Instructions
Studio White #98 with matching thermoplastic edgeband.	In nested position, first table requires 23" of floor space - additional tables require 9" of floor space. 2 paddle mechanism allows table top to flip down. Includes (2) locking and (2) non-locking casters.



OPN ARCHITECTS

Section 19 - Bid Tab
Herman Miller, Inc.

JOPLIN PUBLIC LIBRARY

OPN PROJECT NO: 14289000
EDA PROJECT NO: 05-79-05345
JOPLIN, MISSOURI
ISSUE DATE:11/08/2016

Type Mark	Count	Lead Time	% Discount	Unit List Cost	Unit Net Cost	Extended Cost	Delivery & Installation	Total
AC-1	8							
CH-1	48							
CH-2a	259							
CH-2b	30							
CH-2c	32							
CH-2d	6							
CH-3a	20							
CH-3b	8							
ST-2a	4							
ST-2b	2							
ST-3	3							
TA-4	2							
TA-5a	32							
TA-5b	18							

GRAND TOTAL:

ARE ALL SPECIFIED COM'S READILY AVAILABLE? **Y** ☐ **N** ☐ **N/A** ☐

IF ANSWERED "NO", PLEASE EXPLAIN:

_____

_____

_____

Type Mark	Lead Time	Warranty
AC-1		
CH-1		
CH-2a		
CH-2b		
CH-2c		
CH-2d		
CH-3a		

Type Mark	Lead Time	Warranty
CH-3b		
ST-2a		
ST-2b		
ST-3		
TA-4		
TA-5a		
TA-5b		

OPN ARCHITECTS

Joplin Public Library

Section 20
HighTower

OPN ARCHITECTS

Joplin Public Library

LS-5
ITEM CODE

FURNITURE SPECIFICATIONS

Joplin Public Library

PROJECT NO: 14289000
JOPLIN, MISSOURI
ISSUE DATE:11/08/2016

FF&E BASIS OF DESIGN
Lounge Seat

Manufacturer listed as basis of design only. Equal alternates can be submitted for review.


ITEM INFORMATION:

Type Mark	Count	Item	Manufacturer	Model	Model Number
LS-5	6	Lounge Chair	HighTower	True Love	GZ-2500

Description	Size	Base/Back Style	Base Finish
Lounge Chair w/ Swivel Base	38"W 28"D 27"H Seat 15"	Swivel Base	Stainless Steel

Upholstery	Special Instructions
Arc Com Santa Fe	NA





Manufacturer: Arc Com
Pattern: Santa Fe
Color: Pacific #13, AC-60282
Finish: Stain Resistant Finish

OPN ARCHITECTS

Joplin Public Library

LS-17
ITEM CODE

FURNITURE SPECIFICATIONS

Joplin Public Library

PROJECT NO: 14289000
JOPLIN, MISSOURI
ISSUE DATE:11/08/2016

FF&E BASIS OF DESIGN
Lounge Seat

Manufacturer listed as basis of design only. Equal alternates can be submitted for review.

ITEM INFORMATION:

Type Mark	Count	Item	Manufacturer	Model	Model Number
LS-17	4	Lounge Seat	HighTower	K2 Swivel	GZ3000

Description	Size	Base Style	Base Finish
Assymetrical fully uphostered chair on 4 star base with swivel auto return	37"W 29.5"D 30"H	4 Star Base	Stainless Steel

Upholstery	Special Instructions
Arc Com Santa Fe	NA





Manufacturer: Arc Com
Pattern: Santa Fe
Color: Ruby #9, AC-60278
Finish: Stain Resistant Finish

OPN ARCHITECTS

Section 20 - Bid Tab
HighTower

Joplin Public Library

OPN PROJECT NO: 14289000
EDA PROJECT NO: 05-79-05345
JOPLIN, MISSOURI
ISSUE DATE:11/08/2016

Type Mark	Count	Lead Time	% Discount	Unit List Cost	Unit Net Cost	Extended Cost	Delivery & Installation	Total
LS-5	6							
LS-17	4							

GRAND TOTAL:

ARE ALL SPECIFIED COM'S READILY AVAILABLE? **Y** ☐ **N** ☐ **N/A** ☐

IF ANSWERED "NO", PLEASE EXPLAIN:

_____

_____

_____

Type Mark	Count	Lead Time	Warranty
LS-5	6		
LS-17	4		

OPN ARCHITECTS

Joplin Public Library

Section 21
IOA

OPN ARCHITECTS

Joplin Public Library

LS-7
ITEM CODE

FURNITURE SPECIFICATIONS

JOPLIN PUBLIC LIBRARY

PROJECT NO: 14289000
JOPLIN, MISSOURI
ISSUE DATE:11/08/2016

FF&E BASIS OF DESIGN
Lounge Seat

Manufacturer listed as basis of design only. Equal alternates can be submitted for review.

ITEM INFORMATION:

Type Mark	Count	Item	Manufacturer	Model	Model Number
LS-7	1	Rocking Chair	IOA	Breeze	363RK

Description	Size	Base Style	Base Finish
Mesh backed rocker with upholstered foam seat and arms on stainless steel frame.	31"W 36"D 42"H	Rocker	Stainless Steel

Upholstery	Special Instructions
Mesh Back: Helsinki / Upholstery: Maharam Lariat	NA





Mesh:
Helsinki (Standard Color)



Upholstery:
Manufacturer: Maharam
Pattern: Lariat 440401
Color: Alabaster 025
Finish: Protective Topcoat
Backing: Polyester

OPN ARCHITECTS

Section 21 - Bid Tab
IOA

JOPLIN PUBLIC LIBRARY

OPN PROJECT NO: 14289000
EDA PROJECT NO: 05-79-05345
JOPLIN, MISSOURI
ISSUE DATE:11/08/2016

Type Mark	Count	Lead Time	% Discount	Unit List Cost	Unit Net Cost	Extended Cost	Delivery & Installation	Total
LS-7	1							

GRAND TOTAL:

ARE ALL SPECIFIED COM'S READILY AVAILABLE? **Y** ☐ **N** ☐ **N/A** ☐

IF ANSWERED "NO", PLEASE EXPLAIN:

_____

_____

_____

Type Mark	Count	Lead Time	Warranty
LS-7	1		

OPN ARCHITECTS

Joplin Public Library

Section 22
Keilhauer, Corp.

OPN ARCHITECTS

Joplin Public Library

LS-2a
ITEM CODE

FURNITURE SPECIFICATIONS

Joplin Public Library

PROJECT NO: 14289000
JOPLIN, MISSOURI
ISSUE DATE:11/08/2016

FF&E BASIS OF DESIGN
Lounge Seat


Manufacturer listed as basis of design only. Equal alternates can be submitted for review.

ITEM INFORMATION:

Type Mark	Count	Item	Manufacturer	Model	Model Number
LS-2a	9	Lounge Seat/Ottoman	Keilhauer, Corp.	Doko	67021

Description	Size	Base Style
Children's round active perch with knit upholstery.	13"W 13"D 14.75"H	Active Base

Upholstery	Special Instructions
Knit Colour DM010 Lagoon	NA



OPN ARCHITECTS

Joplin Public Library

LS-2b
ITEM CODE

FURNITURE SPECIFICATIONS

Joplin Public Library

PROJECT NO: 14289000
JOPLIN, MISSOURI
ISSUE DATE:11/08/2016

FF&E BASIS OF DESIGN
Lounge Seat


Manufacturer listed as basis of design only. Equal alternates can be submitted for review.

ITEM INFORMATION:

Type Mark	Count	Item	Manufacturer	Model	Model Number
LS-2b	9	Lounge Seat/Ottoman	Keilhauer, Corp.	Doko	67021

Description	Size	Base Style
Children's round active perch with knit upholstery.	13"W 13"D 14.75"H	Active Base

Upholstery	Special Instructions
Knit Colour DM018 Storm	NA



OPN ARCHITECTS

Joplin Public Library

LS-2c
ITEM CODE

FURNITURE SPECIFICATIONS

Joplin Public Library

PROJECT NO: 14289000
JOPLIN, MISSOURI
ISSUE DATE:11/08/2016

FF&E BASIS OF DESIGN
Lounge Seat


Manufacturer listed as basis of design only. Equal alternates can be submitted for review.

ITEM INFORMATION:

Type Mark	Count	Item	Manufacturer	Model	Model Number
LS-2c	7	Lounge Seat/Ottoman	Keilhauer, Corp.	Doko	67021

Description	Size	Base Style
Children's round active perch with knit upholstery.	13"W 13"D 14.75"H	Active Base

Upholstery	Special Instructions
Knit Colour DM002 Maraschino	NA



OPN ARCHITECTS

Joplin Public Library

LS-2d
ITEM CODE

FURNITURE SPECIFICATIONS

Joplin Public Library

PROJECT NO: 14289000
JOPLIN, MISSOURI
ISSUE DATE:11/08/2016

FF&E BASIS OF DESIGN
Lounge Seat

Manufacturer listed as basis of design only. Equal alternates can be submitted for review.

ITEM INFORMATION:

Type Mark	Count	Item	Manufacturer	Model	Model Number
LS-2d	2	Lounge Seat/Ottoman	Keilhauer, Corp.	Doko	67026

Description	Size	Base Style
Children's round pouf with knit upholstery.	44.5"D 16.5"H	Stationary Knit Base

Upholstery	Special Instructions
Knit Colour DM019 Pepper	NA



OPN ARCHITECTS

Joplin Public Library

LS-15
ITEM CODE

FURNITURE SPECIFICATIONS

Joplin Public Library

PROJECT NO: 14289000
JOPLIN, MISSOURI
ISSUE DATE:11/08/2016

FF&E BASIS OF DESIGN
Lounge Seat

Manufacturer listed as basis of design only. Equal alternates can be submitted for review.

ITEM INFORMATION:

Type Mark	Count	Item	Manufacturer	Model	Model Number
LS-15	12	Lounge Seat	Keilhauer, Corp.	Canal Lounge Chair	3211

Description	Size	Base Style	Base Finish
Fully upholstered lounge chair on steel frame with cleanout gap.	38"W 30"D 26"H	Four leg metal base	Nickel Plate PN00

Upholstery	Special Instructions
Arc Com Empress	Standard glides.





Upholstery:
Manufacturer: Arc Com
Pattern: Empress AC-61883
Color: Coal #24
Finish: Vinyl-Resilience Stain Resistant
Backing: Polyester

OPN ARCHITECTS

Joplin Public Library

LS-16a
ITEM CODE

FURNITURE SPECIFICATIONS

Joplin Public Library

PROJECT NO: 14289000
JOPLIN, MISSOURI
ISSUE DATE:11/08/2016

FF&E BASIS OF DESIGN
Lounge Seat

Manufacturer listed as basis of design only. Equal alternates can be submitted for review.


ITEM INFORMATION:

Type Mark	Count	Item	Manufacturer	Model	Model Number
LS-16a	2	Lounge Seat	Keilhauer, Corp.	Canal Extended 2-Seater Bench	3234

Description	Size	Base Style	Base Finish
Upholstered two-seat bench on steel frame with cleanout gap.	67.5"W 23"D 16"H	Four leg metal base	Nickel Plate PN00

Upholstery	Special Instructions
Carnegie Maze	NA





Manufacturer: Carnegie
Pattern: Maze 6550
Color: 37
Finish: Nanotex
Backing: Durablock

OPN ARCHITECTS

Joplin Public Library

LS-16b
ITEM CODE

FURNITURE SPECIFICATIONS

Joplin Public Library

PROJECT NO: 14289000
JOPLIN, MISSOURI
ISSUE DATE:11/08/2016

FF&E BASIS OF DESIGN
Lounge Seat

Manufacturer listed as basis of design only. Equal alternates can be submitted for review.


ITEM INFORMATION:

Type Mark	Count	Item	Manufacturer	Model	Model Number
LS-16b	3	Lounge Seat	Keilhauer, Corp.	Canal Extended 2-Seater Bench	3234

Description	Size	Base Style	Base Finish
Upholstered two-seat bench on steel frame with cleanout gap.	67.5"W 23"D 16"H	Four leg metal base	Nickel Plate PN00

Upholstery	Special Instructions
Arc Com Shimmer	Match pattern repeat between cushions and at seams.





Manufacturer: Arc Com
Pattern: Shimmer AC-69232
Color: Charcoal 23
Finish: Silverguard, Permablok
Backing: Polyester

OPN ARCHITECTS

Section 22 - Bid Tab
Keilhauer, Corp.

Joplin Public Library

OPN PROJECT NO: 14289000
EDA PROJECT NO: 05-79-05345
JOPLIN, MISSOURI
ISSUE DATE:11/08/2016

Type Mark	Count	Lead Time	% Discount	Unit List Cost	Unit Net Cost	Extended Cost	Delivery & Installation	Total
LS-2a	9							
LS-2b	9							
LS-2c	7							
LS-2d	2							
LS-15	12							
LS-16a	2							
LS-16b	3							

GRAND TOTAL:

ARE ALL SPECIFIED COM'S READILY AVAILABLE? **Y** ☐ **N** ☐ **N/A** ☐

IF ANSWERED "NO", PLEASE EXPLAIN:

_____

_____

_____

Type Mark	Count	Lead Time	Warranty
LS-2a	9		
LS-2b	9		
LS-2c	7		
LS-2d	2		
LS-15	12		
LS-16a	2		
LS-16b	3		

OPN ARCHITECTS

Joplin Public Library

Section 23
Knoll, Inc.

OPN ARCHITECTS

Joplin Public Library

CH-7
ITEM CODE

FURNITURE SPECIFICATIONS

JOPLIN PUBLIC LIBRARY

PROJECT NO: 14289000
JOPLIN, MISSOURI
ISSUE DATE:11/08/2016

FF&E BASIS OF DESIGN
Chair

Manufacturer listed as basis of design only. Equal alternates can be submitted for review.

ITEM INFORMATION:

Type Mark	Count	Item	Manufacturer	Model	Model Number
CH-7	6	Chair	Knoll, Inc.	Saarinen Executive	71A-D

Description	Size	Base Style	Base Finish
Upholstered seat, back and arms over molded, reinforced polyurethane back shell and a contoured plywood seat form with wood legs.	31.5"H 25.5"W 24.5"D Seat: 18"H	Bent Wood Legs with Molded nylon disk Glides in Stamped Steel	Ebonized Walnut

Upholstery	Special Instructions
Knoll - Woodland - K2094/4 - Red Pine	NA





Manufacturer: Knoll
Pattern: Woodlands K2094
Color: Red Pine 4
Finish: Nanotex
Backing: Durablock



Leg Finish: Ebonized Walnut

OPN ARCHITECTS

Joplin Public Library

OT-2
ITEM CODE

FURNITURE SPECIFICATIONS

JOPLIN PUBLIC LIBRARY

PROJECT NO: 14289000
JOPLIN, MISSOURI
ISSUE DATE:11/08/2016

FF&E BASIS OF DESIGN
Occassional Table

Manufacturer listed as basis of design only. Equal alternates can be submitted for review.

ITEM INFORMATION:

Type Mark	Count	Item	Manufacturer	Model	Model Number
OT-2	2	Occasional Table	Knoll, Inc.	Maya Lin Coffee Table	85T32M

Description	Size	Finish
Molded polyethylene table with integral color, a light texture, and low gloss finish.	32"W 22.5"D 15"H	SPRC - Silver



OPN ARCHITECTS

Joplin Public Library

OT-3
ITEM CODE

FURNITURE SPECIFICATIONS

JOPLIN PUBLIC LIBRARY

PROJECT NO: 14289000
JOPLIN, MISSOURI
ISSUE DATE:11/08/2016

FF&E BASIS OF DESIGN
Occassional Table

Manufacturer listed as basis of design only. Equal alternates can be submitted for review.

ITEM INFORMATION:

Type Mark	Count	Item	Manufacturer	Model	Model Number
OT-3	1	Occasional Table	Knoll, Inc.	Risom Amoeba	643TA-KE-D

Description	Size	Base Style	Base Finish
Amoeba shaped veneer coffee table with solid wood legs.	42"W 16"H 32"D	Four Leg	Solid Ebonized Walnut

Table Top Finish	Special Instructions
Ebonized Walnut	NA



OPN ARCHITECTS

Section 23 - Bid Tab
Knoll, Inc.

JOPLIN PUBLIC LIBRARY

OPN PROJECT NO: 14289000
EDA PROJECT NO: 05-79-05345
JOPLIN, MISSOURI
ISSUE DATE:11/08/2016

Type Mark	Count	Lead Time	% Discount	Unit List Cost	Unit Net Cost	Extended Cost	Delivery & Installation	Total
CH-7	6							
OT-2	2							
OT-3	1							

GRAND TOTAL:

ARE ALL SPECIFIED COM'S READILY AVAILABLE? **Y** ☐ **N** ☐ **N/A** ☐

IF ANSWERED "NO", PLEASE EXPLAIN:

_____

_____

_____

Type Mark	Count	Lead Time	Warranty
CH-7	6		
OT-2	2		
OT-3	1		

Joplin Public Library

Section 24
Krug

OPN ARCHITECTS

Joplin Public Library

LS-9a
ITEM CODE

FURNITURE SPECIFICATIONS

Joplin Public Library
PROJECT NO: 14289000
JOPLIN, MISSOURI
ISSUE DATE:11/08/2016

FF&E BASIS OF DESIGN
Lounge Seat

Manufacturer listed as basis of design only. Equal alternates can be submitted for review.


ITEM INFORMATION:


Type Mark	Count	Item	Manufacturer	Model	Model Number
LS-9a	2	Lounge Seat	Krug	Zola Single Seat, 45 Degree Inside Curve	ZOL3 MCIS45D1

Description	Size	Base Style	Base Finish
Modular curve lounge constructed of steel and plywood framing with high density foam and upholstered seat and back.	42"W 29"D 34"H	Adjustable Metal Leg	Silver Metallic

Upholstery	Special Instructions
Back: Carnegie Barre / Seat: Arc Com Shimmer	Include two seat brackets for each chair.








***FABRIC SHALL BE RAILROADED**

Back
Manufacturer: Carnegie
Pattern: Barre 6512
Color: 80
Finish: Stain Repellent
Backing: Acrylic



Seat
Manufacturer: Arc Com
Pattern: Shimmer AC-69232
Color: Charcoal 23
Finish: Silverguard, Permablok
Backing: Polyester

OPN ARCHITECTS

Joplin Public Library

LS-9b
ITEM CODE

FURNITURE SPECIFICATIONS

Joplin Public Library

PROJECT NO: 14289000
JOPLIN, MISSOURI
ISSUE DATE:11/08/2016

FF&E BASIS OF DESIGN
Lounge Seat

Manufacturer listed as basis of design only. Equal alternates can be submitted for review.


ITEM INFORMATION:


Type Mark	Count	Item	Manufacturer	Model	Model Number
LS-9b	2	Lounge Seat	Krug	Krug Double Seat, 90 Degree Inside Curve	ZOL3 MCIS90D1

Description	Size	Base Style	Base Finish
Modular curve lounge constructed of steel and plywood framing with high density foam and upholstered seat and back.	81"W 36"D 34"H	Adjustable legs	Silver Metallic

Upholstery	Special Instructions
Back: Carnegie Barre / Seat: Arc Com Shimmer	Include two seat brackets for each chair.








***FABRIC SHALL BE RAILROADED**

Back
Manufacturer: Carnegie
Pattern: Barre 6512
Color: 80
Finish: Stain Repellent
Backing: Acrylic



Seat
Manufacturer: Arc Com
Pattern: Shimmer AC-69232
Color: Charcoal 23
Finish: Silverguard, Permablok
Backing: Polyester

OPN ARCHITECTS

Joplin Public Library

LS-9c
ITEM CODE

FURNITURE SPECIFICATIONS

Joplin Public Library

PROJECT NO: 14289000
JOPLIN, MISSOURI
ISSUE DATE:11/08/2016

FF&E BASIS OF DESIGN
Lounge Seat

Manufacturer listed as basis of design only. Equal alternates can be submitted for review.


ITEM INFORMATION:


Type Mark	Count	Item	Manufacturer	Model	Model Number
LS-9c	2	Lounge Seat	Krug	Zola One Seat Bench, 30 Degree Inside Curve	ZOL3-MCS30DF1

Description	Size	Base Style	Base Finish
Modular curve lounge constructed of steel and plywood framing with high density foam.	36"W 28.5"D 34"H	Adjustable Metal Leg	Silver Metallic

Upholstery	Special Instructions
Seat: Arc Com Shimmer	Include two seat brackets for each chair.







Seat
Manufacturer: Arc Com
Pattern: Shimmer AC-69232
Color: Charcoal 23
Finish: Silverguard, Permablok
Backing: Polyester

OPN ARCHITECTS

LS-9d
ITEM CODE

FURNITURE SPECIFICATIONS

Joplin Public Library

PROJECT NO: 14289000
JOPLIN, MISSOURI
ISSUE DATE:11/08/2016

FF&E BASIS OF DESIGN
Lounge Seat

Manufacturer listed as basis of design only. Equal alternates can be submitted for review.


ITEM INFORMATION:


Type Mark	Count	Item	Manufacturer	Model	Model Number
LS-9d	1	Lounge Seat	Krug	Zola Two-Seat Bench	ZOL3 MS21

Description	Size	Base Style	Base Finish
Modular curve lounge constructed of steel and plywood framing with high density foam.	46"W 22.25"D 18.5"H	Adjustable Metal Leg	Silver Metallic

Upholstery	Special Instructions
Seat: Arc Com Shimmer	Include two seat brackets for each chair.







Seat
Manufacturer: Arc Com
Pattern: Shimmer AC-69232
Color: Charcoal 23
Finish: Silverguard, Permablok
Backing: Polyester

OPN ARCHITECTS

Joplin Public Library

LS-11
ITEM CODE

FURNITURE SPECIFICATIONS

Joplin Public Library

PROJECT NO: 14289000
JOPLIN, MISSOURI
ISSUE DATE:11/08/2016

FF&E BASIS OF DESIGN
Lounge Seat

Manufacturer listed as basis of design only. Equal alternates can be submitted for review.

ITEM INFORMATION:

Type Mark	Count	Item	Manufacturer	Model	Model Number
LS-11	3	Lounge Seat	Krug	Zola One Seat Bariatric, Full Height Back	ZOP3-MB1F0F

Description	Size	Base Style	Base Finish
Bariatric privacy booth constructed of steel and pywood framing with high density foam.	30"W 27"D 37.5"H	Adjustable Metal Leg	Silver Metallic

Upholstery	Special Instructions
Booth Back: HBF Remember / Seat: Wolf Gordon Brennan	Standard glides.





***FABRIC SHALL BE RAILROADED**

Booth Back
Manufacturer: HBF
Pattern: Remember
Color: 929-90 Black & White
Finish: Nano-Tex
Backing: Light Acrylic



Booth Seat
Manufacturer: Wolf Gordon
Pattern: Brennan
Color: Obsidian - BRN8552
Finish: Resilence SR
Backing: Polyester Knit

OPN ARCHITECTS

Joplin Public Library

LS-13a
ITEM CODE

FURNITURE SPECIFICATIONS

Joplin Public Library
PROJECT NO: 14289000
JOPLIN, MISSOURI
ISSUE DATE:11/08/2016

FF&E BASIS OF DESIGN
Lounge Seat

Manufacturer listed as basis of design only. Equal alternates can be submitted for review.


ITEM INFORMATION:

Type Mark	Count	Item	Manufacturer	Model	Model Number
LS-13a	8	Lounge Seat	Krug	Zola Single Seat, 45 Degree Inside Curve	ZOL3 MCIS45D1


Description	Size	Base Style	Base Finish
Modular curve lounge constructed of steel and plywood framing with high density foam.	42"W 29"D 34"H	Adjustable Metal Leg	Silver Metallic


Upholstery	Special Instructions
Back: Architex Fibonacci / Seat: Arc Com Shimmer	Match pattern at seams.





Back
Manufacturer: Architex
Pattern: Fibonacci
Color: Morel
Finish: Nanotex
Backing: Durablock





Seat
Manufacturer: Arc Com
Pattern: Shimmer AC-69232
Color: Charcoal 23
Finish: Silverguard, Permablok
Backing: Polyester

OPN ARCHITECTS

Joplin Public Library

LS-13b
ITEM CODE

FURNITURE SPECIFICATIONS

Joplin Public Library

PROJECT NO: 14289000
JOPLIN, MISSOURI
ISSUE DATE:11/08/2016

FF&E BASIS OF DESIGN
Lounge Seat

Manufacturer listed as basis of design only. Equal alternates can be submitted for review.


ITEM INFORMATION:

Type Mark	Count	Item	Manufacturer	Model	Model Number
LS-13b	4	Lounge Seat	Krug	Zola Double Seat, 90 Degree Inside Curve	ZOL3 MCID90D1


Description	Size	Base Style	Base Finish
Modular curve lounge constructed of steel and plywood framing and high density foam.	81"W 36"D 34"H	Adjustable Metal Leg	Silver Metallic


Upholstery	Special Instructions
Back: Architex Fibonacci / Seat: Arc Com Shimmer	Include seat brackets as required for each chair. Match pattern at seams.





Back
Manufacturer: Architex
Pattern: Fibonacci
Color: Morel
Finish: Nanotex
Backing: Durablock





Seat
Manufacturer: Arc Com
Pattern: Shimmer AC-69232
Color: Charcoal 23
Finish: Silverguard, Permablok
Backing: Polyester

OPN ARCHITECTS

Section 24 - Bid Tab
Krug

Joplin Public Library

OPN PROJECT NO: 14289000
EDA PROJECT NO: 05-79-05345
JOPLIN, MISSOURI
ISSUE DATE:11/08/2016

Type Mark	Count	Lead Time	% Discount	Unit List Cost	Unit Net Cost	Extended Cost	Delivery & Installation	Total
LS-9a	2							
LS-9b	2							
LS-9c	2							
LS-9d	1							
LS-11	3							
LS-13a	8							
LS-13b	4							

GRAND TOTAL:

ARE ALL SPECIFIED COM'S READILY AVAILABLE? **Y** ☐ **N** ☐ **N/A** ☐

IF ANSWERED "NO", PLEASE EXPLAIN:

_____

_____

_____

Type Mark	Count	Lead Time	Warranty
LS-9a	2		
LS-9b	2		
LS-9c	2		
LS-9d	1		
LS-11	3		
LS-13a	8		
LS-13b	4		

OPN ARCHITECTS

Joplin Public Library

Section 25
Landscape Forms

OPN ARCHITECTS

Joplin Public Library

LCH-1
ITEM CODE

FURNITURE SPECIFICATIONS

JOPLIN PUBLIC LIBRARY

PROJECT NO: 14289000
JOPLIN, MISSOURI
ISSUE DATE:11/08/2016

FF&E BASIS OF DESIGN
Landscape Chair

Manufacturer listed as basis of design only. Equal alternates can be submitted for review.

ITEM INFORMATION:

Type Mark	Count	Item	Manufacturer	Model	Mount
LCH-1	32	Outdoor Chair	Landscape Forms	Parc Centre Chair	Freestanding

Description	Size	Arm Style
Heavy steel frame chair powdercoated in custom color. Seat and back panels constructed of welded steel straps. Stacking bumper/glides made of tough nylon. Meets ANSI/BFMA standards.	22"D 21"W 33"H	No Arms

Custom Powdercoat Color	Special Instructions
To Match PPG Candy Apple 13-10	NA



OPN ARCHITECTS

Joplin Public Library

LTA-1a
ITEM CODE

FURNITURE SPECIFICATIONS

JOPLIN PUBLIC LIBRARY

PROJECT NO: 14289000
JOPLIN, MISSOURI
ISSUE DATE:11/08/2016

FF&E BASIS OF DESIGN
Landscape Table

Manufacturer listed as basis of design only. Equal alternates can be submitted for review.

ITEM INFORMATION:

Type Mark	Count	Item	Manufacturer	Model	Mount
LTA-1a	3	Outdoor Table	Landscape Forms	Parc Centre Table	Surface Mount

Description	Size	Base Style
Tabletop formed of solid steel plate welded to heavy duty steel wall tubing support and solid steel base plate. All parts are powdercoated.	30" D	Surface Mount

Custom Powdercoat Color	Special Instructions
To Match PPG Candy Apple 13-10	NA



OPN ARCHITECTS

Joplin Public Library

LTA-1b
ITEM CODE

FURNITURE SPECIFICATIONS

JOPLIN PUBLIC LIBRARY

PROJECT NO: 14289000
JOPLIN, MISSOURI
ISSUE DATE:11/08/2016

FF&E BASIS OF DESIGN
Landscape Table

Manufacturer listed as basis of design only. Equal alternates can be submitted for review.

ITEM INFORMATION:

Type Mark	Count	Item	Manufacturer	Model	Mount
LTA-1b	6	Outdoor Table	Landscape Forms	Parc Centre Table	Freestanding

Description	Size	Base Style
Tabletop formed of solid steel plate welded to heavy duty steel wall tubing support and solid steel base plate. All parts are powdercoated.	30" D	Freestanding with Adjustable Levelers

Custom Powdercoat Color	Special Instructions
To Match PPG Candy Apple 13-10	NA



OPN ARCHITECTS

Section 25 - Bid Tab
Landscape Forms

JOPLIN PUBLIC LIBRARY

OPN PROJECT NO: 14289000
EDA PROJECT NO: 05-79-05345
JOPLIN, MISSOURI
ISSUE DATE:11/08/2016

Type Mark	Count	Lead Time	% Discount	Unit List Cost	Unit Net Cost	Extended Cost	Delivery & Installation	Total
LCH-1	32							
LTA-1a	3							
LTA-1b	6							

GRAND TOTAL:

ARE ALL SPECIFIED COM'S READILY AVAILABLE? **Y** ☐ **N** ☐ **N/A** ☐

IF ANSWERED "NO", PLEASE EXPLAIN:

_____

_____

_____

Type Mark	Count	Lead Time	Warranty
LCH-1	32		
LTA-1a	3		
LTA-1b	6		

OPN ARCHITECTS

Joplin Public Library

Section 26
Loewenstein

OPN ARCHITECTS

Joplin Public Library

LS-12
ITEM CODE

FURNITURE SPECIFICATIONS

JOPLIN PUBLIC LIBRARY

PROJECT NO: 14289000
JOPLIN, MISSOURI
ISSUE DATE:11/08/2016

FF&E BASIS OF DESIGN
Lounge Seat

Manufacturer listed as basis of design only. Equal alternates can be submitted for review.

ITEM INFORMATION:

Type Mark	Count	Item	Manufacturer	Model	Model Number
LS-12	4	Lounge Seat	Loewenstein	Sills	10910

Description	Size	Base Style	Base Finish
Lounge chair with upholstered seat, back, and arms with tufting and exposed wood tapered legs.	34"W 30"D 30"H	Exposed Wood Taper	Sable Walnut

Upholstery	Special Instructions
Designtex Hint	Standard glides





Upholstery
Manufacturer: Designtex
Pattern: Hint 3776
Color: Dark Grey 804
Finish: Stain Repellent
Backing: Durablock

OPN ARCHITECTS

Section 26 - Bid Tab
Loewenstein

JOPLIN PUBLIC LIBRARY

OPN PROJECT NO: 14289000
EDA PROJECT NO: 05-79-05345
JOPLIN, MISSOURI
ISSUE DATE:11/08/2016

Type Mark	Count	Lead Time	% Discount	Unit List Cost	Unit Net Cost	Extended Cost	Delivery & Installation	Total
LS-12	4							

GRAND TOTAL:

ARE ALL SPECIFIED COM'S READILY AVAILABLE? **Y** ☐ **N** ☐ **N/A** ☐

IF ANSWERED "NO", PLEASE EXPLAIN:

_____

_____

_____

Type Mark	Count	Lead Time	Warranty
LS-12	4		

Joplin Public Library

Section 27
LogiFlex

OPN ARCHITECTS

Joplin Public Library

LS-18a
ITEM CODE

FURNITURE SPECIFICATIONS

Joplin Public Library

PROJECT NO: 14289000
JOPLIN, MISSOURI
ISSUE DATE:11/08/2016

FF&E BASIS OF DESIGN
Lounge Seat

Manufacturer listed as basis of design only. Equal alternates can be submitted for review.


ITEM INFORMATION:

Type Mark	Count	Item	Manufacturer	Model	Model Number
LS-18a	3	Lounge/Ottoman	LogiFlex	Clara	CLA

Description	Size	Base Style
Upholstered circular ottoman.	29.5" D 17.5"H	5 Brushed Chrome Legs

Upholstery	Special Instructions
Designtex Beguiled by the Wild	NA





Upholstery:
Manufacturer: Designtex
Pattern: Beguiled by the Wild 3495
Color: Flamingo 301
Finish: Cleangene+Silicone
Backing: Knit, Polyester

OPN ARCHITECTS

Joplin Public Library

LS-18b
ITEM CODE

FURNITURE SPECIFICATIONS

Joplin Public Library

PROJECT NO: 14289000
JOPLIN, MISSOURI
ISSUE DATE:11/08/2016

FF&E BASIS OF DESIGN
Lounge Seat


Manufacturer listed as basis of design only. Equal alternates can be submitted for review.


ITEM INFORMATION:

Type Mark	Count	Item	Manufacturer	Model	Model Number
LS-18b	2	Lounge/Ottoman	LogiFlex	Clara	CLAB


Description	Size	Base Style
Upholstered ottoman with upholstered back rest.	29"D 26"H 17.5"SH	5 Brushed Chrome Legs

Upholstery	Special Instructions
Seat: Designtex Beguiled by the Wild / Back: Designtex Metta	NA





Back:
Manufacturer: Designtex
Pattern: Metta 2681
Color: Stone 802
Finish: Permablok
Backing: Knit, Polyester



Seat:
Manufacturer: Designtex
Pattern: Beguiled by the Wild 3495
Color: Hummingbird 402
Finish: Cleangene+Silicone
Backing: Knit, Polyester

OPN ARCHITECTS

Joplin Public Library

LS-18c
ITEM CODE

FURNITURE SPECIFICATIONS

Joplin Public Library

PROJECT NO: 14289000
JOPLIN, MISSOURI
ISSUE DATE:11/08/2016

FF&E BASIS OF DESIGN
Lounge Seat

Manufacturer listed as basis of design only. Equal alternates can be submitted for review.

ITEM INFORMATION:

Type Mark	Count	Item	Manufacturer	Model	Model Number
LS-18c	2	Lounge Seat/Ottoman	LogiFlex	Clara	CLAS

Description	Size	Base Style
Upholstered ottoman with single side indenture to nestle against round ottoman.	29" D 17.5"H	5 Brushed Chrome Legs

Upholstery	Special Instructions
Designtex Beguild by the Wild	NA





Upholstery:
Manufacturer: Designtex
Pattern: Beguiled by the Wild 3495
Color: Canary 701
Finish: Cleangene+Silicone
Backing: Knit, Polyester

OPN ARCHITECTS

Joplin Public Library

LS-18d
ITEM CODE

FURNITURE SPECIFICATIONS

Joplin Public Library

PROJECT NO: 14289000
JOPLIN, MISSOURI
ISSUE DATE:11/08/2016

FF&E BASIS OF DESIGN
Lounge Seat

Manufacturer listed as basis of design only. Equal alternates can be submitted for review.

ITEM INFORMATION:

Type Mark	Count	Item	Manufacturer	Model	Model Number
LS-18d	2	Lounge/Ottoman	LogiFlex	Clara	CLAD

Description	Size	Base Style
Upholstered ottoman with double side indenture to nestle between round ottoman.	29"D 17.5"H	5 Brushed Chrome Legs

Upholstery	Special Instructions
Designtex Beguiled by the Wild	NA





Upholstery:
Manufacturer: Designtex
Pattern: Beguiled by the Wild 3495
Color: Treefrog 501
Finish: Cleangene+Silicone
Backing: Knit, Polyester

OPN ARCHITECTS

Section 27 - Bid Tab
LogiFlex

JOPLIN PUBLIC LIBRARY

OPN PROJECT NO: 14289000
EDA PROJECT NO: 05-79-05345
JOPLIN, MISSOURI
ISSUE DATE:11/08/2016

Type Mark	Count	Lead Time	% Discount	Unit List Cost	Unit Net Cost	Extended Cost	Delivery & Installation	Total
LS-18a	3							
LS-18b	2							
LS-18c	2							
LS-18d	2							

GRAND TOTAL:

ARE ALL SPECIFIED COM'S READILY AVAILABLE? **Y** ☐ **N** ☐ **N/A** ☐

IF ANSWERED "NO", PLEASE EXPLAIN:

_____

_____

_____

Type Mark	Count	Lead Time	Warranty
LS-18a	3		
LS-18b	2		
LS-18c	2		
LS-18d	2		

Joplin Public Library

Section 28
Nienkamper

OPN ARCHITECTS

Joplin Public Library

TA-9
ITEM CODE

FURNITURE SPECIFICATIONS

JOPLIN PUBLIC LIBRARY

PROJECT NO: 14289000
JOPLIN, MISSOURI
ISSUE DATE:11/08/2016

FF&E BASIS OF DESIGN
Table

Manufacturer listed as basis of design only. Equal alternates can be submitted for review.

ITEM INFORMATION:

Type Mark	Count	Item	Manufacturer	Model	Model Number
TA-9	2	Computer table	Nienkamper	Metronome	MNT33144

Description	Size	Base Style	Base Finish
Rectangular top with trough and metronome legs, custom height.	144"L 48"D 24"H	Metronome	Clear Anodized Aluminum with Polished Accents

Table Top Finish	Special Instructions
Wilsonart Laminate Charcoal Walnut #7964k-78 and taper wood edge stained to match laminate.	(2) 42"L troughs per table - each trough includes (2) simple forum modules (4 power outlets and 2 data ports #39941/5) Trough doors to match top. Interior trough color MT-01 Winter White. Each table to receive (2) vertical cable managers #55024 color Silver. Power is pre-wired with direct plug to floor outlet (by others).



OPN ARCHITECTS

Section 28 - Bid Tab
Nienkamper

JOPLIN PUBLIC LIBRARY

OPN PROJECT NO: 14289000
EDA PROJECT NO: 05-79-05345
JOPLIN, MISSOURI
ISSUE DATE:11/08/2016

Type Mark	Count	Lead Time	% Discount	Unit List Cost	Unit Net Cost	Extended Cost	Delivery & Installation	Total
TA-9	2							

GRAND TOTAL:

ARE ALL SPECIFIED COM'S READILY AVAILABLE? **Y** ☐ **N** ☐ **N/A** ☐

IF ANSWERED "NO", PLEASE EXPLAIN:

_____

_____

_____

Type Mark	Count	Lead Time	Warranty
TA-9	2		

Joplin Public Library

Section 29
Palmieri

OPN ARCHITECTS

Joplin Public Library

CH-6
ITEM CODE

FURNITURE SPECIFICATIONS

JOPLIN PUBLIC LIBRARY

PROJECT NO: 14289000
JOPLIN, MISSOURI
ISSUE DATE:11/08/2016

FF&E BASIS OF DESIGN
Chair

Manufacturer listed as basis of design only. Equal alternates can be submitted for review.

ITEM INFORMATION:

Type Mark	Count	Item	Manufacturer	Model	Model Number
CH-6	4	Child's Chair	Palmieri	Snow Junior	SN-2-RD

Description	Size	Shell Color
Seat features molded, reinforced polyurethane back shell and a contoured plywood seat form	24.5"H 16.5"W 17.5"D Seat: 13.75"H	Red

Shell	Special Instructions
Molded plastic	NA



OPN ARCHITECTS

Section 29 - Bid Tab
Palmieri

JOPLIN PUBLIC LIBRARY

OPN PROJECT NO: 14289000
EDA PROJECT NO: 05-79-05345
JOPLIN, MISSOURI
ISSUE DATE:11/08/2016

Type Mark	Count	Lead Time	% Discount	Unit List Cost	Unit Net Cost	Extended Cost	Delivery & Installation	Total
CH-6	4							

GRAND TOTAL:

ARE ALL SPECIFIED COM'S READILY AVAILABLE? **Y** ☐ **N** ☐ **N/A** ☐

IF ANSWERED "NO", PLEASE EXPLAIN:

_____

_____

_____

Type Mark	Count	Lead Time	Warranty
CH-6	4		

OPN ARCHITECTS

Joplin Public Library

Section 30
Steelcase

OPN ARCHITECTS

Joplin Public Library

CH-8
ITEM CODE

FURNITURE SPECIFICATIONS

JOPLIN PUBLIC LIBRARY

PROJECT NO: 14289000
JOPLIN, MISSOURI
ISSUE DATE:11/08/2016

FF&E BASIS OF DESIGN
Chair

Manufacturer listed as basis of design only. Equal alternates can be submitted for review.

ITEM INFORMATION:

Type Mark	Count	Item	Manufacturer	Model	Model Number
CH-8	1	Task Chair	Steelcase	Steelcase Leap Plus 462 Series	46296189

Description	Size	Base Style	Base Finish	Arm Finish
3D (3-layered polyester) knit back with upholstered seat, height adjustable arms, passive seat edge, 5 star base on dual wheel casters.	31.75"OW 21.75-24.75"OD 38.75-42.5"OH	5 star metal base	Black	Black

Upholstery	Special Instructions
Back 3D knit 5065 Licorice; Seat Cogent Connect 5826 Licorice	NA



OPN ARCHITECTS

Section 30 - Bid Tab
Steelcase

JOPLIN PUBLIC LIBRARY

OPN PROJECT NO: 14289000
EDA PROJECT NO: 05-79-05345
JOPLIN, MISSOURI
ISSUE DATE:11/08/2016

Type Mark	Count	Lead Time	% Discount	Unit List Cost	Unit Net Cost	Extended Cost	Delivery & Installation	Total
CH-8	1							

GRAND TOTAL:

ARE ALL SPECIFIED COM'S READILY AVAILABLE? **Y** ☐ **N** ☐ **N/A** ☐

IF ANSWERED "NO", PLEASE EXPLAIN:

_____

_____

_____

Type Mark	Count	Lead Time	Warranty
CH-8	1		

OPN ARCHITECTS

Joplin Public Library

Section 31
Workstations/Office Typicals

OPN ARCHITECTS

Section 31 Workstation/Office Typicals – Product Description

Please mark the following characteristics with how they apply to the manufacturer's product specifications as submitted per the bid.

Criteria	Specification Score	Yes	No
Warranty	Lifetime – Replacement product, parts and labor will be replaced at no charge if product fails under normal commercial use. 5 Years for Adjustable Height Tables		
Environmental Certification	Product line must have a Level 3 certification		
Panel Frame			
Frame Construction	16 gauge formed steel vertical and 18 gauge steel horizontal welded to a structural panel frame. Frames ship fully assembled.		
Panel Connectors	Universal Connector (same connector for 2,-way, 3-way and 4-way and Extended straight connections) ; 120 degree 2 way and 3-way connectors		
Panel Base	3 Options: Raceway, Footed or Tile to the Floor, 4" High Steel Cover Levelling Glides allow 2-3/4" Adjustment		
Panel Widths	7 Widths Available – See drawings for sizes		
Panel Heights	5 Heights Available – See drawings for sizes		
Frame Thickness	3"		
Panel Tile Options	Tackable Acoustic, Tackable Acoustic to the Floor, Tackable Acoustic Ported, Steel, Steel to the Floor, Perforated Steel, Tool(slotted) Glass, Low Profile Glass, Pass Thru, Infinite Spectrum/Pantone, Pearlescent Strata, Frequency Foundation, Quattro, Laminate, Laminate to the Floor Porcelain Marker Board, Veneer and Veneer to the Floor		
Panel Trim	Flat, No Trim Option and Extended Trim up to 96"		
Panel Stacking Frames			
Widths	7 Widths Available – See drawings for sizes		
Heights	3 Heights: 15", 22-1/2" and 30"		
Tile Options	Same as Panels as noted above		
Stack/Load	Load bearing up to 65" on first stack; Maximum Height 110"		
Other	Accepts Power and Data, Lay in (data) under the top cap		
Panel Doors			
Styles	Sliding and Hinge Style		
Electrical			
UL	UL 183 listed		
Configurations	Four Circuit (3+1), Four Circuit (2+2), Three Circuit (separate neutrals) and Eight Circuits (2 Four Circuit Systems provided back to back) Four Circuit configurations utilize 8 wire electrical system, 20 amps per circuit		
Duplex Receptacles	Two Duplex Receptacles per side of panel ; 24" wide panel allows for one duplex per side		
Capacity	24 cables with electrical in panel base; 68 cables without electrical in panel base, Lay-0n cabling allows for 10 cables under panel top cap		

Section 31 Workstation/Office Typicals – Product Description

Please mark the following characteristics with how they apply to the manufacturer's product specifications as submitted per the bid.

Location	Base and Beltline Power		
Criteria	**Specification Score**	**Yes**	**No**
Work surfaces			
Shapes	9 Shapes		
Widths	13 widths – See Drawings for sizes		
Depths	4 depths – See Drawings for sizes		
Thickness	1-1/4" with 3 Edge Styles		
Surface Material	Laminate or Veneer		
Supports	Panel hung or Freestanding Fixed Height, Freestanding Adjustable Height Low Storage Units and Table base options		
Grommets	1 or 2 Grommets per work surface		
Overhead Storage			
Styles	Panel or Wall Mounted with Horizontal Frame, Metal or Painted Wood and Wood		
Door Styles	Sliding, Flip Up and No Door		
Widths	24" to 60"		
Height	15"		
Features	Fully Enclosed Back, Locking		
Pedestal Storage			
Styles	Stationary/Supporting and Mobile		
Drawer Configurations	Box/File, Box/Box/File and File/File		
Pull Style	Integral, Square and Arch on Metal Fronts Square, Arch and J on Wood Fronts		
Other	Upholstered cushion top for mobile pedestals, Locking		
Towers			
Widths	2 Widths		
Heights	3 Heights		
Combination Files			
Width	30"		
Height	65"		
Credenzas			
	6 Styles of Low Storage (22"H) and 3 Styles of High		
Universal Storage			
Align Series	Wood or Metal Storage, Plinth Base or Stride Feet		
Essentials Series	Metal Storage		
Benching Product			
Configurations	Beam Supported Work Surfaces, Single and Dual Sided, Fixed Height or Adjustable Height Work Surfaces		
Leg Supports	Open or Close		
Widths	8'5" to 40'5"		
Depths	24", 30"		
Electrical	Same offering as panel electrical – distributed in trough with flip up lid		
Privacy Screens/Dividers	Tackable Fabric or Glass-13-1/2"H or 20"H		

Section 31 Workstation/Office Typicals – Product Description

Please mark the following characteristics with how they apply to the manufacturer's product specifications as submitted per the bid.

Finish Location	Finish Criteria	Yes	No
Horizontal Surfaces	High-Pressure Laminate: Wilsonart Charcoal Walnut		
Vertical Surfaces	High-Pressure Laminate: Wilsonart Frosty White		
Metal Leg/Accessories	Painted Metal Finish, Silver		
Metal Cabinetry	Painted Metal Finish, To Match Vertical Surface Laminate (Wilsonart Frosty White)		
Tackable Panel Fabric	Allsteel Pattern Refuge, Color Frost (or similar)		
Pedestal Upholstery	Designtex, Pattern Pennington, Color Cranberry (see specification sheets for installation directions)		
Furniture finishes shall be submitted to designer for approval prior to ordering			

Joplin Public Library

CB-1a
ITEM CODE

FURNITURE SPECIFICATIONS

Joplin Public Library

PROJECT NO: 14289000
JOPLIN, MISSOURI
ISSUE DATE: 11/08/2016

FF&E BASIS OF DESIGN
Computer Benching - 031

Manufacturer listed as basis of design only. Equal alternates can be submitted for review.

ITEM INFORMATION:

Type Mark	Count	Location	Basis of Design
CB-1a	1	Main Resource Collection Public Computers 031	Allsteel Stride

Dual Sided Benching, Beam Support
-252"L 60"D
-(12) 42"W 24"D Worksurfaces
-Centered, Dual Sided Power Trough with Lids
-Each Worksurface to have (2) Duplex Outlets and (2) Data Ports within Trough on Each Side

OPN ARCHITECTS

Joplin Public Library

CB-1b
ITEM CODE

FURNITURE SPECIFICATIONS

Joplin Public Library

PROJECT NO: 14289000
JOPLIN, MISSOURI
ISSUE DATE: 11/08/2016

FF&E BASIS OF DESIGN
Computer Benching - 031

Manufacturer listed as basis of design only. Equal alternates can be submitted for review.

ITEM INFORMATION:

Type Mark	Count	Location	Basis of Design
CB-1b	2	Main Resource Collection Public Computers 031	Allsteel Stride

Dual Sided Benching, Beam Support
-168"L 60"D
-(8) 42"W 24"D Worksurfaces
-Centered, Dual Sided Power Trough with Lids
-Each Worksurface to have (2) Duplex Outlets and (2) Data Ports within Trough on Each Side

OPN ARCHITECTS

Joplin Public Library

CB-2
ITEM CODE

FURNITURE SPECIFICATIONS

Joplin Public Library


PROJECT NO: 14289000
JOPLIN, MISSOURI
ISSUE DATE: 11/08/2016

FF&E BASIS OF DESIGN
Computer Benching - 026

Manufacturer listed as basis of design only. Equal alternates can be submitted for review.

ITEM INFORMATION:

Type Mark	Count	Location	Basis of Design
CB-2	1	Teen Collection 026	Allsteel Stride



Dual Sided Benching, Beam Support
-197"L 60"D
-(4) 96"W 24"D Worksurfaces for total of 8 stations
-Centered, Dual Sided Power Trough with Lids
-Each Station to have (2) Duplex Outlets and (2) Data Port within Trough on Each Side

OPN ARCHITECTS

Joplin Public Library

PO-1
ITEM CODE

FURNITURE SPECIFICATIONS

Joplin Public Library


PROJECT NO: 14289000
JOPLIN, MISSOURI
ISSUE DATE: 11/08/2016

FF&E BASIS OF DESIGN
Private Office - 059

Manufacturer listed as basis of design only. Equal alternates can be submitted for review.

ITEM INFORMATION:

Type Mark	Count	Location	Basis of Design
PO-1	1	IT Work Room & Office 059	Allsteel



OPN ARCHITECTS

Joplin Public Library

PO-2
ITEM CODE

FURNITURE SPECIFICATIONS

Joplin Public Library

PROJECT NO: 14289000
JOPLIN, MISSOURI
ISSUE DATE: 11/08/2016

FF&E BASIS OF DESIGN
Private Office - 067

Manufacturer listed as basis of design only. Equal alternates can be submitted for review.


ITEM INFORMATION:

Type Mark	Count	Location	Basis of Design
PO-2	1	Tech Services Office 067	Allsteel Stride/Involve

Storage A, 60"W 24"D 22"H
-Open with (1) Adjustable Shelf on Left and Box/File Drawers on Right
-Locking, No Cushion Top

Storage B, 30"W 24"D 22"H
-Box/File Pedestal
-Locking, No Cushion Top

Storage C, 42"W 24"D 22"H
-Box/Box/File Pedestal
-Locking, Cushion Top



OPN ARCHITECTS

Joplin Public Library

PO-3
ITEM CODE

FURNITURE SPECIFICATIONS

Joplin Public Library

PROJECT NO: 14289000
JOPLIN, MISSOURI
ISSUE DATE: 11/08/2016

FF&E BASIS OF DESIGN
Private Office - 068

Manufacturer listed as basis of design only. Equal alternates can be submitted for review.

ITEM INFORMATION:

Type Mark	Count	Location	Basis of Design
PO-3	1	Admin Assistant Office 068	Allsteel Stride/Involve


Storage A, 60"W 24"D 22"H
-Open with (1) Adjustable Shelf on Left and Box/File Drawers on Right
-Locking, No Cushion Top

Storage B, 30"W 24"D 22"H
-Box/File Pedestal
-Locking, No Cushion Top

Storage C, 42"W 24"D 22"H
-Sliding Door with Open shelves
-Locking, Cushion Top

Storage Tower with Wardrobe (Left) and Closed Storage/BBF on Right
-All locking
-24"W 24"D 65"H
-Laminate Front with Metal Case

Electric Height Adjustable Table
-C-Base Legs
-Centered Grommet
-72"L 30"W
-Laminate Top with 3 MM Edge



Cushion Top, 42"W 24"D
-Upholstery: Designtex Pennington #3656-904 (Stripes shall run from side to side)

3 Drawer Lateral File with Laminate top
-36"W 18"D 42"H
-Locking

42" Round Laminate Top with 3MM Edge
-Laminate & Edge Band to Match
-Fixed Height
-X Base with Casters

OPN ARCHITECTS

Joplin Public Library

PO-4
ITEM CODE

FURNITURE SPECIFICATIONS

Joplin Public Library

PROJECT NO: 14289000
JOPLIN, MISSOURI
ISSUE DATE: 11/08/2016

FF&E BASIS OF DESIGN
Private Office - 069

Manufacturer listed as basis of design only. Equal alternates can be submitted for review.

ITEM INFORMATION:


Type Mark	Count	Location	Basis of Design
PO-4	1	Director Office 069	Allsteel Stride/Involve

Storage A, 30"W 24"D 22"H
-Open with (1) Adjustable Shelf
-No Cushion Top


Storage B, 30"W 24"D 22"H
-Box/File Pedestal
-Locking, No Cushion Top

Storage C, 30"W 24"D 22"H
-Box/File Pedestal
-Locking, Cushion Top

Electric Height Adjustable Table
-C-Base Legs
-Centered Grommet
-72"L 30"W
-Laminate Top with 3 MM Edge




Cusion Top, 42"W 24"D
-Upholstery: Designtex
Pennington #3656-904 (Striples
shall run from side to side)



Storage Tower with Wardrobe (Right)
and Closed Storage/BBF on Left
-All locking
-24"W 24"D 65"H
-Laminate Front with Metal Case

48" Round Laminate Top with 3MM Edge
-Laminate & Edge Band to Match
-Fixed Height
-X Base with Casters



Storage D, 36"W 18"D 42"H
-3 Drawer Lateral File with Laminate Top
-Locking

Storage E, 36"W 18"D 28"H
-Sliding Door with Open Shelves

OPN ARCHITECTS

Joplin Public Library

PO-5
ITEM CODE

FURNITURE SPECIFICATIONS

Joplin Public Library


PROJECT NO: 14289000
JOPLIN, MISSOURI
ISSUE DATE: 11/08/2016

FF&E BASIS OF DESIGN
Private Office - 070 & 071

Manufacturer listed as basis of design only. Equal alternates can be submitted for review.

ITEM INFORMATION:

Type Mark	Count	Location	Basis of Design
PO-5	2	Future Office 070, Collection Dev. Office 071	Allsteel Stride/Involve



OPN ARCHITECTS

Joplin Public Library

PO-6
ITEM CODE

FURNITURE SPECIFICATIONS

Joplin Public Library


PROJECT NO: 14289000
JOPLIN, MISSOURI
ISSUE DATE: 11/08/2016

FF&E BASIS OF DESIGN
Private Office - 041

Manufacturer listed as basis of design only. Equal alternates can be submitted for review.

ITEM INFORMATION:

Type Mark	Count	Location	Basis of Design
PO-6	1	Post Library Office 041	Allsteel Stride/Involve



Storage A, 60"W 24"D 22"H
-Open with (1) Adjustable Shelf on Right and Box/File Drawers on Left
-Locking, Cushion Top

Storage B, 36"W 18"D 65"H
-Adjustable Shelves and Lateral File Below
-Locking

OPN ARCHITECTS

Joplin Public Library

PO-7
ITEM CODE

FURNITURE SPECIFICATIONS

Joplin Public Library

PROJECT NO: 14289000
JOPLIN, MISSOURI
ISSUE DATE: 11/08/2016

FF&E BASIS OF DESIGN
Private Office - 021B

Manufacturer listed as basis of design only. Equal alternates can be submitted for review.


ITEM INFORMATION:

Type Mark	Count	Location	Basis of Design
PO-7	1	Adult Office 021B	Allsteel Stride/Involve

Storage A, 60"W 24"D 22"H
-Open with (1) Adjustable Shelf on Left and Box/File Drawers on Right
-Locking, No Cushion Top

Storage B, 30"W 24"D 22"H
-Box/File Pedestal
-Locking, No Cushion Top

Storage C, 48"W 24"D 22"H
-Sliding Door with Open Shelves
-Locking, Cushion Top



Electric Height Adjustable Table
-C-Base Legs
-Centered Grommet
-60"L 30"W
-Laminate Top with 3 MM Edge

42" Round Laminate Top with 3MM Edge
-Laminate & Edge Band to Match
-Fixed Height
-X Base with Casters

Cushion Top, 48"W 24"D
-Upholstery: Designtex Pennington #3656-904 (Stripes shall run from side to side)

Storage Tower with Wardrobe (Right) and Closed Storage/BBF on Left
-All locking
-24"W 24"D 65"H
-Laminate Front with Metal Case

OPN ARCHITECTS

Joplin Public Library

PO-8
ITEM CODE

FURNITURE SPECIFICATIONS

Joplin Public Library

PROJECT NO: 14289000
JOPLIN, MISSOURI
ISSUE DATE: 11/08/2016

FF&E BASIS OF DESIGN
Private Office - 023

Manufacturer listed as basis of design only. Equal alternates can be submitted for review.


ITEM INFORMATION:

Type Mark	Count	Location	Basis of Design
PO-8	1	Teen Office 023	Allsteel Stride/Involve

Storage A, 60"W 24"D 22"H
-Open with (1) Adjustable Shelf on Left and Box/File Drawers on Right
-Locking, No Cushion Top

Storage B, 30"W 24"D 22"H
-Box/File Pedestal
-Locking, No Cushion Top

Storage C, 48"W 24"D 22"H
-Sliding Door with Open Shelves
-Locking, Cushion Top



Electric Height Adjustable Table
-C-Base Legs
-Centered Grommet
-72"L 30"W
-Laminate Top with 3 MM Edge

48"W 30"D Laminate Top with 3MM Edge
-Laminate & Edge Band to Match
-(4) Post Legs with Casters

Cushion Top, 48"W 24"D
-Upholstery: Designtex Pennington #3656-904 (Stripes shall run from side to side)

Storage Tower with Wardrobe (Right) and Closed Storage/BBF on Left
-All locking
-24"W 24"D 65"H
-Laminate Front with Metal Case

OPN ARCHITECTS

Joplin Public Library

PO-9
ITEM CODE

FURNITURE SPECIFICATIONS

Joplin Public Library

PROJECT NO: 14289000
JOPLIN, MISSOURI
ISSUE DATE: 11/08/2016

FF&E BASIS OF DESIGN
Private Office - 003A


Manufacturer listed as basis of design only. Equal alternates can be submitted for review.

ITEM INFORMATION:

Type Mark	Count	Location	Basis of Design
PO-9	1	Children Office 003A	Allsteel Stride/Involve

Storage A, 60"W 24"D 22"H
-Open with (1) Adjustable Shelf on Left and Box/File Drawers on Right
-Locking, No Cushion Top

Storage B, 30"W 24"D 22"H
-Box/File Pedestal
-Locking, Cushion Top



Wallmounted Overhead Storage Cabinet
-Hinged Doors
-Locking
-Laminate
-60"W 15"D 15"H

Tackboard
-60"W 24"H

Cushion Top, 30"W 24"D
-Upholstery: Designtex Pennington #3656-904 (Stripes shall run from side to side)

Electric Height Adjustable Table
-C-Base Legs
-Centered Grommet
-72"L 30"W
-Laminate Top with 3 MM Edge

Storage Tower with Wardrobe (Right) and Closed Storage/BBF on Left
-All locking
-24"W 24"D 65"H
-Laminate Front with Metal Case

36" Round Laminate Top with 3MM Edge
-Laminate & Edge Band to Match
-Fixed Height
-X Base with Casters

OPN ARCHITECTS

Joplin Public Library

PS-1
ITEM CODE

FURNITURE SPECIFICATIONS

Joplin Public Library


PROJECT NO: 14289000
JOPLIN, MISSOURI
ISSUE DATE: 11/08/2016

FF&E BASIS OF DESIGN
Print Station - 063

Manufacturer listed as basis of design only. Equal alternates can be submitted for review.


ITEM INFORMATION:


Type Mark	Count	Location	Basis of Design
PS-1	1	Admin Open Office Print Station 063	Allsteel Stride/Essentials



OPN ARCHITECTS


PS-1 Continued (2 of 3)
Admin Open Office Print Station 063





OPN ARCHITECTS

PS-1 Continued (3 of 3)
Admin Open Office Print Station 063



1 Admin Open Office Print Station 063

1. Large Format Printer
2. Floor Copier
3. Floor box provided by electrical contractor. Dealer to verify prior to order, typical.

Note: Dealer shall verify floor box locations in field prior to ordering. Dealer shall confirm power and data requirements with owner's representatve prior to ordering.

Joplin Public Library

PS-2
ITEM CODE

FURNITURE SPECIFICATIONS

Joplin Public Library


PROJECT NO: 14289000
JOPLIN, MISSOURI
ISSUE DATE: 11/08/2016

FF&E BASIS OF DESIGN
Print Station - 031

Manufacturer listed as basis of design only. Equal alternates can be submitted for review.

ITEM INFORMATION:


Type Mark	Count	Location	Basis of Design
PS-2	1	Main Resource Collection Public Print Station 031	Allsteel Stride/Involve



OPN ARCHITECTS


Joplin Public Library

PS-2 Continued (2 of 3)
Public Print Station 031



OPN ARCHITECTS

PS-2 Continued (3 of 3)
Public Print Station - 031



1 Public Print Station - 031

1. Desktop Scanner (5 power/1 data)
2. Print Release Station (2 power/1 data)
3. Counter Print (1 power/1 data)
4. Coin Op Machine (1 power/1 data)
5. Copier (1 power/1 data)
6. Floor box provided by electrical contractor. Dealer to verify prior to order, typical.

Note: Dealer shall verify floor box locations in field prior to ordering. Dealer shall confirm power and data requirements with owner's representatve prior to ordering.

Joplin Public Library

WS-1
ITEM CODE

FURNITURE SPECIFICATIONS

Joplin Public Library


PROJECT NO: 14289000
JOPLIN, MISSOURI
ISSUE DATE: 11/08/2016

FF&E BASIS OF DESIGN
Work Space - 063

Manufacturer listed as basis of design only. Equal alternates can be submitted for review.

ITEM INFORMATION:

Type Mark	Count	Location	Basis of Design
WS-1	1	Tech Services 063	Allsteel Stride/Involve



OPN ARCHITECTS

Joplin Public Library

WS-2
ITEM CODE

FURNITURE SPECIFICATIONS

Joplin Public Library


PROJECT NO: 14289000
JOPLIN, MISSOURI
ISSUE DATE: 11/08/2016

FF&E BASIS OF DESIGN
Work Space - 063

Manufacturer listed as basis of design only. Equal alternates can be submitted for review.


ITEM INFORMATION:

Type Mark	Count	Location	Basis of Design
WS-2	1	Admin 063 Workstations	Allsteel Stride/Involve



OPN ARCHITECTS

WS-2 Continued (2 of 2)
Work Space - 063



1 Work Space - 063

1. Floor box provided by electrical contractor. Dealer to verify prior to order, typical.

Note: Dealer shall verify floor box locations in field prior to ordering. Dealer shall confirm power and data requirements with owner's representatve prior to ordering.

Joplin Public Library

WS-3
ITEM CODE

FURNITURE SPECIFICATIONS

Joplin Public Library


PROJECT NO: 14289000
JOPLIN, MISSOURI
ISSUE DATE: 11/08/2016

FF&E BASIS OF DESIGN
Work Space - 044

Manufacturer listed as basis of design only. Equal alternates can be submitted for review.

ITEM INFORMATION:

Type Mark	Count	Location	Basis of Design
WS-3	1	Service Desk Support 044	Allsteel Stride/Involve



OPN ARCHITECTS

Joplin Public Library

WS-4
ITEM CODE

FURNITURE SPECIFICATIONS

Joplin Public Library


PROJECT NO: 14289000
JOPLIN, MISSOURI
ISSUE DATE: 11/08/2016

FF&E BASIS OF DESIGN
Work Space - 003

Manufacturer listed as basis of design only. Equal alternates can be submitted for review.

ITEM INFORMATION:

Type Mark	Count	Location	Basis of Design
WS-4	1	Children's Office 003	Allsteel Stride/Involve



OPN ARCHITECTS

Joplin Public Library

WS-5
ITEM CODE

FURNITURE SPECIFICATIONS

Joplin Public Library


PROJECT NO: 14289000
JOPLIN, MISSOURI
ISSUE DATE: 11/08/2016

FF&E BASIS OF DESIGN
Work Space - 002

Manufacturer listed as basis of design only. Equal alternates can be submitted for review.

ITEM INFORMATION:

Type Mark	Count	Location	Basis of Design
WS-5	1	Children's Storage Room 002	Allsteel Stride/Involve



OPN ARCHITECTS

Joplin Public Library

WS-6
ITEM CODE

FURNITURE SPECIFICATIONS

Joplin Public Library


PROJECT NO: 14289000
JOPLIN, MISSOURI
ISSUE DATE: 11/08/2016

FF&E BASIS OF DESIGN
Work Space - 021

Manufacturer listed as basis of design only. Equal alternates can be submitted for review.

ITEM INFORMATION:

Type Mark	Count	Location	Basis of Design
WS-6	1	Proctor 021	Allsteel Stride/Involve



OPN ARCHITECTS

Joplin Public Library

WS-7
ITEM CODE

FURNITURE SPECIFICATIONS

Joplin Public Library


PROJECT NO: 14289000
JOPLIN, MISSOURI
ISSUE DATE: 11/08/2016

FF&E BASIS OF DESIGN
Work Space - 022

Manufacturer listed as basis of design only. Equal alternates can be submitted for review.

ITEM INFORMATION:

Type Mark	Count	Location	Basis of Design
WS-7	1	Staff Work Room 022	Allsteel Stride/Involve



OPN ARCHITECTS

Joplin Public Library

WS-8
ITEM CODE

FURNITURE SPECIFICATIONS

Joplin Public Library


PROJECT NO: 14289000
JOPLIN, MISSOURI
ISSUE DATE: 11/08/2016

FF&E BASIS OF DESIGN
Work Space - 040

Manufacturer listed as basis of design only. Equal alternates can be submitted for review.

ITEM INFORMATION:

Type Mark	Count	Location	Basis of Design
WS-8	1	Computer/Microfiche 040	Allsteel Stride/Involve



(4) Freestanding Tables - Fixed Height
-48"W 30"D
-(1) Centered Grommet (not shown)
-C Leg with Glides
-Laminate Top with 3MM Edge

OPN ARCHITECTS

Section 31 - Bid Tab
Workstations/Office Typicals

Joplin Public Library

OPN PROJECT NO: 14289000
EDA PROJECT NO: 05-79-05345
JOPLIN, MISSOURI
ISSUE DATE:11/08/2016

Type Mark	Count	Lead Time	% Discount	Unit List Cost	Unit Net Cost	Extended Cost	Delivery & Installation	Total
CB-1a	1							
CB-1b	2							
CB-2	1							
PO-1	1							
PO-2	1							
PO-3	1							
PO-4	1							
PO-5	2							
PO-6	1							
PO-7	1							
PO-8	1							
PO-9	1							
PS-1	1							
PS-2	1							
WS-1	1							
WS-2	1							
WS-3	1							
WS-4	1							
WS-5	1							
WS-6	1							
WS-7	1							
WS-8	1							

GRAND TOTAL:

ARE ALL SPECIFIED COM'S READILY AVAILABLE? Y ☐ N ☐ N/A ☐

IF ANSWERED "NO", PLEASE EXPLAIN:

_____

_____

_____

OPN ARCHITECTS

Joplin Public Library

Section 32
Monitor Arms

OPN ARCHITECTS

Joplin Public Library

AC-6
ITEM CODE

FURNITURE SPECIFICATIONS

Joplin Public Library

PROJECT NO: 14289000
JOPLIN, MISSOURI
ISSUE DATE:11/08/2016

FF&E BASIS OF DESIGN
Accessories

Manufacturer listed as basis of design only. Equal alternates can be submitted for review.

ITEM INFORMATION:

Type Mark	Count	Item	Manufacturer	Model	Height Adjustment Range
AC-6	9	Monitor Arm	ESI	EDGE-SLV	13", Low 7", High 20"

Monitor Extension	Monitor Tilt / Rotation	Weight Capacity per Arm	Notes
22.5"	+25°/-90° / +90°/-90°	Minimum 6.5 lbs, Maximum 17.6 lbs	180° Lock-Out Feature, quick release. Includes both desk clamp and grommet mount.



Locations:
Teen Office 023
Adult Office 021b
Children's Office 003a
Tech Service Office 067
Admin Assistant Office 068
Director Office 069
Future Office 070
Collection Development Office 071
Post Library Office 041

OPN ARCHITECTS

Section 32 - Bid Tab
Monitor Arms

Joplin Public Library

OPN PROJECT NO: 14289000
EDA PROJECT NO: 05-79-05345
JOPLIN, MISSOURI
ISSUE DATE:11/08/2016

Type Mark	Count	Lead Time	% Discount	Unit List Cost	Unit Net Cost	Extended Cost	Delivery & Installation	Total
AC-6	9							

GRAND TOTAL:

ARE ALL SPECIFIED COM'S READILY AVAILABLE? **Y** ☐ **N** ☐ **N/A** ☐

IF ANSWERED "NO", PLEASE EXPLAIN:

_____

_____

_____

Type Mark	Count	Lead Time	Warranty
TA-7	1		

OPN ARCHITECTS

Joplin Public Library

Section 33
Lectern

OPN ARCHITECTS

Joplin Public Library

AC-7
ITEM CODE

FURNITURE SPECIFICATIONS

Joplin Public Library

PROJECT NO: 14289000
JOPLIN, MISSOURI
ISSUE DATE: 11/08/2016

FF&E BASIS OF DESIGN
Accessories


Manufacturer listed as basis of design only. Equal alternates can be submitted for review.

ITEM INFORMATION:

Type Mark	Count	Item	Manufacturer	Model	Model #
AC-7	1	Lectern	Nucraft	High Tech Lectern	AVCL-2845-PA-SS-FSU-FSL-SH

Description	Size	Base Style	Base Finish
Mobile lectern with slide out shelf, fixed upper and fixed lower shelf and casters.	28"W 22"D 45"H	Steel Legs with Casters	Polished

Wood Finish	Special Instructions
Stained to match designers sample.	Lower shelf to have 2" grommet and cable shroud. Microphone shall be provided by owner.



OPN ARCHITECTS

Section 33 - Bid Tab
Lectern

Joplin Public Library

OPN PROJECT NO: 14289000
EDA PROJECT NO: 05-79-05345
JOPLIN, MISSOURI
ISSUE DATE:11/08/2016

Type Mark	Count	Lead Time	% Discount	Unit List Cost	Unit Net Cost	Extended Cost	Delivery & Installation	Total
AC-7	1							

GRAND TOTAL:

ARE ALL SPECIFIED COM'S READILY AVAILABLE? **Y** ☐ **N** ☐ **N/A** ☐

IF ANSWERED "NO", PLEASE EXPLAIN:

_____

_____

_____

Type Mark	Lead Time	Warranty
AC-7		

OPN ARCHITECTS

Joplin Public Library

Section 34
Special Upholstery Instructions

OPN ARCHITECTS

Section 34 – Upholstery Special Instructions (Typical on all Seating)

1. All specified upholsteries are to be from the same dye lot.

2. Submit cuttings for approval by Specifier from proposed dye lots prior to production.

3. The Vendor(s) are to coordinate the reservations of all upholstery fabrics within Same dye lots to meet furniture fabrication lead times for the entire project.

4. Upholstery manufacturers to provide Owner with written cleaning and maintenance Instructions at time of installation.

Joplin Public Library

Section 35
Standard Product Alternate Form

OPN ARCHITECTS

Interior Furnishings

Project: **Joplin Public Library**
1901 E. 20th Street
Joplin, Missouri 64801

***All alternate forms will be evaluated at bid submission.**

ALTERNATE FORM

We hereby submit for your consideration the following product in lieu of the specified item for the above project:

Section #: _____
Specified Product: _____
Proposed Equivalent: _____

Submit, with request all necessary samples and substantiating data to prove equal quality and performance to that which is specifed. If submitting alternate for Section 6: Metal Shelving, provide section drawings for each shelving type. Clearly mark manufacturer's literature to indicate equivalent performance.

	Yes	No	N/A
Does the proposed product meet dimensions shown on specifications?			
Does the proposed product's warranty meet or exceed the product specified?			
If COM applies, is the COM approved on the proposed product?			
Does the proposed product achieve the same aesthetic as specified product?			
Does the product meet performance specifications? ie: technology and materials			

***Note: All applicable categories must be met in order to be approved as an alternate.**

If you answered No to any of the above questions, please explain below:

_____

The undersigned states that the function, appearance, and quality are equivalent or superior to the specified item.

Submitted by:

Signature: _____ Title: _____

Firm: _____ Date: _____

Signature shall be by person having authority to legally bind his/her firm. Failure to provide legally binding signature will result in retraction of approval.

_____

For Use by Owner's Representative or Owner:

O Accepted O Accepted as Noted O Not Accepted O Received Too Late O Rejected

By: _____

Date: _____